

GENERAL INFORMATION				
DISTRICT NAME- DISTRICT NUMBER	System Number	SYSTEM NUMBER	SYSTEM NAME	POPULATION
Valley-21	CA0600008	0600008	COLUSA CO. W.D. #1 - GRIMES	500
Contra Costa LPA-37	CA0707602	0707602	Beacon West	45
Contra Costa LPA-37	CA0707615	0707615	Doubletree Ranch HOA	49
El Dorado LPA-39	CA0900102	0900102	Gold Beach Park	100

SERVICE CONNECTIONS	PWS CLASSIFICATION	IS THE PWS A SCHOOL OR DAYCARE THAT SERVES PEOPLE <18YRS.? (Yes/No)	1ST ENF ACTION NO. ISSUED (Use the FED REP ID # in SDWIS)
104	COMMUNITY	No	9210006
17	COMMUNITY	No	1000308
18	COMMUNITY	No	0800252
50	COMMUNITY	No	0901548

ENFORCEMENT ACTIVITIES		
1ST ENF ACTION ISSUE DATE (Status Date in SDWIS)	COMPLIANCE PLAN SUBMITTED? (Yes/No)	WAS A COMPLIANCE ORDER ISSUED? (Meets EPA's Formal Action Criteria)
1/5/2009	Yes	Yes
9/4/2009	Yes	Yes
10/21/2008	Yes	Yes
11/9/2009	Yes	Yes

MOST CURRENT ENF ACTION NO. ISSUED (Use the FED REP ID # in SDWIS)	MOST CURRENT ENF ACTION ISSUE DATE (Status Date in SDWIS)	DATE PWS MUST BE IN COMPLIANCE BY (*Anticipated RTC)
921006	1/5/2009	Not specified
1000308	9/4/2009	12/16/2016
0800252	4/21/2016	4/30/2018
Need to enter the compliance order in to SDWIS State	9/10/2015	11/1/2016

INTERIM MEASURES		MCL DATA
BOTTLED WATER OR HAULED WATER PROVIDED (Yes/No)	POU/POE PROVIDED (Yes/No)	QUARTER/YYYY - RAA (ug/L) (Most Current)
Yes	Yes - but not maintained or tested	1Q/2017 - 24.0
No	No	1Q2017 - 28.7
No	Yes	1Q2017 - 28.5
		2Q/2015 - 12 (have not sampled since compliance order was issued, advised the LPA to issue a M&R citation)

FUNDING SOURCE	TECHNICAL ASSISTANCE REQUESTED (YES/NO)
STATE	Yes
PRIVATE	
12/6/2016- DFA has reached out to the owner of Gold Beach Park on multiple occasions over the past 2-3 years, but the owner has been unresponsive. (PETE)	No

PLANNING STUDY-APPLICATION DATE SUBMITTED	PLANNING STUDY-APPLICATION DATE APPROVED
Planning application deemed complete 5/2/2017	File is routing - a funding agreement is being drafted. Estimated execution date is 8/1/17.
N/A	N/A

FUNDING INFORMATION	
PLANNING STUDY AWARD AMOUNT	PLANNING STUDY-PROJECT COMPLETION DATE OR SCHEDULED COMPLETION DATE
\$415,000.00	8/1/2019
	N/A

CONSTRUCTION-APPLICATION DATE SUBMITTED	CEQA COMPLETED (YES/NO)
N/A	No

CONSTRUCTION-APPLICATION DATE APPROVED	CONSTRUCTION-AWARD AMOUNT
N/A	

CONSTRUCTION-PROJECT COMPLETION DATE OR SCHEDULED COMPLETION DATE	PROPOSED SOLUTION
N/A	
	Treatment
	New Well/Source

PROJECT INFORMATION

PROJECT STATUS & SYSTEM NOTES

5/9/2017 - DFA is still processing the planning application. According to DFA the FA should be executed possibly by August 1, 2017. **1/17/2017** - The construction funding application is currently under review by the DFA. It is predicted that a FA may be executed as soon as April or May 2017 barring any unforeseen issues. **11/3/2016** - Meeting between SRWCB and the water system to discuss a revised scope of work for the planning project. More emphasis will be put on drilling 3 shallow test wells. **8/16/2016** - CRWA submitted a completed feasibility study FFAST application for treatment or a new well on 8/15/2016. **4/8/2016** - Funding application is nearly complete. **2/22/2016** - DE states that a revised COM is "NOT ADVISED, THEY HAVE NOT COMPLETED A FEASIBILITY STUDY NOR HAS IT STARTED YET (OF NO FAULT OF THEIR OWN - IS DUE TO FUNDING SNAFUS). METER PROJECT WILL COME FIRST BEFORE FEASIBILITY. 2018

6/15/2017: Diablo Water District is the consolidating system which also currently owns the Beacon West Water System. Diablo Water District will fund the consolidation. **5/4/17**: Water Systems will consolidate with another PWS and is in the process of obtaining necessary easements and approval from LAFCO. **8/3/16**: Water system is evaluating potential consolidation with another PWS. **6/24/2016**: Construction will be able to completed by the end of the year. **4/29/16**-

5/4/17: The system has installed POU devices at 8 homes to date and plans to complete installation of the remaining 10 POU devices by September 2017. **2/28/17**: Water Sytem is continuing to evaluate alternatives for POU/POE. **4/29/2016**: System was issued a new Compliance Order in April 2016. **3/7/2016**: System will be issued new Compliance

6/23/2017: EPA issues a NOV to Gold Beach and an inspection is scheduled for 6/29/2017. **6/14/2017**: DDW refers this case to EPA for enforcement. **5/4/2017**: No changes reported to address elevated arsenic levels. EPA Enforcement Division assistance requested because the water system has chronically elevated arsenic levels and the owner of the water system has so far been unresponsive to compliance orders, citations with administrative penalties, and violation notices. No plan has been implemented to reduce arsenic levels below the MCL. **1/17/2017**: No changes reported. **9/6/2016**: Gold Beach Park tested a well on their property for arsenic that is currently used to supply water to a storage tank in case of a fire. This well was tested in February 2016 for arsenic and it was found to have an arsenic level of 2.6 ug/L. Gold Beach Park has not been responsive to compliance orders issued to it. A new compliance order has been drafted by the LPA and was reviewed by the DE on 9/6/2016. Unknown when the compliance order was issued to the water system. Issued a COM on 9/10/2015, but they may still need to issue a citation with fines. **6/27/2016**: Water system is not complying with compliance order that was issued 9/2015. Wendy spoke with LPA on 6/27/2016 to discuss the possiblity of re-isusing an amendmed com and/or issuing a citation with fines for their non-compliance. Not receiving any PN for the arsenic vialtion and don't believe they are issueing Do Not Drink notices. Last sample was

El Dorado LPA-39	CA0900210	0900210	Millers Hill School	120
Fresno-23	CA1000053	1000053	Lanare CSD	400
Fresno-23	CA1000071	1000071	Lakeview Improvement Assoc	64

2	NTNC	Yes	0900940
154	COMMUNITY	No	923296
160	COMMUNITY	No	1323008

10/1/2008	Yes	Yes
5/18/2009	Yes	Yes
12/31/2014	Yes	Yes

		12/31/2010
2009-923296	5/18/2009	Not Specified
2016-1323014	5/16/2016	7/1/2017

Yes	No	4Q/2016 - 7.5 RAA (Well 3) 4Q/2016 - 6.7 RAA (Well 4)
Yes	No	1Q2017 - (Well 01) - 16.5 1Q2017 - (Well 02) - 19.3
No	No	4Q2016 - (1000071-001) - 23.8 4Q2016 - (1000071-002) - 25.8

STATE	No
STATE	Yes
PRIVATE	No

11/10/2011	9/14/2012
10/31/2011	12/27/2012

	5/13/2014
	7/8/2014

8/25/2014	Yes
10/30/2014	Yes

4/1/2015	
9/24/2015	

4/1/2018	Well Inactivated/Source Abandoned
9/24/2018	New Well/Source
	Treatment

6/27/2017 The school is developing a plan to use a combination of wells to meet the arsenic MCL. Miller's Hill School will be submitting a written plan for blending water from different wells to lower arsenic levels as well as alternative plans in case a well fails to produce enough water or produces water that will elevate arsenic levels in the distribution system above the arsenic MCL. The plan should be ready within the next 1 or 2 months. **5/4/2017** The school is in the process of incorporating their newly drilled well into the water system. It has arsenic levels below the MCL but has nitrate levels above the MCL. Time series testing to further characterize nitrate levels has been completed on this well and an engineered plan is being developed to blend the water from this well with water from the other existing wells. The school is still providing bottled drinking water to students and staff. **4/19/2017:** Per the LPA, the school is continuing to provide bottled water (Rim Rock Water Co.) for students and staff. They are in the process of bringing their new water system equipment online but are having difficulties with coliform positive water samples and are working to determine the source. They did find some cross-connection issues and have corrected them. They think that it may be due to sampling technique or problems with the new chlorinator providing adequate continuous water treatment. They are continuing to test all of their wells for arsenic even though some of them are not currently supplying the water system. The arsenic levels are trending downward to the point where their arsenic levels will be below the MCL for enough consecutive quarters to allow them to be used to supply drinking water. Finally, MHS is still characterizing the elevated nitrate levels in their newest well. Most of the information above is from a conversation I had last week with Joy Worth, the administrative secretary at MHS. **12/7/2016:** Pending pump test and water quality samples from the newest well. **11/17/2016:** Miller's Hill School is developing a plan to characterize nitrates in their newest well. **9/6/2016:** Per Stantec Engineering, the company performing work at Miller's Hill School, the construction project for Miller's Hill School began in September and was put on hold by the California Division of State Architecture from December 2015 to June 2016. Construction has re-started and is nearing completion. The project includes installing a shutoff valve Well #4 (the well with consistently high arsenic levels) to remove it from the potable water supply and converting it to an irrigation well. Potable water is currently provided by Rimrock Water Company of Placerville, CA. I am meeting with the school Superintendent and Stantec construction to discuss the current status of

6/15/17: Two wells were initially drilled and DDW rejected one of the two wells for failure to meet design specifications and drinking water standards (turbidity). PW3 showed no detectable arsenic in initial screening. The Receiver and driller have not reached agreement to close out the drilling contract. The receiver is proceeding with the second lowest bidder for construction of a third well to replace the rejected well. DDW expects that the completed project will have produced two new wells that meet applicable drinking water standards. At this point, the Receiver and DFA have not proceeded towards obtaining additional funding resources. In the event that the forthcoming well is not accepted, the water system could blend water with the accepted well (once equipped and connected to the system) with either the third well or an existing well. **4/27/17 –** Receiver continues to work towards a settlement with well driller regarding unacceptable production well and awaits DFA approval for a Funding Agreement amendment to fund a second production well. **2/6/17 update:** DDW has accepted only one of two wells (Well PW3 accepted, Well PW4 rejected due to turbidity issues and failure to meet bid specifications). DFA PM working to obtain additional P84 funds to drill another well to same specifications as Well PW3. **12/12/2016 - Water system is working with well driller to complete two production wells. There are quality issues with the wells and the parties are working out the details. 11/7/16 update:** Well driller approved to continue development of two completed wells to improve quality

4/27/17 - No status change from previous update 2/6/17 update: POU pilot study completed; Pure Blue H2O selected as POU for systemwide installation. DDW waiting for permit application and POU plans prior to approval to conduct installations. **11/7/16 update:** DDW developing response for re-evaluation of PWS classification; **8/16/16 update:** Citation with rescindable fines issued 5/16/16. CAP submitted by WS on 6/24/16. Fines rescinded on 6/27/16. WS is requesting re-evaluation of their PWS classification as a CWS (mostly seasonal usage second homes). **OLD UPDATES:**

Fresno-23	CA1000072	1000072	Shaver Lake Pt. No. 2	210
Fresno-23	CA1000584	1000584	True Organic Products	42
Fresno-23	CA1000604	1000604	Johann Dairy	60
Fresno-23	CA1009051	1009051	Cantua Creek Vineyards	50
Fresno-23	CA1010039	1010039	Caruthers CSD	2103

93	COMMUNITY	No	1223014
1	NTNC	No	1223002
4	NTNC	No	2016-1323008
23	COMMUNITY	No	9600024
672	COMMUNITY	No	923003

1/12/2015	No	Yes
12/15/2011	No	Yes
3/24/2016	Yes	Yes
10/7/2014	No	Yes
1/15/2009	Yes	Yes

2017-1223016	2/17/2017	12/31/2017
2015-1323008	8/5/2015	12/31/2016
2016-1323008	3/24/2016	4/1/2019
2015-9600024	10/7/2014	7/1/2017
2009-923003	1/15/2009	3/21/2018

No	No	1Q2017 - (1000072-001) - 1.2 2Q2017 - (1000072-002) - 51.0 1Q2017 - (1000072-003) - 20.8
No	No	1Q2017 (Well 1) - 12.6
No	No	4Q2016 (Well 2) - 34.1
Yes	No	1Q2017 (Well 1) - 36.0
No	No	Well 3 - Standby Well 4 - Inactive 1Q2017 (Well 5) - 10.5 ug/L 1Q2017 (Well 6) - 10.1 ug/L

PRIVATE	No
	No
PRIVATE	No
PRIVATE	No
STATE	No

N/A	N/A
1/11/2007	5/25/2010

N/A	N/A
	12/14/2011

Fresno County submitted constrcution app on their behalf to consolidate them into Cantua Creek FCSA#32. App was submitted April 2017	N/A
2/17/2012	Yes

N/A	N/A
3/21/2013	

	Treatment
	Treatment
	Treatment
N/A	Consolidation
3/21/2018	Treatment

6/15/17: DDW has approved treatment process schematic diagrams and facility layouts for the proposed centralized treatment system. DDW provided permitting requirements to the system via a letter dated 2/16/2017 and provided a status update following approval of the recent submittals. Installation should take place this summer, depending on access to the site (snow). **4/27/17 –** Water System continues with plumbing and electrical improvements necessary to add arsenic treatment. **2/6/17 update:** AdEdge arsenic removal system selected for centralized treatment based on vendor evaluation of O&M costs. Water System proposes installation by end of 3rd Q 2017. **11/7/16 update:** No change in status. **8/16/16 update:** WS continuing proposed arsenic sampling study. **6/14/2016:** Data is being obtained for 4th Q 2015. During 1st Q 2016, the operator found Wells 2&3 electrical controls had been damaged, and hence wells were inoperable. Samples could not be collected, and no M/R violation will be issued since the wells were inoperable. We have been advised that samples have been collected for the 2nd Q 2016, and results are pending. 1stQ2016 result for Well 1 was ND, potentially due to the pumping status of the well. Specifically, the operator is studying the possibility that the arsenic concentration reduces with pumping.

Schedule:

May - July 2016: Arsenic Sampling Study (testing arsenic during pumping cycle to evaluate changes in concentration)

August: Treatment design pending results of study will entail either a blending tank & controls or AdEdge Filtration

6/20/17: Water System is installing a POU to determine efficacy; if successful additional POU's will be installed.

4/27/17 update: Water system is planning to submit an additional pilot study protocol for a POU with higher capacity.

2/6/17 update: System submitted letter proposing alternate compliance plan using POU. Pilot study protocol and POU Plans provided with letter. **11/7/16 update:** System will be submitting request for POU piloting soon; **8/16/16 update:** No change in status **6/14/2016:** The system is evaluating the installation of ArsenX as POE treatment. They

4/27/17 - No status change from previous update. **2/6/17 update:** POU proposed in quarterly progress report.

Working with Culligan for proposed POU system. **11/7/16 update:** No change in status. DDW evaluating compliance status with CO and will take appropriate followup action. **8/16/16 update** (NEW CO issued 3/24/16) CO issued based on single samples collected in 2013, 2014 and 2015, all results exceeding the arsenic MCL. WS has had significant

6/20/17: DDW will consider issuance of a revised compliance order. **4/27/17 -** No status change from previous update.

2/6/17 update: CCV submitted letter in support of consolidation with FCSA 32. FCSA 32 has begun developing a consolidation agreement under the DWSRF Planning Study. **11/7/16** No change in status. **8/16/16 update:** Funding agreement issued to FCSA 30/32 on 8/9/16 for planning to evaluate groundwater for FCSA 32/Cantua Creek. CCV still proposes to consolidate with FCSA 32 as part of the construction project. **6/14/2016:** Proposed solution is now evaluating groundwater for the Cantua Creek community. New funding agreement to change the scope of the planning study is under development, and should be issued in the next month or two. That project would have an 18 month timeline, and would include a test well and design of two completed wells and distribution system. DWR may

6/15/17 – No specific update; DFA update needed on arsenic treatment funding. Water system has executed additional funding contract with DFA for a feasibility study to address EDB violation in Well 3 and 1,2,3-TCP contamination in Wells 3 and 5. The water system is planning for that selected construction project to include expanding the proposed arsenic treatment in the case that a new production well also exceeds the arsenic MCL **4/27/17 –** Bids for construction of arsenic treatment exceeded the remaining project budget. Water System is working direct with DFA to continue project either through a readvertisement of the bid or co-funding the project with SFR (which would require amending the environmental documents). **2/6/17 update:** Phase 3 is out to bid, to be awarded in February 2017. **12/12/2016- Project is on schedule. Water treatment phase is being advertised. 11/7/16 update:** No change in status - project continuing per schedule **8/16/16 update:** Funding agreement amended 4/25/2016 to extend deadline for project completion to 3/21/18. Arsenic treatment soon to go to bid; **6/14/2016:** the RTC date of 3/21/2018 is not in the 2009 compliance order. **5/11/15 update:** Pilot study completed and arsenic treatment vendor selected.. Design of

Yes

Yes

Yes

Yes

Yes

Inyo LPA-44	CA1400036	1400036	Keeler CSD	180
Visalia-12	CA1500378	1500378	Maher Mutual Water Company	150
Tehachapi-19	CA1500424	1500424	Land of Promise Mutual Water Association	190

67	COMMUNITY	No	1100042
50	COMMUNITY	No	0919022
65	COMMUNITY	No	0919019

12/10/2010	Yes	Yes
1/23/2009	Yes	Yes
1/23/2009	Yes	Yes

1500013	3/21/2016	7/1/2018
9819011	5/26/2015	6/30/2018
9719008	12/14/2015	5/29/2018

No	Yes	1Q/2017 - 73
		1Q/2017 - 20
No	No	1Q/2017-17

SRF	N/A
	No
	Yes

10/28/2011	2/21/2012
10/18/2011	2/27/2013

	PLANNING FUNDING AGREEMENT ISSUED 7/5/2012. WATER SYSTEM REFUSED TO SIGN AGREEMENT FOR EXECUTION. THIS APPLICATION IS INACTIVE IN LGTS
	10/22/2014

N/A	N/A
No application submitted	No

N/A	

N/A	Treatment

5/23/17 - system submits monthly reports, quarterly updates, and only one more POU device needs to be installed to give them 100% compliance for active service connections. 12/3/17 - system continues to submit quarterly updates per their citation. They only need 2 more POU devices installed to achieve 100% compliance with active service connections. 7/22/16- Keeler now has a D1 certified operator and is looking for a T1 operator to hire. They are maintaining their POU units and sending the LPA monthly reports. They now have 40 POU devices installed out of 43 active service connections. POU results are still ND. 4/22/16-New Board Members are addressing compliance order timeline. 2/5/2016-Approximately 40-50 POUs installed out of 80 service connections (service connection capacity max. not all lots are occupied). 3-5 samples are collected per month, so every unit is sample 1/yr.; results are ND and no spikes have been detected due the county requiring the filters to be changed out annually; problem is that the board quit in December 2015 and so currently there is not certified operator. Funding agreement needs a signature to be executed and the Board; quarterly source sampling is still to be conducted; PN is being done quarterly. 11/20/2015-The 300k funding agreement was for centralized treatment alternatives with costs research, and drilling a test well to see if they can get a well with less arsenic. The KCSD Board failed to sign the agreement. Sean's office might have more info on where they are in the process and if they are still eligible for this funding package – probably not, because it's been

5/17- Evaluating use of POU supplied by Purifying Systems, and collected arsenic samples for chemical speciation.

12/16-second office hearing on 11/30/16 for updated CAP from the system. Expecting an update by end of 12/16 for updated timeline and funding options for compliance. 9/6/2016: A revised CAP was submitted (7/19/16). The Water System is planning to conduct cycle tests on the well and determine depths of arsenic and the potential installation of a packer to isolate arsenic zones. The Water System also plans to evaluate POU as another potential option 6/16- system

07/05/17 (JSD): The compliance deadline in the Dec. 2015 compliance order is May 29, 2018. The District office will consult with the Regional Engineer about the need to issue a revised compliance order, depending upon the progress made in the planning project. 05/05/17 (JSD): Prop 1 TA project is at the very beginning stage; not much progress made from last time. 02/06/17 (JSD): Under Prop 1 technical contract, Self Help Enterprises is working with the water system to complete a funding application for the planning project. 11/09/16 (JSD): Due to RCSD's concerns about the O & M cost of the consolidation pipeline and issues related to getting easement for the pipeline, consolidation of Lands of Promise is no longer part of the RCSD regional consolidation project. LOP is going to complete a separate planning application via FFAST which will include evaluation of other alternatives in addition to consolidation with RCSD. 08/03/16 (JSD): During phase 1 of the RCSD's regional consolidation project (expected to start in 2017), other alternatives (new well, treatment, etc.) including consolidation will be evaluated to select an alternative for construction. RCSD has expressed concerns over the O & M cost of the long consolidation pipeline to Lands of Promise. 6/10/2016 (NJG) - SWB OCC will be consulting with Kern County's legal counsel about funding agreement terms and conditions. They continue to have liability concerns and it is unclear how long the negotiations will take. County is a third party to the project and is only acting as a mechanism to route grant funds. County does not own or operate the water system. RTC date is unclear. 04/28/16 (JSD): The State Board soon plans to issue a funding agreement to Kern County to administer the P84 funding project. 04/28/16 (JSD): Review of draft plans and specs on hold since they are

Yes

Yes

yes

Tehachapi-19	CA1500436	1500436	Hungry Gulch Water System	33
Tehachapi-19	CA1500442	1500442	Sunset Apartment Water System	37
Tehachapi-19	CA1500449	1500449	Fourth Street Water System	56

16	COMMUNITY	No	0919015
20	COMMUNITY	No	0919015
28	COMMUNITY	No	0919011

1/23/2009	Yes	Yes
1/23/2009	Yes	Yes
1/23/2009	Yes	Yes

9619003	4/29/2015	4/30/2018
9719008	8/25/2015	8/31/2018
919011	1/23/2009	EXPECTED 4th QTR. 2016

No	No	1Q/2017-71
No	No	1Q/2017-47
No	No	1Q/2017- N/A. Well01&02 on standby. No 1stQTR samples collected. New Wells 03&04 running successfully.

STATE	Yes
STATE	No
STATE	No

	2/11/2009		8/29/2013
1/3/2007		6/29/2010	
	10/25/2011		9/21/2012

\$471,065.71	4/16/2017
	6/18/2012
	6/23/2014

6/4/2012	Yes
8/18/2014	Yes

5/1/2013	
4/8/2015	

	New Well/Source
Pending	Consolidation
10/13/2016	New Well/Source

05/05/17: Under Prop 1 technical contract, Self Help Enterprises is going to work with Hungry Gulch to help resolve the legal issues about easement and help complete the planning project; Prop 84 planning funding agreement is being closed. 02/06/17 (JSD): Due to issues with legal easement to approach the wellsite, the project is currently on hold. Meetings between BLM, DDW, and DFA have been scheduled to help resolve the access issues, 11/09/16(JSD): Drilling of Test Well Nos. 2 and 3 was completed in October 2016. Initial water quality results indicate that Test Well #3 would be a viable source of supply with satisfactory water quality. A pump test will be soon conducted to determine yield of the well. 08/03/16 (JSD): BLM has recently given approval to drill the test wells; the wells are expected to be drilled by the end of this year and target is to complete the P84 planning project by April 16, 2017. 04/28/16 (JSD): NV5 and Hungry Gulch are working with BLM to acquire easement to drill test wells; application has been submitted to BLM. Funding agreement has been amended to extend the completion deadline to April 16, 2017. 01/19/16 (JSD): Due to excessive cost of purchasing the land from the private property owner and not having the option of buying the easement, DFA and DDW stopped NV5 to pursue this option. DDW is in contact with BLM to check if BLM would allow to drill on its land; BLM is developing a guidance document for allowing drilling wells on its land and the document is in the process of being finalized and is expected to be available by the end of February 2016. Current P84 funding

07/05/17 (JSD): Issuance of a new CO to NEWD is currently on hold per DDW's management decision due to hex chrome court order. The plan was to issue one CO to NEWD for both arsenic and hex chrome MCL violations.

05/05/17 (JSD): This system is part of the North Edwards Water District's funding project. DDW plans to issue a new compliance order to North Edwards Water District to establish a compliance deadline. Once the NEWD compliance order is issued, DDW will determine the next course of action for Sunset Apartments. 02/06/17 (JSD): Negotiations between DFA and NEWD to restart the funding project have been unsuccessful. DDW plans to issue a new compliance order to NEWD to establish a deadline to comply with the arsenic MCL. 11/09/16 (JSD): Sunset Apartments is part of the NEWD P84 construction funding project. Discussions between DFA and NEWD are in progress to discuss completing the project. A new funding agreement will be issued by DFA to NEWD depending upon the outcome of the discussions. 08/03/16 (JSD): In July 2016, SWRCB-DFA issued a letter to NEWD about termination of the P84 funding agreement that expired in May 2016. Waiting for response from NEWD to complete the arsenic improvement project. NEWD's attorney has contacted the SWRCB to inquire funding for connecting Sunset Apartments to NEWD without first completing the arsenic project. 04/28/16 (JSD): In a recent email communication April 2016, Attorney General's Office

07/05/17 (JSD): RTC entry has already been made in SDWIS to show return to compliance with the arsenic MCL.

05/05/17 (JSD): As of first quarter of 2017, the water system has been returned to compliance since the RAA value is below 10 ug/L. The two new wells produce water that complies with the arsenic MCL. 02/06/17 (JSD): Interim approval to use the newly drilled wells (Well 03 and 04) was given on June 7, 2016. The RAA value for the 4th quarter is 9.9 ug/L. After one more quarter of RAA below the MCL, the water system will be returned to compliance (expected after March 2017). 11/09/16 (JSD): P84 construction funding project has been completed. Project completion documents are under preparation by DFA. Two new wells are successfully running. The water system is expected to be in compliance with the arsenic MCL after the 4th quarter of 2016. 08/03/16 (JSD): Construction project is over 90% complete. Interim approval to use the newly drilled Wells 03 and 04 was given on June 7, 2016. Expected to achieve

		yes
		yes
4/1/2017		yes

Tehachapi-19	CA1500455	1500455	William Fisher Memorial Water Company	53
Tehachapi-19	CA1500458	1500458	RS Mutual Water Company	67
Tehachapi-19	CA1500461	1500461	Fountain Trailer Park Water	68

16	COMMUNITY	No	0919028
24	COMMUNITY	No	0919014
32	COMMUNITY	No	0919019

1/23/2009	Yes	Yes
1/23/2009	Yes	Yes
1/23/2009	Yes	Yes

919028	1/23/2009	No specified date
919014	1/23/2009	No specified date
919019	1/23/2009	5/13/2016

No	No	1Q-2017-21
No	No	1Q/2017- 11
Yes	No	1Q/2017- 94

	Yes
STATE	No
STATE	No

2/25/2009	Pending
1/3/2007	6/29/2010

	6/18/2012

6/4/2012	Yes

5/1/2013	

Pending	Consolidation

07/05/17 (JSD): Issuance of a new CO to NEWD is currently on hold per DDW's management decision due to hex chrome court order. The plan was to issue one CO to NEWD for both arsenic and hex chrome MCL violations. 05/05/17 (JSD): As of 4/01/17, McMor Chlorination is the new court appointed receiver. DDW and DFA will work with the new receiver to achieve arsenic MCL compliance. Under consideration is POU arsenic treatment using CAA funding from DFA. 02/06/17(JSD): RCSD has expressed concerns over the cost of operation of the William Fisher being significantly over the revenue and is planning to petition the court to be relieved of the receivership. DDW has identified a new receiver and will petition the court to appoint a new receiver. DDW plans to issue a new compliance order after the new receiver is appointed. No significant progress on arsenic MCL compliance since the last update in Nov. 2016. 11/09/16 (JSD): Due to RCSD's concerns about the O & M cost of the long consolidation pipeline and issues related to getting easement for the pipeline, consolidation of William Fisher Memorial Water Company is no longer part of the RCSD regional consolidation project. RCSD is the court appointed receiver of William Fisher and will evaluate other alternatives (including POU treatment devices) under a separate funding project. 08/03/16 (JSD): During phase 1 of the RCSD's regional consolidation construction funding project (expected to start in 2017), other alternatives (new well, POU treatment, etc.) including consolidation will be evaluated to select an alternative for construction. RCSD has expressed concerns over the O & M cost of the long consolidation pipeline to William Fisher. 04/28/16 (JSD): Review of

05/05/17 (JSD): Per recent email communication, DFA working with RS MWC to help the water company become legal; at this time it is unknown as to who will sign the funding agreement for the consolidation project. During the meeting with Cal Water on 2/06/17, Cal Water did not agree to sign the funding agreement on behalf of RS WMC but agreed to further consider this option. 02/06/17 (JSD): A joint meeting between DFA, DDW and Cal Water is being planned in Feb. 2017 to discuss consolidation projects with Cal Water and pursue Cal Water to sign funding agreement on behalf of RS MWC. 12/12/2016-DFA attempting to negotiate with Cal Water to accept FA on behalf of RSMWC. 11/09/16 (JSD): According to DFA, Kern County has concerns about signing a funding agreement on behalf of RS MWC since RS MWC does not have proper legal formation documents. A conf. call was held on October 25, 2016 among DFA, DDW and RS MWC to discuss RS MWC becoming a legal entity. RS MWC has requested technical assistance to complete this item. DFA is looking into the funding mechanism to do this. 08/03/16 (JSD): Issuance of funding agreement is pending with the State Board; trying to address comments from the Kern County Counsel. 04/28/16 (JSD): The State Board soon plans to issue a funding agreement to Kern County to administer the P84 funding project. 01/19/16 (JSD):

05/05/17 (JSD): This system is part of the North Edwards Water District's funding project. DDW plans to issue a new compliance order to North Edwards Water District to establish a compliance deadline. Once the NEWD compliance order is issued, DDW will determine the next course of action for Fountain Trailer Park, which may include a new compliance order for Fountain Trailer Park. 02/06/17 (JSD): Negotiations between DFA and NEWD to restart the funding project have been unsuccessful. DDW plans to issue a new compliance order to NEWD and FTP to establish a deadline to comply with the arsenic MCL. 11/09/16 (JSD): FTP is part of the NEWD P84 construction funding project. Discussions between DFA and NEWD are in progress to discuss completing the project. A new funding agreement will be issued by DFA to NEWD depending upon the outcome of the discussions. 08/03/16 (JSD): In July 2016, SWRCB-DFA issued a letter to NEWD about termination of the P84 funding agreement that expired in May 2016. Waiting for response from NEWD to complete the arsenic improvement project. NEWD's attorney has contacted the SWRCB to inquire funding for connecting Fountain Trailer Park to NEWD without first completing the arsenic project to provide water with lower arsenic concentration than the Fountain Trailer Park well. Bottled water currently being provided under the CAA funding project may be discontinued if that happens. 04/28/16 (JSD): In a recent email communication April 2016, Attorney General's Office has approached NEWD to restart the construction project and complete the construction. As an interim solution bottled water is being provided to residents. 01/19/16 (JSD): Construction project

Tehachapi-19	CA1500485	1500485	Antelope Valley Mobile Estates	49
Visalia-12	CA1500493	1500493	El Adobe Property Owners Association, Inc.	200
Tehachapi-19	CA1500521	1500521	Boulder Canyon Water Association	28
Tehachapi-19	CA1500525	1500525	Lakeview Ranchos Mutual Water	120

28	COMMUNITY	No	0919005
80	COMMUNITY	No	0919014
24	COMMUNITY	No	0919014
71	COMMUNITY	No	0919012

1/23/2009	Yes	Yes
1/23/2009		Yes
1/23/2009	Yes	Yes
1/23/2009	Yes	Yes

0919005	1/23/2009	No specified date
9619006	5/27/2015	6/30/2018
1319018	6/11/2015	4/30/2018
9719005	3/9/2015	3/9/2018

No	No	1Q/2017- 10
		1Q/2017 - 19
No	No	1Q/2017- 17
No	No	1Q/2017- 65

STATE	
STATE	
STATE	Yes

	Funding agreement executed 6/26/2013
2/11/2009	8/29/2013
	6/11/2013

\$500,000.00	7/1/2017
	4/16/2017
	9/9/2016

N/A - TA helping prepare	No
12/7/2016 (incomplete)	No

N/A	N/A
Pending	

	Consolidation
N/A	Consolidation
	Treatment

07/05/17 (JSD): Per recent email communication with the engineer (GEI Consultants), the revised plans and specs will be submitted for review before July 15, 2017. 05/05/17 (JSD): DDW completed review of the draft plans and specs for the regional consolidation project and provided comments on February 21, 2017. As of 5/5/17, updated plans and specs have not been received. 02/06/17 (JSD): Revised plans and specs for the regional consolidation project have been received; they are under review by the DDW staff with a goal to complete review by 02/15/17. 11/09/16 (JSD): draft plans and specs have been received and are under review by the District Office. Deadline for completion of the planning project is 12/31/16. A conf. call was held on 11/08/16 to go over the pending items to complete the planning project. 08/03/16 (JSD): Per email communication in July 2016 with GEI consultants, draft plans and specs are under preparation and will be soon submitted to DDW for review. Project completion deadline is 12/31/16 for the P84 planning project. 04/28/16 (JSD): Review of draft plans and specs on hold since they are incomplete. Draft PDR3A was approved by letter dated December 1, 2015. Test Well Completion report was approved by letter dated April 13, 2016. Amendment to Funding Agreement to extend the planning project completion date to December 31,

4/17- El Adobe planning project will be complete on 7/1/17 (deadline). The consultant is currently working on P&S and Env for the consolidation with Lamont PUD.

05/05/17: Under Prop 1 technical contract, Self Help Enterprises is going to work with Hungry Gulch to help resolve the legal issues about easement and help complete the planning project; Prop 84 planning funding agreement is being closed. 02/06/17 (JSD): Due to issues with legal easement to approach the wellsite, the project is currently on hold. Meetings between BLM, DDW, and DFA have been scheduled to help resolve the access issues, 11/09/16(JSD): Boulder Canyon is part of the Hungry Gulch MWC's funding project. Drilling of Test Well Nos. 2 and 3 for Hungry Gulch was completed in October 2016. Initial water quality results indicate that Test Well #3 would be a viable source of supply with satisfactory water quality. A pump test will be soon conducted to determine yield of the well. 08/03/16 (JSD): BLM has recently given approval to drill the test wells; the wells are expected to be drilled by the end of this year and target is to complete the P84 planning project by April 16, 2017. 04/28/16 (JSD): NV5 and Hungry Gulch are working with BLM to acquire easement to drill test wells; application has been submitted to BLM. Funding agreement has been amended to extend the completion deadline to April 16, 2017. 01/19/16 (JSD): Due to excessive cost of purchasing the land from the private property owner and not having the option of buying the easement, DFA and DDW stopped NV5 to pursue this option. DDW is in contact with BLM to check if BLM would allow to drill on its land; BLM is developing a guidance document for allowing drilling wells on its land and the document is in the process of being

07/05/17 (JSD): Construction funding agreement just got issued; DFA to provide more details. 05/05/17 (JSD): Same updates as the previous quarter; some delay in issuance of construction funding agreement. 02/06/17 (JSD): same update as the fourth quarter of 2016. 12/12/2016- Construction application is being processed. 11/09/16 (JSD): P84 planning project has been completed. The water system is in the process of completing a construction funding application. 08/03/16 (JSD): Planning project is essentially complete. The water system is working on filing the construction funding application via FFAST. Environmental Review Unit of SWRCB is working on addressing the comments received on the environmental documents. 04/28/16 (JSD): Plans and specs are almost final. CEQA and NEPA documents being completed. Project completion deadline is 06/30/16. 01/19/16 (JSD): The funding agreement has been amended to extend the project completion date to 6/30/2016 and to provide some additional P84 funding.

Tehachapi-19	CA1500571	1500571	Lucky 18 on Rosamond, LLC	147
Visalia-12	CA1500585	1500585	Oasis Property Owners Association	100
Visalia-12	CA1502154	1502154	Lakeside School	800
Tehachapi-19	CA1502231	1502231	Rosamond School Water System	900
Visalia-12	CA1502383	1502383	Nord Road Water Association	32
Tehachapi-19	CA1502569	1502569	First Mutual Water System	35

25	COMMUNITY	No	0919011
39	COMMUNITY	No	0919013
1	NTNC	Yes	2009-919009
2	NTNC	Yes	0919016
16	COMMUNITY	No	0919041
15	COMMUNITY	No	0919020

1/23/2009	Yes	Yes
1/23/2009		Yes
1/23/2009	No	Yes
1/23/2009	Yes	Yes
1/23/2009		Yes
1/23/2009	Yes	Yes

919011	1/23/2009	No specified date
9912011	3/3/2015	3/31/2018
919009	1/23/2009	anticipated end of 2017
919016	1/23/2009	No specified date
991019	5/26/2015	6/30/2018
1119023	5/26/2015	5/29/2018

No	No	1Q/2017- 32
		1Q/2017 - 11
YES - School funding it for last 6 years. FASST application for bottled water from CAA just submitted to pay for the water now	No	1Q/2017 - 18
Yes	No	1Q/2017- 12
		1Q/2017 - 12
No	No	1Q/2017- 18

STATE	Yes
	No
SRF	

10/18/2011	2/27/2013

	12/31/2016
	10/22/2014

East Niles with TA, submitted construction app on their behalf in June 2017 for consolidation	Yes
No application submitted	No

Under review	N/A

	Consolidation
Unknown	Treatment
	Consolidation
	Consolidation
	Treatment
	Consolidation

<p>07/05/17 (JSD): Per recent email communication with the engineer (GEI Consultants), the revised plans and specs will be submitted for review before July 15, 2017. 05/05/17 (JSD): DDW completed review of the draft plans and specs for the regional consolidation project and provided comments on February 21, 2017. As of 5/5/17, updated plans and specs have not been received. 02/06/17 (JSD): Revised plans and specs for the regional consolidation project have been received; they are under review by the DDW staff with a goal to complete review by 02/15/17. 01/09/17: DDW is working on issuing a revised compliance order to Lucky 18 on Rosmaond, LLC. The new compliance order will be issued before 03/31/2017, with a compliance deadline of May 29, 2018. 11/09/16 (JSD): draft plans and specs have been received and are under review by the District Office. Deadline for completion of the planning project is 12/31/16. A conf. call was held on 11/08/16 to go over the pending items to complete the planning project. 08/03/16 (JSD): Per email communication in July 2016 with GEI consultants, draft plans and specs are under preparation and will be soon submitted to DDW for review. Project completion deadline is 12/31/16 for the P84 planning project. 04/28/16 (JSD): Review of draft plans and specs on hold since they are incomplete. Draft PDR3A was approved by letter dated December 1, 2015. Test Well Completion report was approved by letter dated April 13, 2016. Amendment to Funding</p>
<p>5/17: The sytem is participating in the East Nile consolidation project which is dependent on East Niles getting construction FA. In addition, the system has been blending the two sources of supply in a storage tank before going to customers. The system has not been permitted for the blending, but the District will be working on a permit amendment for the blending treatment and require monthly treated sampling from the blending compliance point. 10/15-AR with Self Help working on submitting FFAST application for consolidation with East Niles. Well 3 went dry</p>
<p>5/17-working with the City for consolidation - had another mtg on 3/28/17 with Lakeside and City. Public mtg scheduled for 2/17 with school. 6/16 - Mandatory consolidation letter sent out 6/16. Solution will be consolidation with City of Bakersfield. Currently in planning study with 11/16 planning agreement deadline. Deliverables: plans and specs, enviro, consolidation agreement with City of Bakersfield. 10/15-test well does not meet arsenic or radiological MCLs - therefore, a new well will not be a viable solution. Meeting in late 9/15-DDW will be issuing a Pre-Consolidation letter for a consolidation with City of Bakersfield. If necessary, DDW will mandate consolidation with City of Bakersfield which was the original solution for the project. After new personnel at the City - the consolidation was cancelled due to a fear of losing Charter City status. Plans and specs for this alternative were already prepared (90%) for this alternative. Pre-Consolidation letter to go out in 10/15.</p>
<p>07/05/17 (JSD): Per recent email communication with the engineer (GEI Consultants), the revised plans and specs will be submitted for review before July 15, 2017. 05/05/17 (JSD): DDW completed review of the draft plans and specs for the regional consolidation project and provided comments on February 21, 2017. As of 5/5/17, updated plans and specs have not been received. 02/06/17 (JSD): Revised plans and specs for the regional consolidation project have</p>
<p>5/17 - System is waiting to install the remaining 12 POU devices until the ordered TDS meters and flow meters arrive. - No funding updates as they are funding the installation of devices. The system estimates 5 devices/min. a year will be installed. 6/16- completed piloting, Waiting for report on findings due 6/30/16. POU's will be self funded.</p>
<p>07/05/17 (JSD): Per recent email communication with the engineer (GEI Consultants), the revised plans and specs will be submitted for review before July 15, 2017. 05/05/17 (JSD): DDW completed review of the draft plans and specs for the regional consolidation project and provided comments on February 21, 2017. As of 5/5/17, updated plans and specs have not been received. 02/06/17 (JSD): Revised plans and specs for the regional consolidation project have been received; they are under review by the DDW staff with a goal to complete review by 02/15/17. 11/09/16 (JSD): draft plans and specs have been received and are under review by the District Office. Deadline for completion of the planning project is 12/31/16. A conf. call was held on 11/08/16 to go over the pending items to complete the planning project. 08/03/16 (JSD): Per email communication in July 2016 with GEI consultants, draft plans and specs are under preparation and will be soon submitted to DDW for review. Project completion deadline is 12/31/16 for the P84 planning project. 04/28/16 (JSD): Review of draft plans and specs on hold since they are incomplete. Draft PDR3A was approved by letter dated December 1, 2015. Test Well Completion report was approved by letter dated April 13, 2016. Amendment to Funding Agreement to extend the planning project completion date to December 31, 2016, issued to</p>

yes

Yes

Yes

yes

Yes

yes

Visalia-12	CA1502620	1502620	Pond MWC	48
Tehachapi-19	CA1502724	1502724	Quail Valley Water District- Eastside System	60
Tehachapi-19	CA1502744	1502744	60th Street Association Water System	44
Tehachapi-19	CA1503664	1503664	Soldedad Mountain Project Water System	51
Visalia-12	CA1510001	1510001	Arvin CSD	20,499

16	COMMUNITY	No	1019021
23	COMMUNITY	No	0919007
9	COMMUNITY	No	1119001
4	NTNC	No	2016-1
3,776	COMMUNITY	No	EPA NO. PWS-AO-2008-6022

7/9/2014	No	Yes
1/23/2009	Yes	Yes
7/19/2011	Yes	Yes
7/7/2016	Yes	Yes
10/23/2008		Yes

1019021		12/31/2016
1119013	4/29/2015	4/30/2018
1119001	7/19/2011	No specified date
2016-1	7/7/2016	12/31/2016

		1Q/2017 - 15
No	No	1Q/2017- 90
No	No	1Q/2017- 10
Bottled water is being provided	The water system is in the process of installing POU treatment; a POU treatment pilot study was recently completed.	1Q/2017- 43
		1Q/2017 - 40

	Yes
	No
STATE	No

	10/1/2012
8/4/2009	7/12/2012

	7/1/2014
	6/26/2014

1/12/2015	Yes
	Yes

12/8/2015	
6/3/2015	

	Treatment
12/8/2018	Consolidation
	Consolidation
	Treatment
6/3/2018	

5/17-On 3/7/17 DFA finalized and executed the CAA funding agreement. On 3/29/17 the Division approved the POU Treatment Strategy, O&M Program, Monitoring Program, and Recordkeeping, Reporting & Compliance Documents and authorized the installation of all proposed POU devices. The Water System is in the process of installing all of the POU devices and once installed will begin water quality sampling. 12/16-installed 4 of the 16 POU devices. Plan to install POU devices and return to compliance. 9/6/2016: The office hearing was conducted in Bakersfield on 10/1/15 and the system submitted a CAP which we received a revised and updated CAP on 10/8/15. The system was

05/05/17 (JSD): Pipeline installation in progress to consolidate QVWD-East and QVWD-West. 02/06/17 (JSD): Construction work is in progress. 11/09/16 (JSD): After bidding, first phase (consolidation pipeline work) of the construction contract has been awarded. A pre-con meeting between QVWD and contractor was held on October 26, 2106. Construction work is expected to start shortly. 08/03/16 (JSD): The project is being bid in phases. The first phase of bidding is the consolidation pipeline between QVWD-Eastside and QVWD-Westside and the bid opening date is August 11, 2016. Bidding for the new well, storage tanks and treatment plant will be done later. 04/28/16 (JSD): Some final revisions to plans and specs being made to get the project ready for bidding in May 2016. 01/19/16 (JSD); Construction funding agreement has been issued with a completion deadline of 12/08/2018. Project kick off meeting

07/05/17 (JSD): Per recent email communication with the engineer (GEI Consultants), the revised plans and specs will be submitted for review before July 15, 2017. 05/05/17 (JSD): DDW completed review of the draft plans and specs for the regional consolidation project and provided comments on February 21, 2017. As of 5/5/17, updated plans and specs have not been received. 02/06/17 (JSD): Revised plans and specs for the regional consolidation project have been received; they are under review by the DDW staff with a goal to complete review by 02/15/17. DDW plans to issue a new compliance order before 03/31/2017. 11/09/16 (JSD): draft plans and specs have been received and are under review by the District Office. Deadline for completion of the planning project is 12/31/16. A conf. call was held on 11/08/16 to go over the pending items to complete the planning project. 08/03/16 (JSD): Per email communication in July 2016 with GEI consultants, draft plans and specs are under preparation and will be soon submitted to DDW for review. Project completion deadline is 12/31/16 for the P84 planning project. 04/28/16 (JSD): Review of draft plans and specs on hold since they are incomplete. Draft PDR3A was approved by letter dated December 1, 2015. Test Well Completion report was approved by letter dated April 13, 2016. Amendment to Funding Agreement to extend the

07/05/17(JSD): THE POU devices continue to operate under interim approval. Permit was delayed pending evaluation of bacteriological quality of the water from the POU devices and is expected to be issued in July 2017. 05/05/17 (JSD): POU arsenic treatment is installed and operating. DDW is in the process of issuing a domestic water supply permit. The system is expected to return to compliance after second quarter of 2017. 02/06/17 (JSD): The POU arsenic treatment units have been installed and operational. DDW is in the process of permitting the facilities. After second quarter of 2017, the water system is expected to be in compliance. 11/09/2016 (JSD): Self funded POU treatment being installed, following completion of a POU treatment pilot study. Expected compliance date is end of 2016.

5/17-securing 2-3 test well locations and moving forward-submitted planning application for these test wells which is currently being processed. 12/8/2016 - Phase 1 - Project complete. Closing out FA. Arvin is working on submitting a planning study for the additional 3 wells (site selection and drilling test wells) in addition to a construction application for the completion of those 3 wells. 9/16-wells online - one well has elevated arsenic - on quarterly sampling. Applied for construction funds (Phase 2 of construction). 6/16-drilled 2 production wells, equipping and

		Yes
		yes
		yes
		yes
		Yes

Tehachapi-19	CA1510002	1510002	Boron Community Services District	2500
Visalia-12	CA1510012	1510012	Lamont PUD	19,057
Tehachapi-19	CA1510016	1510016	Rand Communities Water District	450
Visalia-12	CA1510024	1510024	Greenfield CWD	8,500
Tehachapi-19	CA1510052	1510052	North Edwards Water District	600
Kings LPA-46	CA1600008	1600008	CENTRAL UNION SCHOOL	320
Kings LPA-46	CA1600048	1600048	KETTLEMAN CITY ELEMENTARY	350

599	COMMUNITY	No	0919010
3,151	COMMUNITY	No	0912012
260	COMMUNITY	No	0919034
2,660	COMMUNITY	No	1012013
217	COMMUNITY	No	0919015
3	NTNC	Yes	1500256
12	NTNC	Yes	1100219

1/23/2009	Yes	Yes
12/18/2008		Yes
1/23/2009	Yes	Yes
3/4/2010		Yes
1/23/2009	Yes	Yes
2/5/2015		Yes
1/1/2011	Yes	Yes

919011	3/9/2015	3/9/2018
9919018	3/9/2015	3/19/2018
9512006	5/28/2015	6/30/2018
919015	1/23/2009	5/29/2018
	4/16/2016	7/1/2019

No	No	1Q/2017- 43
		1Q/2017 - 11
No	No	1Q/2017- 19
		1Q/2017 - 11
No	No	1Q/2017- 33
Yes	No	4Q/2016 - Well 1990 (8.9 ug/L) 1Q/2017 - Well 2010 (12ug/L)
No	Yes	

SRF	No
STATE	
STATE	No
SRF	
STATE	No
	Yes

9/16/2013	1/27/2014
12/19/2011	10/1/2012
1/3/2007	6/29/2010

	Extension pending
	12/31/2016
	6/18/2012

6/4/2012	Yes

5/1/2013	

	Treatment
Pending	
	Consolidation
	Consolidation

05/05/17 (JSD): Scope of the funding project is being amended to allow evaluation of blending with AVEK water, reducing arsenic level in existing wells by sealing off zones with high arsenic. 02/06/17 (JSD): Draft test well completion report received in Jan. 2017. The test well shows arsenic > MCL. 12/12/2016- Test well drilling delays. Project is expected to complete in 2017. 11/09/16 (JSD): Drilling of the test well is in progress and is expected to be completed before end of 2016. 08/03/16 (JSD): Updated draft of the plans and specs for the test well received on 7/28/16; expected to bid the test well in Sep. 2016. 04/28/16 (JSD): Boron CSD is in the process of signing agreement with the property owner to drill a test well and also working on the plans and specs for the test well. 01/19/16 (JSD):

5/17- Well 19 exceeds the arsenic MCL RAA at 11 ppb - CO is drafted. Well 12 has been used minimally to collect water quality sample and no way of flushing the line to waste. Water from 12 is piped directly to Well 19 for

07/05/17 (JSD): The proposed solution is a new well and blending treatment of existing wells with the new well. DFA to comment on the time line for the construction funding application. 05/05/17 (JSD): P84 planning project completed; construction funding application is in progress. 11/09/16 (JSD): Review of updated environmental documents is in progress by BLM. The funding agreement was amended to extend the project completion deadline to December 31, 2016. The project is expected to be completed by Dec. 31, 2016. 08/03/16 (JSD): ERU of SWRCB and Rand CWD are working with BLM to address their comments on the environmental documents; the completion deadline is Sep. 30, 2016. 04/28/16 (JSD): The funding agreement is amended again to extend the project completion deadline to September 30, 2016, to allow additional time for environmental documents and comply with the BLM requirements. 01/19/16 (JSD): The funding agreement is being amended to extend the project completion deadline to June 30, 2016,

4/17-planning project complete - complete construction application received and under review. Estimated Const. FA to be issued w/in 3 months by DFA. 6/16-SRF FA for planning still going on ends 4/17 with 90% plans and specs

07/05/17 (JSD): Issuance of a new CO to NEWD is currently on hold per DDW's management decision due to hex chrome court order. The plan was to issue one CO to NEWD for both arsenic and hex chrome MCL violations. 05/05/17 (JSD): This system is part of the North Edwards Water District's funding project. During the second quarter of 2017, DDW plans to issue a new compliance order to North Edwards Water District to establish a compliance deadline. 02/06/17 (JSD): Negotiations between DFA and NEWD to restart the funding project have been unsuccessful. DDW plans to issue a new compliance order to NEWD to establish a deadline to comply with the arsenic MCL. 11/09/16 (JSD): Discussions between DFA and NEWD are in progress to discuss completing the project. A new funding agreement will be issued by DFA to NEWD depending upon the outcome of the discussions. 08/03/2016 (JSD): In July 2016, SWRCB-DFA issued a letter to NEWD about termination of the P84 funding agreement that expired in May 2016. Waiting for response from NEWD to complete the arsenic improvement project. 04/28/16 (JSD): In a recent email communication April 2016, Attorney General's Office has approached NEWD to restart the construction project and

5/4/17 Still pending the approval from the tribal council. **2/1/17** - David Wallis from RCAC spoke to the Tribal EPA Director, Noah Ignacio on 1/24/17 and he is pending a response from the tribe to schedule a tribal council meeting this month, February 2017 to further discuss this project. **1/10/2017**: DE and LPA visited Tachi Palace on 12/2/16 and based on the review of the USEPA sanitary survey conducted on Tachi Palace and the visit, it appears that Central Union would be served water from a water system that is well operated, permitted and meets the Safe Drinking Water Act. DDW support this consolidation project. **10/31/16** Currently looking to see if consolidation with the Santa Rosa Rancheria is a potential long term solution for the school. A site assessment will be conducted by RCAC on 11/4/16 to further research this option and determine the extent of work required to consolidate. The SWRCB will also contact EPA to ensure the Rancheria has a regulated PWS that meets drinking water standards. **9/1/2016**: Central Union School is now in the queue to be assigned to a TA rep from CRWA and begin the planning stages for a permanent solution to their arsenic exceedance at the school. The LPA has been communicating with Elvira Reyes at SWRCB-DFA and indicating to her that the school will also need bottled water. They don't currently provide bottle water. The LPA will

6/12/2017: Pending consolidation to the Kettleman City Community District, and the connection is expected to take place as early as this fall or the early part of 2018

		yes
		Yes
		yes
		Yes
		yes
		Yes
		No

Kings LPA-46	CA1600050	1600050	CENTRAL VALLEY MEAT	280
Kings LPA-46	CA1600601	1600601	KWRA MRF	45
Kings LPA-46	CA1600605	1600605	BAKER COMMODITIES	47
Visalia-12	CA1610009	1610009	Kettleman City CSD	1,450
Los Angeles LPA-49	CA1900038	1900038	Lancaster Park Mobile Home Park	53
Los Angeles LPA-49	CA1900100	1900100	Mettler Valley Mutual	100

2	NTNC	No	0900196
3	NTNC	No	1200239
2	NTNC	No	0800174
354	COMMUNITY	No	0912018
21	COMMUNITY	No	1500034
98	COMMUNITY	No	1500035

8/28/2009	Yes	Yes
1/8/2008	Yes	Yes
4/4/2015	No	Yes
1/12/2009		Yes
4/9/2015	Yes	Yes
4/9/2015	Yes	Yes

	12/15/2015	1/1/2019
	9/30/2015	1/1/2019
	12/15/2015	1/1/2018
912018	1/23/2009	
		10/6/2016
		10/6/2016

Yes		1Q/2017 Well #5 (36 ug/L) and Well #6 (43 ug/L)
Yes		1Q/2017- 92 ug/L
Yes	No	1Q/2017- 33 ug/L
		1Q/2017 - 16
No	No	1Q/2017 - 16
No	No	1Q/2017 - 14

SRF-STATE	
No funding project at this time. They were invited to submit a P84 application in the past. They are eligible for SRF grant at any time.	N/A
WS submitted an application to review all options but they did not qualify for grant. The system is in the process of gaining 501C non-profit status.	Yes Income survey to determine MHI for grant eligibility

N/A	N/A
3/1/2016	Pending Income Survey

	N/A
	12/1/2018

N/A	N/A
N/A	N/A

N/A	
N/A	

	Treatment
	Treatment
	New Well/Source
	New Well/Source
N/A	
N/A	

<p>6/30/2017: EPA has identified this system to be a recalcitrant PWS. Recommend DDW oversight or referral to EPA and the LPA agrees. 5/4/17 - No status change from previous update. 2/1/17 - No status change from previous update. 10/31/16 - No status change from previous update. 7/29/2016 - LPA will mail correspondence to request update of</p>
<p>6/30/2017: EPA has identified this system to be a recalcitrant PWS. Recommend DDW oversight or referral to EPA, but the LPA states the system has a new director as of June 2017. LPA plans to meet with the new director in August 2017 and discuss treatment installation. 5/4/17 - No status change from previous update. 2/1/17 - No status change from previous update. 10/31/16 No status change from previous update. 7/29/2016 - Installation of POU-RO units is not yet</p>
<p>6/30/2017: The system will be relocating to a new site and will research consolidation with the City of Hanford or install a new source if consolidation is not feasible. They understand that installation of a new source requires meeting all primary and secondary drinking water standards or providing treatment as needed. 5/4/17 Baker commodities is expected to relocate in late 2018 and be operational at their new site in early 2019. LPA has requested plans for their domestic supply, and in addition, they will also research the possibility to connect their domestic supply with the City of Hanford. 2/1/17 - No status change from previous update. 1/10/2017: water system is still at the same location so they remain non-compliant. They assured the LPA that they will move, but it is likely that they will remain at the site for the</p>
<p>5/17-construction bid opening is 5/24/17 and then proceed with awarding the contract. Hopefully approval in June to award in June. 12/16-SWRCB meeting disussed project on 12/8 and FA should be following quickly in first Qtr. 2017. 2/8/2016-the RTC date will be discussed at the 2/9/2016 EPA Region 9 Meeting. 10/15 - District will not re-issue Kettleman City a revised CO with deadlines at this time. They are installing a new SWTP that will treat water from the</p>
<p>7/6/2017-The DE and LPA met with the water system operator. Next call on 7/21/2017 will include Culligan, the owners, and the operator to talk aobut treatment options. They are currently applying for emergency funding for the system to provide bottle water. 4/19/17-spoke with Alisa Morrison. the water system is working with Road Runner Pump Company to come up with affordable filters. Alisa indicated that they need at least a year to find, install and test. She also mentioned that drilling new well and installation of POU devises is expensive and not feasable for the system. Currently they are not providing bottled water. 12/29/16-LPA contacted the system operator, who indicated it was no changes in status since October 2016. 10/6/2016- Spoke with Alisa Morrison. The water system has applied for funding. Tony Morrison (water system operator) attended the Arsenic workshop on July 6, 2016. They have looked into treatment options (with Isolux Company) but determined it was too expensive (45-50K). Alisa Morrison stated that POE treatment will be too costly because of the additional testing that will be required. Lancaster Park MHP is continually looking into more affordable treatment options but so far have not found any. They are currently providing 5 gallon jugs of bottled water to their residents. 10/6/2016- Spoke with Fernando Rosas (manager). Fernando stated that Tony has been in contact with Cindy Cook regarding funding and treatment options. Fernando stated they are waiting for a list of approved treatment options. Once they obtain this list they will review it implement treatment.</p>
<p>6/30/2016: The water system operator has been consulting with Isolux Company for water treatment options for</p>
<p>7/6/2017-Completed an income survey in the end of June 2017. Based on the results that they are DAC based on the results and will be grant eligible for a planning study. They will be going forward in looking into the feasiblity of treatment, consolidation, or drilling a monitoring well. 4/20/17-Debbie Farrow (operator) indicated that they are working with RCAC on income survey, they are in contact with Mr. Doug Craver from AdEdgeTec for treatment system, and working with State on Prop 1 funding. currently they are not providing bottled water. 12/29/16-LPA contacted the system operator, who indicated that they installed flow meters, working with State on their funding, hiring engineers for further investigation to determine an appropriate equipment for their water system. 10/7/16- Received an email from Sandra Miloszar (President) who stated that they are in the same position. Mettler Valley Mutual submitted information to a contractor to design a filtration system and are waiting at this point. Sandra stated that she will email the name of the contractor once she is back in town. 10/8/16- Contractor information: Douglas Craver, Western Regional Sales Manager, AdEdge Water Technologies, LLC (480) 243-1824. 6/30/2016: Mettler Valley Mutual Water Company is working with Cindy Cook with California Rural Water association (CRWA) and an Engineer from NV5 for</p>

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Los Angeles LPA-49	CA1900520	1900520	The Village Mobile Home Park	70
Los Angeles LPA-49	CA1900785	1900785	Mitchell's Avenue Mobile Home Park	26
Los Angeles LPA-49	CA1900961	1900961	Winterhaven Mobile Estates	40
Hollywood-07	CA1910246	1910246	Land Projects Mutual Water Company	1500

34	COMMUNITY	No	1500036
24	COMMUNITY	No	1500037
17	COMMUNITY	No	1500038
539	COMMUNITY	No	9807021

4/9/2015	No	Yes
4/9/2015	Yes	Yes
4/9/2015	No	Yes
7/20/2015	Yes	Yes

		10/6/2016
		10/6/2016
		10/6/2016
EPA to provide	EPA to provide	EPA to provide

Yes	No	1Q/2017 - 46
No	No	1Q/2016 - 23
Yes	No	1Q/2017 - 60
No	No	1Q/2017 - 12.25 (Well 1) 1Q/2017 - 15.25 (Well 3) 1Q/2017 - 7.13 (Well 8)---RTC

Prop 84 feasibility study project application being processed for funding agreement issuance. Full SRF application submitted. District Office clearance 6/30/2014. The non-profit application has been submitted but needs to be updated by the State Water Resources Control Board	Yes
SRF full application submitted for consolidation with LACWWD. They are in Planning Study Stage. Awarded Prop 84 feasibility study grant on 1/16/2015. Project in progress, expected to complete by 11/1/2015	No
No funding project at this time. The operator was provided the application and the contact information for Lawrence Sanchez, Associate Sanitary Engineer, to initiate the process.	?

Village	Estimated 6/1/2017
Mitchells	1/16/2015
N/A	N/A

	12/1/2018
	Need Extension 12/2017
	N/A

N/A	N/A
N/A	N/A

N/A	
N/A	

N/A	
	Treatment
N/A	
	New Well/Source

7/6/2017-The DE and LPA met with the water system operator. Next call on 7/21/2017 will include Culligan, the owners, and the operator to talk about treatment options. 4/19/17-spoke with Alisa Morrison. the water system is working with Road Runner Pump Company to come up with affordable filters. Alisa indicated that they need at least a year to find, install and test. She also mentioned that drilling new well and installation of POU devices is expensive and not feasible for the system. Currently they are not providing bottled water. 12/29/16-LPA contacted the system operator, who indicated it was no changes in status since October 2016. **10/6/2016-** Spoke with Alisa Morrison. The water system has applied for funding. Tony Morrison (water system operator) attended the Arsenic workshop on July 6, 2016. They have looked into treatment options (with Isolux Company) but determined it was too expensive (45-50K). Alisa Morrison stated that POE treatment will be too costly because of the additional testing that will be required. The Village MHP is continually looking into more affordable treatment options but so far have not found any. They are currently providing 5 gallon jugs of bottled water to their residents. **6/30/2016:** The water system operator has been consulting with Isolux Company for water treatment options. They are also working with Cindy Cook with

7/6/2017-In a funding agreement, task #1 is to drill a test well completed by late summer, review WQ data, and report the information. Results should be revealed sometime in August. 4/19/17- spoke with Mr. Charles Norris, who stated that they received funding and will follow all steps and due dates on the funding agreement. They don't provide bottled water. 12/6/16- There are no new updates to report on this system. Mitchell's Avenue MHP is still waiting for State funding. **10/4/2016-** Received an email from Charles Norris. See attachment. **6/30/2016:** On June 28, 2016, Los Angeles County Drinking Water Program (LADWP) received Project Extension Notice for Mitchell's Ave (Funding Agreement Number 14-581-550). The original deadline was July 16, 2016 and the requested time extension us July 24, 2017. According to the project schedule, POU/POE installation will be done by June 26, 2017. On April 7, 2016, LPA had

7/6/2017-The DE and LPA met with the water system operator. Next call on 7/21/2017 will include Culligan, the owners, and the operator to talk about treatment options. 4/19/17-spoke with Alisa Morrison. the water system is working with Road Runner Pump Company to come up with affordable filters. Alisa indicated that they need at least a year to find, install and test. She also mentioned that drilling new well and installation of POU devices is expensive and not feasible for the system. Currently they are not providing bottled water. 12/29/16-LPA contacted the system operator, who indicated it was no changes in status since October 2016. **10/6/2016-** Spoke with Alisa Morrison. The water system has applied for funding. Tony Morrison (water system operator) attended the Arsenic workshop on July 6, 2016. They have looked into treatment options (with Isolux Company) but determined it was too expensive (45-50K). Alisa Morrison stated that POE treatment will be too costly because of the additional testing that will be required. Winterhaven Mobile Estates is continually looking into more affordable treatment options but so far have not found any. They are currently providing 5 gallon jugs of bottled water to their residents. **6/30/2016:** The water system operator has been consulting with Isolux Company for water treatment options. They are also working with Cindy Cook with CRWA to apply for funding. They are attending Arsenic workshop on July 6, 2016 at Palmdale Water

Referred to EPA -- EPA issued NOV on 10/17/2016. 7/25/2016: No status change from previous update. **6/13/2016:** Well 8's latest arsenic concentrations was at 10 ug/L and 10.2 ug/L. The Company is planning to further reduce Well 8's production from 600 gpm to 400 gpm, hopefully to lower arsenic concentrations. Well 7 is not permitted yet, still waiting for SC Edison to hook up the power, initial arsenic sampling showed the concentrations was at 7.5 ug/L, it is too early to discuss its arsenic compliance. **April 18, 2016:** Well 8 was out of compliance with arsenic MCL in the first quarter of 2016. **January 11, 2016:** Well 8 was out of compliance with arsenic MCL in the fourth quarter of 2015, the Company will take another arsenic sample for Well 8 on January 12, 2016 to confirm the fourth quarter's result of 21 ug/L. The new Well 7 is drilled, however, it is waiting for SCE to install new power line. **9/14/2015:** the drilling of a new well, Well 7, is in progress. Enforcement History: May 23, 2008 - Notice Of Violation issued for violating Federal arsenic MCL. January 6, 2009, Compliance Order issued for violating arsenic MCL (this Compliance Order did not meet EPA's formal

		Yes
		Yes
		Yes
		Yes

Madera LPA-50	CA2000150	2000150	Liberty High School	1,340
Madera LPA-50	CA2000506	2000506	Sierra Linda	180
Madera LPA-50	CA2000527	2000527	Yosemite Forks Estates	110
Madera LPA-50	CA2000534	2000534	Leisure Acres	45
Madera LPA-50	CA2000538	2000538	Cedar Valley Mutual	137
Madera LPA-50	CA2000550	2000550	MD 6 Lake Shore	130
Madera LPA-50	CA2000551	2000551	MD 7 Marina View Heights	200
Madera LPA-50	CA2000552	2000552	MD 24 Teaford Meadows	150
Madera LPA-50	CA2000561	2000561	MD 8 North Fork	264

15	NTNC	Yes	1500007
89	COMMUNITY	No	900007
99	COMMUNITY	No	900003
24	COMMUNITY	No	900007
67	COMMUNITY	No	900002
45	COMMUNITY	No	900014
74	COMMUNITY	No	900008
66	COMMUNITY	No	1000010
80	COMMUNITY	No	700008

12/18/2015	No	Yes
1/9/2009	Yes	Yes
9/4/2009	No	Yes
6/29/2009	No	Yes
3/3/2009	No	Yes
6/25/2007	Yes	Yes
6/25/2007	Yes	Yes
8/29/2014	Yes	Yes
2/4/2009	Yes	Yes

1502759	12/18/2015	12/18/2018
1502562	6/23/2015	6/30/2018
1502564	8/12/2015	6/30/2018
1502565	6/23/2015	6/30/2018
1502566	6/23/2015	6/30/2018
1502567	6/23/2015	6/30/2018
1502568 (ARSENIC AND URANIUM DUAL REVISED COMPLIANCE ORDER)	6/23/2015	6/30/2018
1502569	6/23/2015	6/30/2018
1502570	6/23/2015	6/30/2018

No	No	1Q/2017 - 55.6 (AVERAGE SAMPLE) West Well
No	No	4Q/2016 - 29 (WELL 2) (SINGLE SAMPLE)
No	No	1Q/2017 - 18 (Spring) (AVERAGE)
No	No	1Q/2017 - 10.2 (Well 1) (AVERAGE)
No	No	1Q/2017 - 21.5 (SINGLE SAMPLE)
No	No	2Q/2017 -67 (LOWER WELL), 2Q/2017 - 110 (UPPER WELL)
No	No	1Q/2017 - 13 Well 2 (SINGLE SAMPLE)
No	No	1Q/2017 - 19 (WELL 4 SINGLE SAMPLE)
No	No	3Q/2016 - 13 (SINGLE SAMPLE) Well 1

	Yes
STATE	No
SRF	yes
SRF	yes
SRF	Yes
After 36 months of planning FA the project has not met its FA milestones and is requesting another 18 months of planning	Yes
STATE	Yes
SRF	
SRF	Yes

8/15/2008	6/9/2010
3/22/2016	6/17/2016
8/12/2016	8/12/2016
7/15/2016	7/15/2016
7/28/2016	Funding agreement executed 4/7/2017

	Pending
	6/1/2017
	3/1/2017
	6/1/2017
	3/30/2015
	3/30/2015
\$500,000.00	4/1/2019
	12/31/2017

7/10/2017 - Finishing environmental reviews. Construction application was submitted but is incomplete. Working with water system to complete application.	
N/A	No
3/1/2017	yes
3/1/2017	yes
N/A	No

N/A	
N/A	N/A

	Well Inactivated/Source Abandoned
	Consolidation
N/A	Treatment
	Treatment
	Consolidation
	Consolidation
N/A	New Well/Source
	Consolidation

5/04/2017 Source continues to be offline. Water system is still looking to connect to MD#10 water system. **2/6/2017:** Liberty high is not providing bottled water as the well is offline, therefore their current water is potable and not exceeding any chemical constituents. **10/31/2016 No status change from previous update 9/13/2016:** after discussion with DE and EPA, we will be RTCing this system after we get the date when the system physically removed the source from the distribution system. **9/8/2016:** Liberty High School has 2 sources. The North Well (LPA source 2000150-001)

5/01/2017 All comments are per the water system operator: The review period for the Environmental Impact Report ended Friday April 30, 2017. There were no objections in the EIR, and the project is going to the "Board" for the approval. The Forest Service (FS) has not provided their comments so that the project can continue with the construction plans. Multiple attempts have been made to reach out of FS, but system has not received any response. Without FS approval, the project cannot proceed. **1/3/2016-** Water system is waiting for the Environmental Impact Report to be released in order to proceed with the consolidation project. System has requested assistance to

6/30/2017: Working with SWRCB-district Eningeered to bring back into compliance. **5/01/2017** No status change from previous update **10/31/2016** No status change from previous update **8/02/2016** There has been no update from them. **4/28/2016** Waiting for Resolution in the funding application process. Added additional storage to help with

6/30/2017: Construction application has been submitted, waiting on approval. **05/04/2017** No status change from previous update **12/8/16- County is supposed to submit a construction app by 3/1/17 and agreement would be expected to be issued by 1/1/18.** **10/31/2016** No status change from previous update **8/02/2016** Third Quarter under MCL for Arsenic. Water System submitted documents as requested and updated their Planning Application.

6/30/2017: Working with SWRCB-district Eningeered to bring back into compliance. **05/04/2017** No status change from previous update **10/31/2016** No status change from previous update **8/02/2016** No Updates. **4/25/2016**

5/04/2017 Additional documentation is required from water system residents. Self Certification of Household Income & Occupancy needed to determine eligibility of the residents for Emergency Bottle Water Funding. The construction application for Phase 2 was submitted to the state April 3, 2017 **1/3/2017-**A public hearing for consolidation took place on November 16, 2016. The public hearing included District Engineer Kassy Chauhan and Madera County Public Works. **10/31/2016** No status change from previous update **9/8/2016:** The specific time frame for consolidation is still not set. There is a State project to consolidate MD#6, MD#7, and Bass Lake Water Company. The proposal is to consolidate and construct a regional treatment plant for all combined systems instead constructing three small treatment systems. The feasibility study has been approved. Project is moving forward, and an extended 18 months for planning is not a

5/04/2017 Additional documentation is required from water system residents. Self Certification of Household Income & Occupancy needed to determine eligibility of the residents for Emergency Bottle Water Funding. The construction application for Phase 2 was submitted to the state April 3, 2017 **1/3/2017-**A public hearing for consolidation took place on November 16, 2016. The public hearing included District Engineer Kassy Chauhan and Madera County Public Works. **10/31/2016 No status change from previous update 9/8/2016:** The specific time frame for consolidation is still not set. There is a State project to consolidate MD#6, MD#7, and Bass Lake Water Company. The proposal is to

05/04/2017 The State did not approve the funding and requested additional information for the Districts for bottled water funding **1/3/2017-**Water system submitted FFAST application in July 2016 for a new well and tank. System is waiting for feedback on the application. **10/31/2016 No status change from previous update 9/8/2016:** The FFAST

05/04/2017 No status change from previous update **1/3/2016-**The new funding agreement was approved. Amending the contract with the contractor because the scope of work has changed. **12/8/16-** Planning will complete **12/31/17** and county will submit construction app. **9/13/2016:** Per the DE, the previous funding agreement terms expired and this is why it took so long to get a new planning FA executed (\$232K, planning to be completed by **12/13/2017**). A test well has been drilled and the system is a part of a regional planning project. Installation of treatment and the construction of a consolidation pipeline are still needed for the construction phase of the project, which is expected to start in 2018. **9/8/2016:** As of 8/8/2016 arsenic single sample results are 13 UG/L. 18 months of additional planning is

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Madera LPA-50	CA2000612	2000612	North Fork Union School	350
Madera LPA-50	CA2000619	2000619	COLD SPRING GRANITE CO RAYMOND	43
Madera LPA-50	CA2000641	2000641	ALMADEN - MADERA	60
Madera LPA-50	CA2000737	2000737	MD 42 Still Meadows	100
Madera LPA-50	CA2000785	2000785	Valley Teen Ranch	50
Madera LPA-50	CA2000866	2000866	Agriland Farming	190
Merced-11	CA2010007	2010007	Hillview Water Company- Oakhurst/Sierra Lakes	3006
Merced-11	CA2010012	2010012	Hillview Water Company- Raymond	290
Merced-11	CA2400165	2400165	Foster Farms Delhi Feedmill	200
Merced-11	CA2400248	2400248	Yosemite Valley Beef Packing	45
Mono LPA-56	CA2600622	2600622	Sierra East MHP	50

3	NTNC	Yes	900003
5	NTNC	No	900004
3	NTNC	No	9800025
34	COMMUNITY	No	900011
4	COMMUNITY	Yes	900003
3	NTNC	No	800004
1026	COMMUNITY	No	911021
89	COMMUNITY	No	1211020
1	NTNC	No	9700116
1	NTNC	No	2016-1
29	COMMUNITY	No	1200391

9/4/2009	Yes	Yes
3/25/2009	No	Yes
12/29/2016	No	Yes
2/4/2009	Yes	Yes
2/6/2009	Yes	Yes
2/4/2009	Yes	Yes
1/26/2009	Yes	Yes
8/7/2012	Yes	Yes
2/9/2015	Yes	Yes
12/13/2016	No	Yes
2/3/2012	Yes	Yes

1502575	6/23/2015	6/30/2018
1502914	4/29/2016	4/29/2019
9800025	4/27/2017	4/28/2020
1502572	6/23/2015	6/30/2018
1502573	6/23/2015	6/30/2018
1502574	6/23/2015	5/5/2020
0911021	8/25/2015	7/1/2018
9611031	8/25/2015	7/1/2018
9700003	5/29/2015	2/28/2018
2016-1	12/31/2016	1/31/2020
1600494	3/9/2016	7/10/2018

No	No	1Q/2017 -13 Well 2 (AVERAGE SAMPLE)
No	No	1Q/2017 - 19.3 (AVERAGE SAMPLE Well#1 2 3)
No	No	4Q/2016 - 14.4 (AVERAGE SAMPLE) (Well#3)
No	No	1Q/2017 -19 (AVERAGE) Well 2 Lower 1Q/2017 - 14 (AVERAGE) Well 1 UPPER
Yes	No	3Q/2016 -270 (SINGLE SAMPLE)
No	No	2Q/2017 - 12 Well 1 (AVERAGE)
No	No	1Q/2017 - 12.0 ug/l RAA well SL5
No	No	1Q/2017 - Well 11 18.5 u/l RAA
No	No	1Q/2017 - 16.0 ug/l RAA Well 1
No	No	1Q/2017 - 17.5 ug/l (RAA Well 1)
No	Yes	No 1Q2017 data to report 4Q2016- 55 (Well #1 (001)"Hot") 4Q2016- 189 (Well #2 002)"Cold") inactive from June 2016 to ? Unknown if well is currently being used.

SRF	
PRIVATE	
PRIVATE	
SRF-STATE	Yes
	Yes
STATE	No
STATE	No
SRF	Yes

11/12/2007	4/8/2010
11/1/2011	5/30/2012
7/1/2012	1/28/14 EXECUTED PLANNING FA

12/5/2015	
11/6/2016	
9/28/2012	Yes
6/6/2014	Yes
10/17/2016	YES

2/21/2014	
6/1/2015	
IN REVIEW; PENDING	

	Consolidation
	Treatment
	Consolidation
	Consolidation
	Treatment
2/21/2017	
6/1/2018	
	Treatment
PENDING	Treatment

6/30/2017: System is consolidating with MD8A as part of a regional consolidation project. **5/11/2017:** the school is going forward with the application for securing funding to install bottled water filling stations as an interim solution. The school provided a copy of the Resolution that needs to be passed by the Chawanakee School Board in order to complete the Interim Water Supply Application for the installation of water bottle filling stations on the North Fork Elementary and Mountain Oak School campuses to the District Engineer. **5/1/2017** North Fork Union Elementary School is pursuing CAA funds to fully implement a program to provide an alternate source of supply for drinking water **2/6/2017:** North Fork Union school is not providing any bottle water service. **1/3/2016-**The new funding agreement was approved. Amending the contract with the contractor because the scope of work has changed. **10/31/2016 No status change from previous update 9/8/2016:** Proposed treatments have been deemed not acceptable as permanent solution, as a result alternative treatments are being considered for the consolidation project. The water system is looking for acceptable treatment options that would qualify for funding. **8/3/2016:** There has been no updates on the

6/30/2017: System chose an engineered company and will be submitting plans, specs, and calculation for approval. Once approved, the POU will be pilot. **05/04/2017** Water system contracted an engineer to assist with treatment options for Arsenic. **10/31/2016** No status change from previous update **9/8/2016:** You are correct, this compliance order is a duplicate that was issued when the 3rd well exceeded the RAA for arsenic. The correct comply by date is 5/3/2019. I will amend the compliance order to include all 3 sources that exceed the arsenic MCL. Wendy has corrected the master spreadsheet. The water system has corresponded back to Madera County indicating they will comply with the directives of the compliance order. They are currently looking at POU as a possible treatment. **8/3/2016** Compliance Order is active because water system decided to keep wells active. Public Notification Provided. **5/4/2017 NEW Compliance Order issued and sent to water system 4/26/2017**

6/30/2017: System is to consolidate with Hillview Water Co (PUC) and was ready to be executed. **5/4/2017** The state has deemed the application submittal requirements as complete and is working with County Counsel and their contracts unit to approve the Funding Agreement requirements for the project. **2/3/2017** The State did not approve

6/30/2017: System will continue to monitor on an annual basis. **5/4/2017** System is waiting for the consolidation project to move forward **8/2/2016** Awaiting for results. **4/28/2016** No status change from previous update.

6/30/2017: The system is proposing to install POU. Workign on a timeline and response from system. **5/4/2017** Revising the compliance order to update the comply by dates. **8/3/2016** 2016 4th consecutive Q out of compliance. **4/28/2016** 3rd consecutive Q out of compliance. **01/15/2016** Revised CO will be sent to water system because it was not sent in June 2015. Water system was in compliance for 1 quarter, but has been out of compliance 2 quarters

1/24/2017: Project going out to bid so that the construction activities can commence.12/8/2016 - working on updated Plans and specifications. May not meet project completion date. UPDATE: (4/25/16): Project was rebid and the contract for the various contracts should be awarded in the next couple of weeks. HWC is ready to move forward once the contracts are awarded. UPDATE (KDC - 9/29/2015) - Project out to bid but the bids came in over budget.

12/8/2016 - Applicant is working bidding out the project. Updated 4/25/2016 - KDC: Project is underway. Some components of the new system are being bid with the Oakhurst/Sierra Lakes Project to make the projects more affordable.

Updated 4/25/2016 - KDC Compliance Order issued. FF recently installed an RO unit at another facility and is planning to test the unit and then begin work on getting a similar unit installed at this location.

5/23/17 - no 1Q2017 samples submitted. 2/3/17 - a public notice was distributed for the 1Q2016 reporting period, violations are in the process of being entered in to SDWIS for the previous reporting periods. It is unknown if the public notices for the remaining 3 quarters in 2016 were distributed. 6/20/2016: Back-up help couldn't find the public notice info for Mono Sierra East so we will have to wait till Jon gets back from medical leave in July. 2/2/2016-4Q2015 MCL

Yes

Yes

No

Yes

Yes

Yes

Yes

Yes

Yes

No

Yes

San Bernardino-13	CA2610003	2610003	Bridgeport PUD	3000
Monterey LPA-57	CA2700536	2700536	Corral de Tierra Estates WS	45
Monterey LPA-57	CA2700612	2700612	Laguna Seca WC	162
Monterey LPA-57	CA2700702	2700702	Prunedale MWC	252
Monterey LPA-57	CA2700799	2700799	Vista Del Toro WS	87
Monterey LPA-57	CA2701221	2701221	Washington School	250
Monterey LPA-57	CA2701926	2701926	Moro Rd. #9 WS	210
Monterey LPA-57	CA2701959	2701959	Tierra Vista MWC	57
Monterey LPA-57	CA2702009	2702009	Laguna Seca Rec WS	500
Monterey LPA-57	CA2702030	2702030	Cypress Community Church WS	200
Monterey LPA-57	CA2702550	2702550	Grange Hall WS	25

227	COMMUNITY	No	0913027
16	COMMUNITY	No	1205360
57	COMMUNITY	No	1205362
84	COMMUNITY	No	1506006
29	COMMUNITY	No	1205370
1	NTNC	Yes	1205372
70	COMMUNITY	No	1205365
19	COMMUNITY	No	CC0805367
1	NTNC	No	1205361
4	NTNC	No	1205356
1	NTNC	Yes	1105135 probably not applicable because had RTC-have draft to new CO-just need signatures

2/13/2009	Yes	Yes
1/22/2009	No	Yes
2/2/2009	Yes	Yes
9/19/2014	Yes	Yes
2/4/2009	yes	Yes
2/3/2009	Yes	Yes
1/22/2009	No	Yes
4/13/2011	Yes	Yes
1/22/2009	No	Yes
1/29/2009	No	Yes
2/4/2009	No	No

9913010	1/8/2014 third Compliance Order March 9, 2015	4/1/2018
CO0806102	6/18/2015	3/31/2018
CC0806155	10/1/2015	3/31/2018
		1/10/2015
CC0806156	10/1/2015	3/31/2018
	8/24/2016	3/31/2018
CO0806169	12/8/2015	3/31/2018
CO0806168	12/9/2015	3/31/2018
CO0806194	1/14/2016	3/31/2018
CO0806104	6/18/2015	3/31/2018
CO0806103	6/18/2015	3/31/2018

No	No	1Q/2017 – 23
No	No	1Q/2017-80
No	No	1Q/2017-11
No	No	1Q/2017<10
No	NO	1Q/2017-13
Yes	No	1Q/2017-21
No	No	1Q/2017-18
No	No	1Q/2017-12
No	No	3Q/2016-16
Yes	No	1Q/2017-12
Yes	No	1Q/2017-45

SRF	No
STATE	
SRF	
	No

N/A	N/A
9/1/2009	6/24/2011

	N/A
	1/24/2016

Estimated Aug2018	Treatment
	Treatment
	Treatment
	Treatment
	Treatment
	Treatment

<p>5/2/17-System has gone out to bid with 5 companies interested, however the FA wants a 90 day pilot test and it may not be sufficient data to select a vendor, FA may be revised to exclude this condition. 1/19/17-Construction end estimated Apr 1, 2018; system is investigating with elementary school whether bottled water should be provided. 12/29/16-DE didn't identify whether the school is receiving bottle water. see funding section for DFA project status. 11/14/16 - Bridgeport adopted rate increase in October, Need FA to begin construction. 7/26/16 - Revisions to final plans/specs need to be submitted. Status meeting, site visit scheduled for 8/2/16. 6/24/16 - One elementary school served. Exploring bottled water option for upcoming school year. 4/28/16 - FAAST application submitted Feb 2016.</p>
<p>6/27/2016: They may not meet the July 2016 date since they are very interested in POE/POU, which our county is just now considering so they need to do the cost analysis. We will reevaluate plans due date when we get the selected option. 2/24/2016: is not part of a disadvantaged community. They are self-funding their project by increasing rates or special assessment. Their first milestone is:</p> <ul style="list-style-type: none"> • July 2016- determine preferred alternative – consolidation or treatment. • Jan 2018-develop plans • June 2018-implement compliance option
<p>12/24/2015-They submitted initial compliance plan in September. They are researching treatment and intend to self</p>
<p>5/5/2017-wants to insall POU -6/27/2016: SPCA WS- they said they were having difficulty with the regional sewer plant taking the waste so they are installing drying beds. 11/3/2015-Waiting to see if nearby system with installed treatment</p>
<p>5/5/2017-had issue after major February storm- March samples good. If May ok, BWO will be lifted. 1/31/2017-treatment plant under 10 ppb since July 2016- changes in coagulant feed and backwash seem to be successful. 5/11/16-April finished water was 32 ppb so plant is still having issues with maintenance. 3/7/2016:they are tweaking their treatment process (updating software to better control backwashes and just added a coagulant feed. The new compliance date is June 30, 2016. If the upgrades don't work, then we will send another compliance order (or citation).</p>
<p>5/5/17-wants to install POU-will start process now that Monterey County will consider approving-6/27/2016: They want POE, which is not allowed for compliance purposes by our local ordinance. However, since the state is developing POE/POU regulations, Monterey county is considering amending the ordinance so this may become a viable option if</p>
<p>1/31/2017- Updated enforcement was issued. System has new superindendent who is moving forward with treatment system and who will start communication with Grange. 6/27/2016: System has indicated desire to stay on bottled water. Updated enforcement will be issued in July 2016 indicating bottled water is not long term solution. 5/11/16- Plans have been completted. Principal is interested in staying on bottled water so an updated compliance order is in process. 12/1/2015-The project is moving. Peter Haase at Fall Creek said he would deliver the Plans and CEQA documents by this week, but DFA has not received the documents yet. Back in September/October, the new</p>
<p>5/5/2017-wants to move forward with POU. 6/27/2016: blending is no longer viable option since futher testing showed the other well also is high in arsenic. The system missed deadline for compliance plan so enforcement is pending. 12/24/2015-The compliance order has been updated and the initial compliance plan is due December 31, 2015. System</p>
<p>5/5/2017-still going through start-up-had to replace a valve.1/31/2017-treatment installed and start-up began in Jan 2017. 6/27/2016: they want to use Isolex and have hired engineer to design plans. Self funding.</p>
<p>6/27/2016: proposing POE's and system would fund.</p>
<p>6/27/2016: plan is delinquest so enforcement is pending.</p>
<p>6/27/2016: They are deciding between installing a new treatment plant or purchasing water from Washington School (next door and prefered option). Washington School is stalling on implementing treatment so updated enforcement is pending. 6/27/2016: They are deciding between installing a new treatment plant or purchasing water from Washington School (next door and prefered option). Washington School is stalling on implementing treatment so updated</p>

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Lassen - 02	CA3210011	3210011	Plumas Eureka CSD	339
Riverside LPA-63	CA3301380	3301380	Saint Anthony Trailer Park	300
Riverside LPA-63	CA3303092	3303092	Mecca Arco Travel Center	47
Riverside LPA-63	CA3303100	3303100	Oasis Gardens Water Company	314

546	COMMUNITY	No	902003
95	COMMUNITY	No	1203407
3	NTNC	No	1103399
157	COMMUNITY	No	

2/26/2009	Yes	Yes
3/3/2010	Yes	Yes
6/21/2010	Yes	Yes
3/29/2016	Yes	Yes

9502013	2/19/2016	11/1/2017
		Unknown. In State's funding program process.
		4/1/2017
		1/1/2018

No	No	1Q/2017 - 10.58 NOV letter sent
No	Yes	1Q/2017 RAA = 20
No	No	1Q/2017 RAA = 26
No	No	1Q/2017 RAA = 11

SRF	
Owner submitted pre-application for state funding in 2010.	
Currently working with CRWA to submit FFAST application to State. 6/13/2016 (LPA): Water system is working with CRWA on FFAST application. Application is due by 8/31/16. 6-10-16 (DFA): Have applied for Groundwater funding for Chrom 6 problem in FFAST but no application for Arsenic in FFAST	Yes

1/7/2015 Planning Application Submitted.	Agreement Number: D16-02012, Project Number: 3301380-001P, 7/1/2015 Application Deemed Complete. 8/31/2016 Draft Planning Funding Agreement sent to system.

	Treatment
	Treatment
	Treatment
	Consolidation

5/1/2017 - Final pilot study results indicated the iron is colloidal in nature and the engineer proposed a waiver for complying with the iron SMCL. Plumas Eureka CSD and the engineer requested a meeting the week of 5/1/2017 to discuss the potential for the waiver or additional treatment requirements. Discussions are continuing with the county to alter zoning of a potential treatment plant site. **3/1/2017** - Plumas Eureka CSD found during the pilot study that arsenic can be removed to below the MCL by coagulation/filtration; however, the iron concentration remained over the secondary limits. Redding DDW authorized additional bench-scale testing to refine the treatment design. The owners of the intended property has not granted expansion of the site, but has offered a separate property to house the treatment plant. PECSO has submitted a schedule for completion of the design for November 2017, and both DFA and DDW representatives have approved the schedule. 11/1/2016 - Plumas Eureka CSD submitted a feasibility study for the planning loan project on October 28, 2016 that is currently under DDW review. The arsenic treatment pilot study protocol was reviewed and approved on 9/26/2016. The pilot study was started on 11/1/2016. The pilot apparatus was inspected by DDW on 11/4/2016. The planning project, although slightly delayed because the first pilot contractor pulled out of the project, is on a suitable schedule for compliance. **8/1/2016** - Plumas-Eureka CSD held a conference call with representatives from DFA and DDW on July 13, 2016. The discussion included a list of requested revisions to their SRF planning loan application that eliminated the intertie alternative and provided for appropriate CEQA documentation. The new consultant, FarrWest Engineering (Reno), was hired on July 13, 2016 to provide an alternatives analysis and PER to return to compliance with the arsenic MCL. DDW is revising a new compliance order to reflect a new schedule for deliverables because of the time needed to process the SRF loan application, but the final cease and desist date of November 2017 has not been revised. **4/18/2016** - Met with the District board three times during the months from October 2015 to February 2016 to discuss the inadequate proposal and timeline for

6/26/17 Update: St. Anthony currently has approved interim treatment (Skid Mounted Nimbus CIV 6000 RO system). Riverside County has petitioned the court to enforce the Stipulation for Settlement and grant the order for entry of permanent Injunction and appointment of receiver for failure to bring the park into compliance (unpermitted mobile home park). Settlement Agreement gives compliance date to complete construction of park and install centralized treatment by 5/2/18. LPA will issue updated Citation and Compliance order within the next 30 days and will include a RTC date. : 4/26/17 State Water Board received preliminary engineering report from St. Anthony's on 3/31/17 to remedy arsenic MCL. State is reviewing. 4/26/2017: State Water Board received preliminary engineering report from St. Anthony's on 3/31/17 to remedy arsenic MCL. State is reviewing. 1/12/17: No status change from previous update. 4/18/16: No status change from previous update. 11/24/2015-Saint Anthony submitted application at end of Oct 2015 for planning funding. Still has an assistance referral for TMF due in January. Owner has obtained a conditional use permit through Riverside County. A condition of the CUP is to provide centralized treatment prior to issuance of any building permits. The existing treatment station has been approved as an interim solution until centralized treatment is installed. This is a county code case. The LPA is working with other Departments to permit this park and

6/26/17: Arsenic treatment plans were approved on 9/14/16 and treatment system was delivered to owner the week of 6/19/2017. Anticipated date of installation and RTC is 8/31/2017. Escalated enforcement action will be taken by LPA if RTC is not achieved by 8/31/17. **4/26/17:** No status change from previous update. Deadline of 4/1/17 to install treatment has passed. **1/12/17:** No status change from previous update. **10/25/16:** Treatment plans approved

4/26/17: CVWD took over the consolidation application from CRWA. Funding status unknown. **1/12/17:** No status change from previous update. **10/25/16:** FFAST application has been submitted. Still needs to be reviewed by State. **7/21/16:** Water system has contacted CVWD about consolidation. LPA contacted CVWD re: consolidation. CVWD states that this water system is interested in a master meter and they are in discussions with water system. Oasis Gardens is working with CRWA on a FFAST application to consolidate with CVWD.

Sacramento LPA-64	CA3400103	3400103	B & W Resort	100
Sacramento LPA-64	CA3400130	3400130	COURTLAND GROUP	40
Sacramento LPA-64	CA3400138	3400138	LOCKE WATERWORKS	65
Sacramento LPA-64	CA3400149	3400149	RANCHO MARINA MHP	75
Sacramento LPA-64	CA3400164	3400164	VIEIRA'S RESORT	150
Sacramento LPA-64	CA3400332	3400332	OXBOW MARINA	90
Sacramento LPA-64	CA3400433	3400433	EDGEWATER MHP	35
Monterey-05	CA3500823	3500823	Best Road MWC	133
San Bernardino LPA-66	CA3600025	3600025	Bar-Len MWC	200

37	COMMUNITY	No	1600760
19	COMMUNITY	No	900363
55	COMMUNITY	No	900365
35	COMMUNITY	No	900369
107	COMMUNITY	No	0900371
200	COMMUNITY	No	0900367
29	COMMUNITY	No	0800347
48	COMMUNITY	No	0905008
38	COMMUNITY	No	1300050

3/16/2016	No	Yes
10/29/2008	Yes	Yes
10/29/2008	Yes	Yes
7/11/2008	Yes	Yes
10/29/2008	Yes	Yes
1/24/2008	Yes	Yes
5/16/2008	Yes	Yes
11/4/2016	Yes	Yes
10/4/2012	Yes	Yes

1600760	3/16/2016	7/1/2018
1500737	12/31/2015	7/1/2018
1500741	12/31/2015	7/1/2018
1600778	1/21/2016	7/1/2018
1500739	12/31/2015	7/1/2018
1500743	12/31/2015	7/1/2018
1500745	12/31/2015	7/1/2018
		12/31/2019
CC0000194	7/10/2015	12/31/2019

No	No	1Q/2017 - 38.25
No	No	1Q/2017 -9.575
No	No	1Q/2017 - 13.7
Yes	No	1Q/ 2017 30.3
No	No	1Q/2017 - 16.525 (Well 1) 1Q/2017 - 14.75 (Well 2)
No	No	1Q/2017 - 25.5
No		1Q/ 2017 13 ppb** (only three consecutive quarter based on new well)
		1Q/2017 - 14.3 ug/L
No	No	1Q/2017 - 16.25

	No
STATE	Yes
	No
12/7/2016- Water system is not pursuing state funding. (PETE) The system's engineer submitted a proposal to the County for review. System previously indicated their intent to fund project on their own, but I have not received a formal response yet. 4/15/16 Water system submitted application to drill new well and submitted proposal for a pilot study to determine which arsenic treatment media they will choose.	No
STATE	No
	No
SRF	YES

N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
4/15/2016	IN REVIEW; PENDING

	N/A
	N/A
	N/A
	N/A
	N/A
	PENDING

N/A	N/A
N/A	No
N/A	N/A
7/26/2011	Yes
N/A	N/A
N/A	N/A

N/A	
N/A	
N/A	
12/8/2015	
N/A	
N/A	

N/A	
N/A	Consolidation
	Treatment
N/A	New Well/Source
1/31/2017	Consolidation
N/A	
N/A	Consolidation

6/23/2017: Water system has disconnected from their main well and connected their secondary well to their distribution system. This construction was completed in October 2016. An arsenic sample will be pulled for the secondary well no later than June 30, 2017 to verify compliance with arsenic rule. 5/1/17- No Changes 1/19/17: water system has contacted both contractors about treatment options and also larger utility for connection estimate. 6/9/2016: Water system has secondary well on site that they are going to test Arsenic levels to determine if that is 5/1/17- RAA is under the MCL. Will continue on quarterly monitoring. 12/29/2016-Data needs to be cleaned up in SDWIS to reflect current status. SOX may be deleted and violations may be reassocated with old compliance order. LPA will reassess on whether this system has RTC. 11/30/2015-LPA was planning on revising compliance orders with a RTC date of 11/16/2016. No longer going to create public entity. Water System just changed ownership in July 2015.

6/23/2017: Currently going through environmental review processes. Reference SRF3400138-001 P with DFA. 5/1/17- no updates. 1/19/17: water system is currently awaiting a connection estimate and dates from larger utility. 9/6/2016: Water System is going to spend the rest of their grant money on connecting to another SWS. They are waiting on the county to provide them with a contract for the service connection. **6/9/2016:** Water system has not signed a contract with the larger utility. Water system is not going to do treatment as they cannot afford O&M costs. **11/30/2015-LPA**

5/1/17- water system is working with engineer to determine the issues of their current treatment plant. 1/18/17: Water system submitted pilot study from Engineer. LPA is working with DDW staff for Technical Review and comments. 6/9/2016: Water system hired engineer to determine operation issues with the water system. 11/30/2015-LPA was planning on revising compliance orders with a RTC date of 11/16/2016. Operational issues. Water system changed

5/1/17- water system drilled new well and screened off aquifers to get lowest arsenic. system is currently running bench top tests. 1/19/17: water system is currently screening aquifers at new well to determine arsenic levels. 6/9/2016: New well was dug May 2016. Arsenic has not been tested for since well was dug. 12/23/2015-LPA states that the water system will be receiving a revised compliance order by the end of the year. 11/30/2015-LPA was planning on revising compliance orders with a RTC date of 11/16/2016. Well #3 is no longer on line 3/15/2016 Water system has submitted application to drill a new well and conduct a pilot study on new well to determine which treatment system will be installed. Well construction permit issued 2/18/16

5/1/17- water system connection was pushed back to July 2017 due to flooding. 1/19/17: water system is anticipated to connect to larger utility at the end of February 2017. 12/7/2016: Water system installed transmission line and anticipate to install lateral lines and connect individual unit by Jan 2017. 6/9/2016: Water system is in contract with larger utility to connect in October 2016. 11/30/2015-LPA was planning on revising compliance orders with a RTC date

6/23/2017: Received 4th quarter samples. Will issue compliance order for MCL violation for arsenic for the new source. 5/1/17- new well is placed online. 3 calendar quarters have been tested since it was put online. ARA over the last 3 quarters is 13 ppb. 1/19/17: Water system has placed new well online. Last 2 quarter samples are 13 ug/L. 6/9/2016: Water system is still currently connecting piping from new well to distribution system. April sample results for new well were 13 ug/L. 12/23/2015-LPA states that the water system will be receiving a revised compliance order by the end of the year. An inspection for was conducted in April 2015 and the well has not yet been finalized yet. The LPA has not

5/1/2017 - WS is evaluating alternatives

6/29/17 - LPA is waiting on DFA update prior to issuing a citation. 5/4/17- FA incoming target June 2017 2/1/2017- No updates from the water system has been received, LPA is working on issuing a citation without fine. 6/24/2016: The system has been in talks with neighboring water system to consolidate however no formal plans have been submitted. The LPA will send out an amended CO and give them 3 years to comply. 5/12/2016-the water system is working with Tetrattech to provide a RO treatment unit. The operators met with EHS in September 2015 to discuss brine disposal

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

San Bernardino LPA-66	CA3600036	3600036	Calico Ghost Town	1,000
San Bernardino LPA-66	CA3600062	3600062	Cailier Water System	100
San Bernardino LPA-66	CA3600196	3600196	CSA 70 W-4 Pioneertown	410
San Bernardino LPA-66	CA3600504	3600504	Knoll Enterprises	500
San Bernardino LPA-66	CA3601015	3601015	Ironwood Camp	1,000

15	NTNC	No	1400130
10	NTNC	No	1200026
124	COMMUNITY	No	1200014
28	COMMUNITY	No	1200012
1	COMMUNITY	Yes	1100017

11/1/2013	No	Yes
9/17/2012	Yes	Yes
7/16/2001	Yes	Yes
8/28/2012	Yes	Yes
6/20/2011	No	Yes

CC0000300	4/14/2017	6/30/2018
CC0000196	7/10/2015	12/31/2017
CC0000014		
CC0000195	8/8/2014	12/31/2019
CC0000017	7/10/2015	12/31/2019

No	No	1Q/2017 - 22.25
No	No	1Q/2017 - 45.75
		1Q/2017 - 114.75
No	No	1Q/2017 - 21.5 (Well #1) #2) 1Q/2017 - 23.5 (Well
No	Yes	1Q/2017 - 39.75 2Q/2017 - 36.75

SRF	
PRIVATE	No
STATE	No
<p>2/5/2016-Ironwood Campground was cleared by technical, environmental and financial staff in the end of 2014. In April 2015 DFA legal counsel determined that the language in the applicant's bylaws prevented the State from doing business with the entity. This was because they discriminate on who can be a member of the community (campground) and our legal counsel determined that we would be violating state law to funded the project. As a result, the application was inactivated. Submitted Application on 3/26/14 for planning funding</p>	

N/A	
12/27/2006	9/6/2012

	9/6/2014

9/4/2015 (incomplete)	No

Pending	

	Treatment
	Treatment
	Treatment

6/29/17 - LPA issued a citation on 4/14/17 with comply by date of 6/30/18, WD sent letter of intent to comply on 4/28/17. 2/1/2017 - No further updates has been received, LPA is working on issuing a citation without penalty.

6/24/2016: Formal plans for the proposed RO system have not been provided. The LPA will send out an amended CO and give them 3 years to comply. 5/9/2016-The water system is working with Tetrattech to provide a RO treatment unit. The operators met with EHS in September 2015 to discuss brine disposal options and were referred to the

6/29/17 - system is waiting on grading permit to start construction. 5/4/17- system is in the process of installing treatment system 2/1/2017- WS is in process of obtaining building and safety permit. 6/24/2016: LPA approved the arsenic water treatment plans. System is in the process of being installed. 5/9/2016-EHS is reviewing plans submitted

6/29/17 - EPA is the enforcing agency, LPA hasn't received any information beyond an extension has been issued. 5/4/17- EPA approved an extension 2/1/17: WS submitted TMF Documents in December 2016. 6/24/2016: Had a meeting on 6/22 with water system to discuss compliance plan. The water system is to meet with Hi Desert regarding intertie as back up to primary well. 5/9/2016-Design complete for interconnection with High Desert Water District. Awaiting prop 84 construction funds. 5/5/2016: Issued NOV on 3/29/2016 and now are now in negotiations with the county. Fluoride and Uranium were also added as constitutes that were above the CA MCLs and were included as information only sinc the Fed EPA cannot enforce them. 3/8/2016-DDW has requested that EPA issued a compliance order. 2/18/2016-DE followed-up with San Bernardino County Special Districts, who operates the water system, about providing bottled water, and they discussed about applying through FFAST for the interim CAA emergency funds. The CSD have not been directed by the LPA to provide bottled water, so th DE gets the feeling they are hesitant to do so. The DW will keep the discussion going. There is a resolution to this in the works. Last year they completed a P84

6/29/17 - LPA issued a citation on 5/24/17 with comply by date of 6/30/18, WS submitted LOI to comply on 6/12/17. 5/4/17 - LPA is working on issuing a Citation 2/1/2017- No updates from the water system has been received, LPA is working on issuing a citation without a fine. 12/29/2016: Knoll's intent to comply letter was received in January 2015 in response to amended CO dated 11/14/14. Knoll didn't send any update since January 2015. A citation was issued on 7/10/15. District Engineer will be assisting LPA with escalated EA. 10/31/2016- Spoke with owner as always she was very eager to comply and take adequate steps needed to move situation along but there is no follow through on her part and remains unresponsive when trying to find out what the status is. 9/16/16 - A viable plan has not been submitted at this time, we are working with the PWS. 6/24/2016: Water system unable to apply for funding and has not

6/29/17 - LPA issued a citation on 3/22/17 with comply by date of 6/30/18, WS asked for an extension till 7/31/17 to submit compliance plan. 5/4/17 - WS submitted non approved treatment system plan, plan rejected 2/1/2017: WS plans to install additional POE systems to cover entire campground. 12/29/2016: RAA for RO Effluent = 1.975 µg/L, the System is planning on expanding their RO treatment system for the entire facility. Currently, the treated water is for the coffee shop and dining hall. 9/16/16 - They have determined that because of their bylaws they would not be accepted for funding so have not reapplied. Their comment: "We are working on a plan to expand our RO coverage but it will take time to fund and implement. Currently everyone we provide water for obtains their drinking water from our RO system. We have had a large RO unit donated to our organization which triples our production ability. Again it will take time to secure funds necessary for the install and to do the install." 6/24/2016: Water system applied for funding but cannot be approved. The LPA will issue an amended compliance order requiring compliance in 3 years. 5/9/2016- Water systems currently has an RO system that serves the dining hall, both coffee shops, etc. however staff residence are not served. The system has applied for funding. 12/1/2015-Water systems currently has an RO system that serves the dining hall, both coffee shops, etc. however staff residence are not served. The system has applied for funding. 6/2015-Sent water system an amended CO

Yes

Yes

Yes

Yes

Yes

San Diego LPA-67	CA3701010	3701010	Warner Unified School District	250
San Diego LPA-67	CA3701793	3701793	LB Twin Lakes Resort	200
San Joaquin LPA-69	CA3900579	3900579	CENTURY MOBILE HOME PARK	50
San Joaquin LPA-69	CA3901169	3901169	MSUD-NILE GARDEN SCHOOL	804

15	NTNC	Yes	1506055
145	COMMUNITY	No	1606147
16	COMMUNITY	No	0502327
3	NTNC	Yes	701688

2/4/2015	Yes	Yes
4/1/2016	No, must be submitted by March 1, 2017.	Yes
8/15/2006	Yes	Yes
10/27/2007	Yes	Yes

1606136	3/10/2016	3/1/2017
1606147	12/13/2016	12/31/2017
1202508	7/1/2012	12/1/16 –in State’s Funding Program Processes
1202511	7/1/2012	12/1/16 –in State’s Funding Program Processes

Yes	No, Clean up and abatement money was approved months ago, but contracts are still being drafted	4Q/2016 - 13.6 ppb
No	No	4Q/2016 - 11.5
		1Q/2017 - 13
		1Q/2017 - 23

SRF	YES
STATE	No
STATE	No

3/1/2014	9/21/2016 ISSUED FA FOR SIGNATURE; PENDING RESPONSE FROM WATER SYSTEM
9/24/2011	5/21/2013
10/7/2011	11/28/2012

	TBD
	6/2/2015
	4/22/2016

N/A	N/A

N/A	

N/A	Treatment
	Consolidation
	Consolidation

6/15/17: The execution of the POU agreement between DFA and Warner USD has taken a longer time than anticipated and was hung up in legal review on both ends. On May 2, 2017 Warner USD received draft form of funding agreement from DFA with request for an updated timeline for POU installation. Warner USD provided revised timeline and requested DFA to incorporate that into agreement. A response and revised timeline was provided to the LPA on May 12, 2017 after several requests. The LPA will be amending the existing Citation to incorporate the new project schedule. Defined milestones per the schedule will be incorporated into the Citation to keep the system on path. POU installation is anticipated in September 2017 with a long term solution in 2019 or 2020. Per the advice from our DE the LPA is considering issuing a revised Citation with rescindable penalties to keep the system on track. 01/25/2017 - Per Mark Magtoto of DFA (on 1/18/17), the POU agreement is being reviewed by Daman Badyal and will be sent by the DFA analyst to Andrea Sissons of Warner School when ready. Per Andrea Sissons of Warner School (on 1/18/17) the signed funding agreement and attorney letter for the long term solution were to be forwarded to Brenda Pauli of DFA. 11/4/16 - Agreement No. D16-02007 was issued on 9/28/16 to Warner School from DFA for the permanent solution and included the transmittal Letter, Funding Agreement/Exhibits, signature pages and Draft copy of the General Counsel Legal Opinion Letter. The School Board approved the package and currently the legal general opinion form is being completed by School attorneys. The Clean-up & Abatement Fund agreement is being reviewed by DFA analyst. 6/15/2016 - Application for Clean-up and Abatement funds for interim solution was submitted in May 2016. Mark Magtoto of DFA indicated the application would not be considered since the engineering design from NV5 included a POE for the cafeteria building and not a POU as used in other schools with an Arsenic exceedance. A conference call between NV5, CRWA technical assistance provider, Mark Magtoto of DFA, LPA, Certified water operator, Warner School representative and DE happened in 6/2016 and addressed how to move forward. Engineer NV5 was to investigate the POU used at another school in the State and report back to the group. All documents have been submitted to Brenda Pauli of DFA to complete the application for funding for the long term solution. Application is under review and will take several months per Brenda Pali. 11/20/2015-The LPA had a conference call with Warner School today. Kyle, Brenda, Sean, Connie, Noel and the school were present. There are two items missing from the

6/15/17: A request to extend the deadline to submit the arsenic reduction plan was received and granted by the LPA so the system could evaluate what options they had. The system has been in communication with the LPA and are actively seeking to resolve the problem. On May 11, 2017 a proposed blending plan spreadsheet was submitted to the LPA for review. The LPA sent to the District to provide review and concurrence. Comments received from the District are being incorporated into our response back to the system. Their initial plan did not propose the reduction of arsenic to levels that we are comfortable with. We recommend the system hires an engineer to develop blending plan or

7/10/2017: Meeting was held on 6/8/17 between CA DDW and City of Stockton to reinstate funding application process and move forward on the consolidation project. 4/28/2017: No status change from previous update. 6/13/16, This is State funded project and San Joaquin County Public Work Department is working on the plan for the new water line extension. Once the County approves the water line extension, the City of Stockton will start the connection process. 1/11/16 CRWA is continuing to work with city and water system towards making a connection using SWRCB Funds. 11/19/2015-As this is a state funding project. The LPA has no idea on the RTC date. LPAs do not write new

7/10/2017: During the week of June 12, 2017 a meeting was held between CA DDW and City of Manteca to move forward on the consolidation project. Gary Chan w/ DDW Financial Assistance Division to meet with Kathleen Firstenberg with the Water Resources Institute on July 11, 2017 to coordinate the funding for the consolidation project. Water system is using bulk hauled water as an interim measure. 4/28/2017: No status change from previous update. 6/13/2016, This is a State funded project and CRWA is working with the water system and San Joaquin County LPA is unaware of the status. 2/22/2016: Reid Johnson of Nolte Vertical 5 is the consultant working on this project. This is a SB funding project that provides money to the City of Manteca to install a new Source and to make a connection to this school through an Emergency out of Service area LaFCO connection. 1/11/16. Consultant, Reid Johnston, is continuing to working with water system and city to make this connection using SWRCB Funds. 11/19/2015-As this is a state

San Joaquin LPA-69	CA3901213	3901213	AVALOS, SILVIA	30
San Joaquin LPA-69	CA3901334	3901334	BJJ COMPANY LLC	
San Luis Obispo LPA-70	CA4000637	4000637	Country Hills Estates	81
San Luis Obispo LPA-70	CA4000774	4000774	Pleasant Valley Elementary	150
04 - San Francisco	CA4800561	4800561	Snug Harbor Resort	32

15	COMMUNITY	No	0801685
	NTNC	No	901865
27	COMMUNITY	No	0800229
1	NTNC	Yes	0800231
160	NTNC	No	104004

8/28/2008	Yes	Yes
6/19/2009	Yes	Yes
1/16/2009	Yes	Yes
1/16/2009	No	Yes
3/25/2015	Yes	Yes

1202512	7/1/2012	Depends on Century MHP Compliance Date
1202514	7/1/2012	6/1/2015
	3/23/2016	7/31/2018
		7/31/2017
		4/10/2018

Y		1Q/2017 - 13
		1Q/2017 - 16
NO	Yes (at some homes), most use bottled water	1Q/2017 - 36 (Well 1) 1Q/2016 - 23 (well 2)
YES		1Q/2017- 14
No	Yes	1Q/2017 - 17

	Yes
SRF	
SRF	No

N/A	N/A
10/12/2012	6/30/2014

\$212,860.00	10/15/2016

10/11/2016	WAITING FOR SHPO CONCURRENCE LETTER

Agreement Executed 6/7/2017	\$999,480.00

	Consolidation
	Consolidation
	Treatment
7/1/2018	Treatment
	Treatment

7/10/2017: Meeting was held on 6/8/17 between CA DDW and City of Stockton to reinstate funding application process and move forward on the consolidation project. 4/28/2017: No status change from previous update. 6/13/2016, This is a State funded project. Yes, bulk hauled water is provided by Aero Pure Water Company. The test well was drilled and destroyed on 10/28/2015. 1/11/16 Julie Martinez of CRWA is continuing to work with the water system to obtain the proper paperwork for SWRCB funding to make a connection with the City of Stockton. 6/1/2015-System lacks money. Public Notification.11/2/2015-Julie Martinez of Cal Rural Water contacted Silvia regarding needed

7/10/2017: 6-15-17 Meeting with Cal Water to work out the details for revised plans for connection. Permits applications to be obtained from the City of Stockton, San Joaquin County Public Works, and Caltrans to move forward on the consolidation project. Cal Water estimates installation of water main still several months out. 4/28/2017: No status change from previous update. 6/13/2016, Contractor has submitted the second round of corrections to San Joaquin County Public Work Department pending for approval to install a 12" Water main extnsion. If not finished by the end of this year, A new order will be issued with a new RTC date. 1/11/2016- On 9/15/15 the LPA was made aware that the new source collapsed and was no longer a viable option. The water system was directed to obtain a Will Serve letter from Cal Water Services for a connection. On 9/29/15 the LPA received a copy of the "Will Serve" letter that confirms Cal Water Services will service this parcel. The Water System is working with Cal Water Services and Cal Trans for permits and approval to cut through the road to make a connection with the Water System. This connection should

6/19/2017: The POU proposal was reviewed by DDW and comments were given to SLO LPA on 6/12/2017. **2/17/17 - At annual shareholders meeting members vote to proceed with POU solution. Proposal received by San Luis Obispo County EHS. Forwarded to DDW DE in April 2017 for review. 2/17 - Bids in, board meeting tonight to weigh POU options, proposal to be drafted after vote. 10/31/16 - System Drafting Proposal which includes a lease and maintenance contract for POU units, pilot study to be included as part of proposal 5/4/2016-DE received a call from a water system representative saying they are ready to move forward with funding and treatment.1/29/16 - Neighboring development reaching out to from larger service area, would add an Arsenic well but pooling more connections may be beneficial 12/1/2015-Country Hills really can't consolidate with any local system - they are still looking at the POU**

6/19/2017: 2/28/17 TMF ASSESMENT FORM COMPLETED BY SYSTEM 1/10/17 - REVIEW BY LPA, DE AND FUNDING MANAGER UNDERWAY. 10/31/16 - Construction Funding Application in 5/4/2016-The school just wrapped up their pilot study and we are meeting with them Monday to discuss the project moving forward. 1/29/16 - pilot plant continues to operate, data thus far shows that arsenic is reduced from approximately 12-13 ppb down to ND.

6/15/2017: Submittal of the treatment design selection is due on July 10, 2017, along with their 2nd Quarter 2017 Progress Report. We have reiterated to the owner that the State Board will not extend the compliance deadline date of 4/10/2018 and that failure to proceed in accordance with the approved compliance plan may result in a citation and possible fines. **5/1/2017:** System submitted quarterly progress report. Did not meet May 1st deadline for completing design of treatment system in accordance with corrective action plan. System cited winter flooding impacts and consultant delays in selecting appropriate filter as reasons for not meeting design deadline. **1/13/2017:** An acceptable corrective action plan received October 10, 2016. Next plan milestones: 2/1/2017 to select treatment vendor and media, 5/1/2017 to complete treatment design, installation completed by 1/1/2018. Proposed schedule is consistent with the March 2015 order requiring RTC by 4/1/2018. **9/2/2016:** Letter stating we did not receive a corrective action plan was sent 7/19/2016. Next action will be: either we receive a viable plan or take further enforcement action 10/10/2016. POU not feasible. Ion exchange treatment is the most likely outcome. Enforcement action set 4/10/2018 RTC deadline. System is a resort RV park and mobile home park combination. They may also choose to limit occupancy

Yes

Yes

Yes

Yes

Yes

Sonoma-18	CA4900575	4900575	Loch Haven Mutual Water Company	50
Sonoma-18	CA4900643	4900643	Mount Weske Estates Mutual Water Company	62
Stanislaus LPA-80	CA5000033	5000033	Coble's Corner	50
Stanislaus LPA-80	CA5000051	5000051	Mobile Plaza Park	125

19	COMMUNITY	No	0918023
21	COMMUNITY	No	0918007
20	COMMUNITY	No	1180001
50	COMMUNITY	No	1080001

12/31/2008	Yes	Yes
6/2/2009	No	No
3/19/2010	Yes	Yes
9/20/2010	No*	Yes

9818018	6/3/2015	6/1/2016
918008	5/29/2015	6/1/2016
Pending - waiting on consolidation time frame		9/30/2014
Pending - waiting on consolidation time frame		3/31/2015

No	Yes	Q1/2017 - 17
No	Yes	Q1/2017 - 49
No	No	1Q/2017 - 12
No	No	1Q/2017 - 13

	Yes
SRF-STATE	No

N/A	N/A

N/A	N/A

N/A	Yes

<p>Funding agreement for entire project (treatment system & consolidation) was executed on 2/17/17.</p> <p>Overall total project cost (including construction of an arsenic treatment system, and the consolidation of Mobile Plaza Park, Green Run Mobile Estates, Countryside MH Estates, and Faith Home Teen Ranch) is \$18.8M.</p>	\$18,800,000.00

	Treatment
	Treatment
	Consolidation
12/1/2018	Consolidation

6/15/17: Permit to be issued August 2017. No need to reissue CO. 5/2/17: POU Permit app nearly complete, pilot study in progress, site visit scheduled for 5/17/2017, permit should be issued by end of Q2 or early Q3

1/17/17: POU permit in process, working with system to finalize application. A site visit will be scheduled this quarter.

10/26/2016: POU permit application has been reviewed, waiting for system to submit additional and updated documents to complete the application.

7/25/16: Water system has submitted permit application to add POU treatment. Application is in process of being reviewed.

6/16/2016: Water system is not on track with CO. New projected RTC date is July 1, 2017. **4/20/16-** The system continues to work on the permit checklist items and follow the directives of the CO. **1/11/2016** - Sent a permit checklist for POU and reactivate Well 01 on 11/2/15. System requested extension to 6/1/16 to submit the items on the permit checklist. The system has been submitting quarterly progress reports and PN as directed in the CO.

9/22/15 - System in process of evaluating alternatives (POU).

6/15/17: Permit to be issued August 2017. No need to reissue CO. 5/2/17: POU Permit app nearly complete pilot study in progress, site visit completed, permit should be issued by end of Q2 or early Q3

1/17/17: POU permit in process, working with system to finalize application. A site visit will be scheduled this quarter.

10/26/2016: POU permit application has been reviewed, waiting for system to submit additional and updated documents to complete the application.

7/25/16: Water system has submitted permit application to add POU treatment. Application is in process of being reviewed.

6/16/2016: Water system is not on track with CO. New projected RTC date is July 1, 2017. **4/20/16-** The system continues to work on the permit checklist items and follow the directives of the CO. **1/11/2016** - Sent a permit checklist for POU treatment on 10/30/15. System requested an extension to 4/1/16 to submit the items on permit checklist. The system has been submitting quarterly progress reports and PN as directed in the CO.

7/3/2017: The District Waterboards office indicates that a separate funding project is being submitted for the consolidation of Coble's Corner water system and Country Villa water system. A revised compliance order with appropriate milestone will be issued in accordance to this process. **5/23/17 - No change. 1/13/17** - Kickoff call being schedule for recently approved assistance request. **11/24/2015-**Can system move forward with consolidation so when Hughson returns to compliance, all systems RTC at the same time? The LPA and SWS are not involve in this process and

7/3/2017: An new compliance order with milestone in accordance to this project will be issued. **5/23/17** - No Change waiting for Keyes consolidation. **1/13/17** - No Change. **11/24/2015-**Can system move forward with consolidation so when Keyes returns to compliance, all systems RTC at the same time? The LPA and SWS are not involve in this process and therefore cannot comment on moving forward with the consolidation. **11/2/2015-*** Formal compliance plan has not been submitted to this department, but this water system is a candidate a large water system consolidation project (Keyes Water System). Compliance order will be revised based on definitive guidance this project will happen. Awaiting response.

yes

yes

Yes

Yes

Stanislaus LPA-80	CA5000077	5000077	Ceres West MHP	161
Stanislaus LPA-80	CA5000085	5000085	Green Run Mobile Estates	100
Stanislaus LPA-80	CA5000086	5000086	Countryside MH Estates	60
Stanislaus LPA-80	CA5000218	5000218	Country Villa Apts.	30
Stanislaus LPA-80	CA5000465	5000465	Duarte Nursery	75
Stanislaus LPA-80	CA5000484	5000484	United Pallet	45
Stanislaus LPA-80	CA5000498	5000498	Clementine Properties LLC (Patchetts Ford Mercury)	35

46	COMMUNITY	No	1380001
46	COMMUNITY	No	1180001
44	COMMUNITY	No	1280001
23	COMMUNITY	No	1380001
7	NTNC	No	1380002
5	NTNC	No	1380001
1	NTNC	No	1680001

3/6/2013	No	Yes
3/19/2010	No*	Yes
7/9/2012	No*	Yes
5/2/2013	No*	Yes
6/13/2013	Yes	Yes
3/18/2013	Yes	Yes
7/18/2016	Yes	Yes

DER-16CO-005 / 1680001	4/22/2016	4/1/2018
Pending - waiting on consolidation time frame		9/30/2014
Pending - waiting on consolidation time frame		3/31/2015
Pending - waiting on consolidation time frame		5/2/2016
		6/4/2014
1680001	5/17/2016	5/18/2018
		10/3/2018

No	No	1Q/2017 - 20
No	No	1Q/2017 - 16
No	No	1Q/2017 - 11
No	No	1Q/2017 - 21
		1Q/2017 - 10
Yes	No	1Q/2017 - 15
No	No	1Q/2017 - 10

	Consolidation
	Consolidation
	Consolidation
	Consolidation
	Consolidation
	Consolidation

06/12/2017 - Michelle Fredrick (DDW) has been working with Ceres West MHP. We are having trouble getting the City to allow consolidation. She has reached out to them several times to discuss consolidation potential and trying to get them to do a meeting with DDW but they are not interested. They are having a City Council meeting on July 10th and a discussion on the project is set to be presented at that time. At present, the school just north of them has an intertie to the City. However, apparently the City was very upset with the fact the school was situated there and while it allowed the connection, the school actually owns the pipeline because the City refused to be responsible for it. Right now, Ceres West's engineer's cost estimate shows that arsenic treatment is more cost-effective, but DDW is trying to take a second look at the costs to see if they have included everything it takes to be a PWS. Also, they have used proposed water rates provided by the City, not current water rates (which have not gone through a Prop 218 process yet) which we disagree with. This is a big difference, because the City is proposing that they should just do arsenic treatment due to costs. **5/23/17** - City of Ceres continues to reject the water system proposal for consolidation. Michelle Fredericks with DFA will be scheduling a meeting for all parties in the near future. **1/13/17** - After rejecting the request for consolidation, the city of Ceres offered to review the water system's engineering report for the request to consolidate. The city commented that the water system had not considered POU treatment as an option. The water

7/3/2017: This is the same project as Mobile Plaza, Faith Home and Countryside MHP. A new compliance order with milestone in accordance to this project will be issued. **1/13/17** - No Change. **11/24/2015**-Can system move forward with consolidation so when Keyes returns to compliance, all systems RTC at the same time? The LPA and SWS are not involved in this process and therefore cannot comment on moving forward with the consolidation. **11/2/2015**-

5/23/14 - Owner has been advised that a new compliance order will be issued as the system waits for consolidation. **1/13/17** - No Change. **11/24/2015**-Can system move forward with consolidation so when Keyes returns to compliance, all systems RTC at the same time? The LPA and SWS are not involved in this process and therefore cannot comment on moving forward with the consolidation. **11/2/2015**-* Formal compliance plan has not been submitted to this

7/3/2017: District Waterboards office indicates that a separate funding project is being submitted for the consolidation of Coble's Corner water system and Country Villa water system. A revised compliance order with appropriate milestone will be issued in accordance to this process. **5/23/17** - No change, owner is not responding to requests regarding her distribution operator license. **1/13/17** - Kickoff call being scheduled for recently approved assistance request. **11/24/2015**-Can system move forward with consolidation so when Hughson returns to compliance, all systems RTC at the same time? The LPA and SWS are not involved in this process and therefore cannot comment on

7/6/2017: No, the water system will again be in violation of the arsenic MCL during the second quarter of 2017. Previously (2015), this LPA requested EPA and DDW assistance with enforcement. **5/23/17** - No change. **1/13/16** - A testhole for a new source was drilled in 4th Qtr 2016. Initial water quality testing indicates that there are no viable aquifers. The system is now consulting with their distribution operator and engineer for the next plan. **6/16/16** - The source is now showing elevated levels of nitrates and the water system has been required to initiate quarterly sampling. The Water system submitted correspondence on 6/8/16 indicating that they would be submitting

7/3/2017: Unless DFA advises differently, this water system does not qualify for any financial support as they are a for-profit place of employment. **5/23/17** - Water system has received permits from the City of Ceres to connect, but does not have funding for the project. The water system has requested a 6 month extension to obtain funding and consolidate. The extension will be given. **1/13/17** - Water system has completed financial of their privately funded consolidation efforts. Permits will be applied for at the beginning of 2017 and the expected completion date is April 2017. **4/22/16** - The water system owner experienced a medical emergency and was unable to attend. The office

7/3/2017: District Waterboards office indicates that a separate funding project is being submitted for the consolidation of Coble's Corner water system and Country Villa water system. A revised compliance order with appropriate milestone will be issued in accordance to this process. **5/23/17** - No change to the water systems status. **1/13/17** - Water system plans to privately fund a tie-in to the Keyes WS consolidation for (Faith Home/Green

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Stanislaus LPA-80	CA5000570	5000570	Interstate Truck Center (Valley Peterbilt)	25
Stockton-10	CA5010008	5010008	City of Hughson	6082
Stockton-10	CA5010009	5010009	Keyes CSD	4,899
Valley-21	CA5100107	5100107	SUTTER CO. WWD#1 (ROBBINS)	350

2	NTNC	No	1080001
1779	COMMUNITY	No	0910024
1,504	COMMUNITY	No	0910018
94	COMMUNITY	No	921006

9/21/2010	Yes	Yes
1/5/2009	Yes	Yes
1/5/2009	Yes	Yes
1/2/2009	Yes	Yes

1680001	1/19/2016	1/22/2018
910024 (Amendment)	7/31/2012 6/30/2015	7/1/2015 7/1/2018
910018 (Amendment)	1/25/2017	12/31/2019
9921016	9/28/2016	12/31/2018

Yes	No	1Q/2017 - 11
No	No	1Q/2017 – 11.47
No	No	4Q/2016 – 16.5, 11.18, 13.5,
No	No	1Q/2017 - 16.5

SRF-STATE	No
	No
STATE	Yes

N/A	N/A
10/26/2011	12/28/2012

	N/A
	1/27/2016

8/8/2016	Yes

<p>8/8/2016, Per email on 8/8/2016: An application on behalf of Hughson, City of was submitted for Drinking Water State Revolving Fund (DWSRF) - Construction via the Financial Assistance Application Submittal Tool (FAAST) on 8/8/2016 3:13:33 PM. To view the submitted application, log onto the FAAST, then click on the "Submitted Applications" hyperlink on the Main Menu, then search for PIN 36582. PIN: 36582 Organization: Hughson, City of Project Title: Well No. 7 Replacement Project (5010008-011C) For assistance, please email the FAAST Help Desk at FAAST_Admin@waterboards.ca.gov or call 1-866-434-1083 during business hours (Monday - Friday, 8:00 AM - 5:00 PM).</p>	
<p>Funding agreement for regional project was executed, kickoff meeting was held 1/18/17.</p>	

	Treatment
1/1/2020	Treatment
	Treatment
	Well Inactivated/Source Abandoned

5/23/17 - Arsenic treatment Plant Technical report revised and system has purchased equipment for installation. **1/13/17** - No Change. **4/22/16** - Water system has secured a civil engineer with water experience and is developing an application for installation of a treatment plant. **1/19/16** - Office Hearing conducted on **1/19/16** for this water system. A new compliance order is being issued to the water system. **11/24/2015**-On November 10, 2015 this water system

04/25/17 - The City of Hughson's Funding Agreement No. D16-02057 was executed on April 25, 2017.

12/8/16- FA will be issued by 1/1/17, Consolidation project no longer included but agreement will be issued separately. **4/18/2016**-No status change from previous update. DFA Project Officer - Joel Greathouse

9/22/15 - Two projects, well and treatment and other consolidation. Technical and Financial clearance are ready to issue but don't have ERU clearance. The City needs to do more environmental work. Two projects under one funding agreement.

7/1/2015 - Project is having a consolidation component added. Two LPA regulated systems in Stanislaus County that have Arsenic MCL violations are going to be consolidated into the City of Hughson. The City has been very responsive to this addition. DFA is working on funding agreement for consolidation to combine with funding agreement for Hughson to construct two new wells and an Arsenic treatment plant.

6/15/2017: Project is almost ready to go into construction. Estimated completion is by June 2019. **5/1/2017**-Working with DFA, funding agreement executed **4/18/2016**-No status change from previous update. 11/5/2015-per DFA Project Manager - Marques the construction FA may get issued early 2016.

9/22/15 - ERU is finishing up review. Need to finalize the scope of the project for the consolidation part of the project. Projected funding agreement will be issued in approximately 2 months. Construction scheduled to take 2 years. Still need to finalize the design of the consolidation elements. Meeting with the three systems on 9/28/2015 to get update on status and work on the water service agreements for the consolidations.

7/1/2015 - Project is having a consolidation component added. Four LPA regulated systems in Stanislaus County that

6/19/2017: Biweekly meetings between DDW and the county are not currently taking place. Next step for the path to compliance is that is assigned to Prop 1 TA Draft plan (GANTT chart) is due by Sept 15, which is not enforceable, after which a revised compliance order for deadline to submit funding application will be issued along with a revised compliance order for RTC. **5/8/2017** - Not much progress since the January update. The WS was warned of future enforcement if they didn't continue to make progress towards compliance. A conference date has been set for today's date to talk about how to proceed. **1/17/2017** - Water system is still working towards meeting compliance order directives by 2018. They are looking to extend directive deadlines pertaining to funding application submittal and funding acquisition. State will most likely approve extension request because the system is taking action toward compliance. **11/7/2016** - Water system was issued a compliance order in September 2016, ordering the system to meet arsenic and manganese drinking water standards by 12/31/2018. DDW set up bi-weekly meetings with the county to discuss progress as well as obstacles that would prevent the system from meeting all requirements. **8/16/2016** - A review of the FFAST website shows that a construction grant application for arsenic treatment has not been submitted yet. CRWA will be assisting the WS with the application. It is still unknown as to whether Golden State Water Services

Valley-21	CA5100145	5100145	WINSHIP ELEMENTARY SCHOOL	38
Valley-21	CA5100149	5100149	BARRY ELEMENTARY SCHOOL	560
Tehama LPA-82	CA5200550	5200550	New Orchard MHP	100
Tehama LPA-82	CA5201137	5201137	Millstream MHP	118
Valley-21	CA5210003	5210003	LOS MOLINOS COMM. SERVICES DIST.	1,500
Tulare-24	CA5403054	5403054	PFFJ, LLC	87
Visalia-12	CA5410009	5410009	Pixley PUD	3,310
Visalia-12	CA5410050	5410050	Alpaugh JPA	1,026

n/a	NTNC	Yes	1
n/a	NTNC	Yes	0921012
43	COMMUNITY	No	1300006
53	COMMUNITY	No	1300005
358	COMMUNITY	No	0921021
11	NTNC	No	802534
825	COMMUNITY	No	0912015
379	COMMUNITY	No	0912002

9/9/2013	Yes	Yes
1/5/2009	Yes	Yes
1/21/2009	Yes	Yes
10/3/2012	Yes	Yes
1/2/2009	Yes	Yes
3/5/2008	Yes	Yes
1/23/2009		Yes
12/18/2008		Yes

2	9/9/2013	Not specified
9921006	5/26/15	5/31/ 2018
1300006	1/21/2009	12/1/2016
1300005	10/3/2012	12/1/2016
9921021	7/7/2015	7/1/2018
9700433	3/9/2015	3/9/2018
9912011	5/18/2015	6/30/2018
1212012	5/8/2015	5/31/2018

Yes	No	1Q/2017 - 14.8
Yes	No	1Q/2017 - 11.7
No	No	1Q/2017 - 18.5
No	No	1Q/2017 - 22.0
No	No	1Q/2017 - 10.8
Yes	Not Yet	W1 1Q 2017 RAA = 64.5 W4 1Q 2017 RAA = 60.25
		1Q/2017 - 22
		1Q/2017 - 15

SRF	
STATE	No
SRF-STATE	No
SRF-STATE	No
SRF-STATE	No
STATE	No
SRF-STATE	Yes

10/16/2011	6/26/2013
5/31/2013	3/7/2014
5/31/2013	3/7/2014
1/9/2012	11/1/2013
11/1/2011	8/14/2012
	10/14/2013

	8/27/2015
	12/31/2017
	12/31/2017
\$202,191.00	12/2/2015
	6/27/2014
	7/15/2015

12/6/2016- Winship is working on preparing and submitting the construction application. (PETE)	
10/13/2016	Pending
10/13/2016	Pending
8/11/2016 (incomplete)	No
4/10/2014	Yes
Pending	No

Pending	
Pending	
9/10/2015	

	New Well/Source
	Consolidation
	Consolidation
	Consolidation
	Treatment
9/10/2018	New Well/Source

6/19/2017: System has submitted application for construction funding, there's nothing they can do to expedite the funding process. **5/9/2017** - Construction funding processing has been delayed, due to "per connection" grant cap issues as well as the local tribe getting involved with this project. Best guess for FA execution is September or October according to the DFA. **1/17/2017** - Full FA application was submitted in December 2016 - under DFA review. **11/7/2016** - FFAST application documents are still in the process of being completed. **8/16/2016:** The Valley District recently approved the production well design for the water system. The engineer for the project is currently working on the FFAST application for construction funding. **6/9/2016** - A test well was recently successful in locating good water bearing strata. As soon as this SRF planning study is complete, a revised compliance order will be issued with a

6/19/2017: There is no deadline for submitting preliminary design plans. Compliance order RTC set at 5/31/2018. Inquiry with DFA made regarding discrepancy with who is waiting for what in an email from the City on 6/17/2017 that states the following: The City submitted a pre-construction agreement application to the SWRCB in September 2016. The City's project manager, Gurtej, has called on a monthly basis to find out the status of the agreement. We still have not received definitive direction. At this point, we are waiting to see if the pre-construction agreement is going to be approved, or if the City will need to front the costs for the survey and design so that we can proceed with the construction agreement. **5/9/2017** - There has been no word from the City of Yuba City as to whether they have drafted preliminary design plans for the DFA's technical review. The DFA is reaching out to the City again to see where they are at with Plans and Specifications. **1/17/2017** - Construction Application is still under review by the DFA. **8/16/2016** - For this quarter CRWA just received completed CEQA documentation from the City of Yuba City in an effort to help complete the FFAST application for construction funding. The water system is still on bottled water. **4/8/2016** -

12/7/2016: Consolidating with Los Molinos CSD. Please see LMCSD's Project Status. 12/14/2015-Stuck in CEQA

12/7/2016: Consolidating with Los Molinos CSD. Please see LMCSD's Project Status. 12/14/2015-Stuck in CEQA

6/19/2017: Inquiry about the project completion timeframes needs to be directed to DFA. **5/8/2017** - The ERU is waiting for an approval/acceptance letter from the NMFS in order to give environmental clearance. The EPA had to help convince the NMFS that the State Water Board is recognized as a Federal Lead Agency. **1/17/2017** - Waiting on DFA to review letter from Fish & Wildlife; still approximately 2 months away from executing a FA. **11/7/2016** - DFA received service agreements and financial package from WS. Technical and financial has been signed off. The Environmental Review Unit (ERU) is sending a letter to US Fish & Wildlife (USFWS) requesting comments by 12/7/2016. Once positive confirmation is received from USFWS the DFA will draft the funding agreement. **8/16/2016** - Planning Project has been completed and FFAST application submittal for a new well construction grant is pending review and approval of Draft Water Service Agreements (By Gary Chan, LMCSD, and CSD attorney) and Financial Package (by Jim

6/30/2017: 6/30/17 - The POU/POE strategy is to treat only drinking locations. Only 3 service connections (2 offices w/ POU and 1 home w/ POE) serve drinking water. The other 8 connections are only process water. PFFJ is a massive pig farming operation; drinking water is a tiny fraction of the water they produce. The first samples show the POU/POE devices are effective, even with the high raw water concentrations. At this point, PFFJ is not pursuing an additional treatment option as the ratio of process water to drinking water makes centralized treatment infeasible. **5/1/2017**- Water system is completing installation of third (of three) POU/POE devices. Water system has submitted draft treatment strategy. **1/13/17**- Water system is still moving forward with POU/POE. Install should begin 2Q 2017. **10/26/16** - Water system is moving forward selecting POU/POE. **8/1/16:** Water system has proposed POU/POE. System

5/17-FA has been executed - issuing notice to proceed to contractor for second well. 6/16. 1 well drilled with USDA funds. Construction planned for another new well, modifying existing 2 wells to seal off the lower aquifer with high

5/17-Env. clearance 2/17 and waiting financial clearance - need updated audited 2016 financials - anticipated FA in December 2017. 1/17-Prop. 218 passed for the O&M costs for the arsenic treatment plant. 12/12/2016- Construction

		yes
		yes
		Yes
		Yes
		yes
		Yes
		Yes
		Yes

Yolo LPA-88	CA5700514	5700514	Bogle Winery	40
Yolo LPA-87	CA5700652	5700652	Yolo Fliers Club	410
Yolo LPA-87	CA5700778	5700778	Yolo County Central Landfill	40

3	NTNC	No	1201031
3	NTNC	No	1401084
3	NTNC	No	1401051

11/1/2012	Yes	Yes
9/24/2014	Yes	Yes
7/14/2014	Yes	Yes

1601190	7/15/2016	1/31/2017
		1/1/2016
1400002	4/24/2017	9/1/2016

Yes	No	2Q/2017 - 11.64 (Well 01)
No	No	2Q2017 7.87 (WELL 02)/ 4Q2016 24.5 (TREATMENT)
No	Yes	4Q/2016 – 10.45 (WELL 01)/ 4Q2016 - 1.62 (Post Treatment)/ 4Q2016 - 11.0 (Blended Water)

\$2,301,116.71

\$19,799,480.00

	Treatment
	Treatment
	Treatment

6/28/2017: Permit amendment applicaiton recieved for Well 02, currently under review. Well 02 under initial sampling requirements for Title 22 analyses. Connect of Well 02 to water system on hold pending approval of blending as treatment plans and calculations by YCEH. Initial arsenic sampling for Well 02 < 50% MCL. 5/4/2017: Connection of Well 02 to water system pending final construction. Water system is to submit permit amendment applicaiton and blending technical report, specifications and initial water sampling results for Well 02 for review and approval prior to connection to the water system. Required documents to be submitted by 5/19/2017. 2/28/17: Connection of Well 02 to distribution system postponed due to weather. Water sytem may request extension to CAP connection deadline of 4/30/2017. Water system is undergoing permit amendment process. Water quality results to be submitted for Well 02. 11/4/16: Corrective Action Plan submitted 9/2/16 in response to Compliance Order CC0001190. Well 02 was

6/28/2017: Well 02 has been tested on a monthly basis effective October 2016 for determining compliance by RAA. Current RAA for raw water at Well 02 is < MCL. If Well 02 is consistently below the arsenic MCL, the treatment system will not be necessary for compliance. The treatment system installed in 2016 has been off and on bypass mode since December 2016. YCEH will issue a permit amendment for the water system. 5/4/2017: The water sytem is still operating on by-pass mode of the treatment system, Well 02 current RAA is in compliance with Arsenic MCL. System operator may propose partial treatment and blending if the RAA for Well 02 goes above the arsenic MCL. The water system will apply for permit amendment for addition of new well and possible treatment. 2/28/17: No status change from previous update. 2/1/2017: The arsenic levels in Well 02 and post treatment are being monitored monthly to determine both Raw and Treated water RAAs for compliance with the Arsenic MCL. Arsenic levels in both the raw (Well 02) and treated water have fluctuated above and below the MCL since initial testing began in August 2016. Since Well 02's installation and connection to the water system, the treatment process has been unreliably effective, with intermittent treatment failure. Because of this, the water system is currently under monthly public notification, which is updated to reflect the current levels of arsenic from monthly testing results and the status of the treatment system operation as reported by the Operator. The Operator is working with Culligan to determine why the treatment system may be failing intermittently. YCEH is waiting for a final assessment of the treatment system from the Operator and Culligan pending their findings. The system is currently operating on by-pass mode from the treatment system. The raw water results (Well 02) for the month of December showed arsenic levels at 9.1 mg/L. 12/22/2016: The Yolo Fliers Club treatment system has not yet been RTC. Since the installation of treatment earlier this year, Well 01 failed and Well 02 was installed. The arsenic levels in Well 02 and post treatment are being monitored monthly to determine both Raw and Treated water RAAs for compliance with the Arsenic MCL. Arsenic levels in both the raw (Well 02) and treated water have fluctuated above and below the MCL since initial testing began in August 2016. Since Well 02's

6/29/2017: Water sample results recieved for January-June 2017 sampling. RAA for distribution samples is < MCL. System is still operating on full treatment mode with no blending. 5/4/2017: Water system is operating on full treatment mode with no blending. No sample results recieved arsenic monitoring during 1Q2017, M&R citaiton issued to water system on 4/24/17. 2/28/2017: Permit Amendment issued 2/16/17. RTC pending based on RAA of treated water. 2/1/2017: Treatment was installed in September 2016. Water system is blending raw water with treated water to meet water demand for facility. Water analyses post treatment for 3Q2016 and 4Q2016 show levels < 50% MCL. Final blended water levels of Arsenic are not below the MCL. The water system is currently under public notification and has three POU devices which are installed on a temporary basis for MCL compliance. Sampling post POU's show levels of arsenic < 50% MCL. 5/5/2016: EPA had a conversation with the LPA to discuss a possible issuance of a NOV, but as time went on the water sytem submitted water quality data for the past year and has proposed to install treatment by 6/30/2016. EPA will follow-up with the LPA for a status update. 8/8/2016: Water system requested a 60

DISTRICT NAME-DISTRICT NUMBER	SYSTEM NUMBER
Merced-11	2400147
Santa Clara-17	4100004
Merced-11	2400075
Lassen-02	1805004
Merced-11	2400172
Tehachapi-19	1502465
Sonoma-18	4901061
Tehachapi-19	1510018
Sonoma-18	4901294
Mendocino-03	2310011
San Joaquin LPA-69	3900603
San Joaquin LPA-69	3901032
San Joaquin-10	3901204
Valley-21	5100141
Monterey-05	4410016
Sacramento-09	5710011
San Joaquin LPA-69	3900818
Los Angeles LPA-49	1909007
Visalia-12	1510006
Sonoma-18	4901136
Sonoma-18	4910011
Valley-21	5110001

GENERAL INFORMATION		
SYSTEM NAME	POPULATION	SERVICE CONNECTIONS
Clausen Meat Packing	30	1
City of Gridley	6,403	2,077
El Nido Elementary School	310	1
High Desert Prison	10,950	2,274
Sandy Mush Detention Center	800	157
Panama Road Property Association	50	16
Sonoma Warehousing	200	2
Rosamond Community Services District	10,633	4,398
Wine Country Ind Park - Bldgs A&B	30	2
Laytonville CWD	1,301	370
LEISURE MANOR	100	42
LODI USD-TURNER SCHOOL	200	2
DIAMOND PET FOOD	35	2
Merdian Elementary School	93	1
Forest Lakes MWC	1,145	327
Wild Wings CSA	1,187	346
LATHROP SANDS TRAILER COURT	105	35
Our Lady of Fatima	300	1
East Niles CSD	25500	7406
Wilson Elementary School	200	2
Sebastopol, City of	7,750	2,885
City of Live Oak	7,475	2,186

PWS CLASSIFICATION	IS THE PWS A SCHOOL OR DAYCARE THAT SERVES PEOPLE <18YRS.? (Yes/No)
NTNC	NO
COMMUNITY	
NTNC	YES
COMMUNITY	
COMMUNITY	YES
COMMUNITY	
NTNC	
COMMUNITY	
NTNC	
COMMUNITY	
COMMUNITY	No
NTNC	Yes
NTNC	No
NTNC	Yes
COMMUNITY	
COMMUNITY	
COMMUNITY	No
NTNC	No
COMMUNITY	
NTNC	YES
COMMUNITY	
COMMUNITY	

1ST ENF ACTION NO. ISSUED (Use the FED REP ID # in SDWIS)
USEPA issued CO
USEPA issued CO
NOV
0819007
USEPA issued CO
0919020
USEPA issued CO
USEPA issued CO
CC0001758
CC0001684
CC0001767
USEPA issued CO
0905011
0909004
CC0001683
0912010
1018007
0918006
USEPA issued CO

1ST ENF ACTION ISSUE DATE (Status Date in SDWIS)
USEPA issued CO
USEPA issued CO
9/24/2007
4/18/2008
USEPA issued CO
1/23/2009
USEPA issued CO
USEPA issued CO
03/11/200
8/28/2008
8/28/2008
USEPA issued CO
4/23/2009
7/30/2009
8/28/2008
5/21/2009
5/28/2009
2/10/2009
USEPA issued CO

ENFORCEMENT ACTIVITIES	
COMPLIANCE PLAN SUBMITTED? (Yes/No)	WAS A COMPLIANCE ORDER ISSUED? (Meets EPA's Formal Action Criteria)
	YES
YES	YES
	YES
YES	YES
	NO
	YES
	YES
	YES
	YES
Yes	Yes
Yes	Yes
Yes	Yes
	Yes
	YES
	YES
Yes	Yes
	YES
	YES
	YES
	YES

S

MOST CURRENT ENF ACTION NO. ISSUED (Use the FED REP ID # in SDWIS)

MEASURES	MCL DATA
POU/POE PROVIDED (Yes/No)	QUARTER/YYYY - RAA (ug/L) (Most Current)
	SRF & School Bond Law funding completed in 2009
	No SRF application
	No SRF application
	Offered Bond law, SRF, Prop 84, and ARRA funds.
	SRF preapplication

FUNDING SOURCE
Arsenic is above MCL in the only active well.
Problem solved
Problem solved
Only well arsenic RAA = 26 µg/L.
Well 06 and Well 07 are in violation of the arsenic MCL, RAA of both wells in 0.014 mg/L
Only well arsenic RAA = 12 µg/L.
Preapplication submitted
SRF application submitted 2008
No SRF application
Applied for SRF for source capacity issues
Only well arsenic RAA = 21 µg/L.
One well arsenic RAA = 16 µg/L. System has 3 additional sources.
Prop 40 grant given, have SRF application to treat remaining untreated well.

PLANNING STUDY-APPLICATION DATE SUBMITTED
System is non-communicative. LPA has been focusing on bacteriological monitoring violations.
Wrote violation letter. Response by system was to take well out of service and place in standby status.
Coagulation/filtration
Central treatment installed and operating as of May 2008.
Adsorptive media (GFH)
System successfully piloted adsorption media treatment.
Drilling new wells and proposal to provide arsenic.
System is proposing to install treatment.
Treatment installed and being commissioned in place.
OX connected to Cal Water Service 6/09
School closed 6/30/09.
OX System connected to city of Lathrop water 7/09
No decisions presented to CDPH.
PN & qtrly monitoring.
OX System connected to city of Lathrop water 10/09
Consolidating with the City of Petaluma.
Attempting to block off arsenic-laden strata.
Not permitted at this time due to marginal results. Permit was issued 6/23/2009.

[illegible]

ADDITIONAL INFORMATION

PLANNING STUDY-PROJECT COMPLETION DATE OR SCHEDULED COMPLETION DATE	
1	2010
2	2010
3	2010
4	2010
5	2010
6	2010
7	2010
8	2010
9	2010
10	2010
11	2010
12	2010
13	2010
14	2010
15	2010
16	2010
17	2010
18	2010
19	2010
20	2010
21	2010
22	2010
23	2010
24	2010
25	2010
26	2010
27	2010
28	2010
29	2010
30	2010
31	2010
32	2010
33	2010
34	2010
35	2010
36	2010
37	2010
38	2010
39	2010
40	2010
41	2010
42	2010
43	2010
44	2010
45	2010
46	2010
47	2010
48	2010
49	2010
50	2010
51	2010
52	2010
53	2010
54	2010
55	2010
56	2010
57	2010
58	2010
59	2010
60	2010
61	2010
62	2010
63	2010
64	2010
65	2010
66	2010
67	2010
68	2010
69	2010
70	2010
71	2010
72	2010
73	2010
74	2010
75	2010
76	2010
77	2010
78	2010
79	2010
80	2010
81	2010
82	2010
83	2010
84	2010
85	2010
86	2010
87	2010
88	2010
89	2010
90	2010
91	2010
92	2010
93	2010
94	2010
95	2010
96	2010
97	2010
98	2010
99	2010
100	2010

[illegible]

PROJECT INFORMATION

PROJECT STATUS & SYSTEM NOTES

Treatment on-line in 2008

Treatment on-line 5/7/2008

RTC DATE	RTC BASIS	EPA SSAP (Yes/No)
3/25/1993	PWS Inactive - No longer a PWS	No
12/31/2007	Source(s) Reclassification	No
1/1/2008	RAA < MCL - Treatment Installed	No
1/6/2008	RAA < MCL - Treatment Installed	No
5/7/2008	RAA < MCL - Treatment Installed	No
12/30/2008	RAA < MCL - Natural Causes	No
12/31/2008	RAA < MCL - Treatment Installed	No
1/30/2009	Source(s) Abandoned	No
3/31/2009	RAA < MCL - Natural Causes	No
4/1/2009	RAA < MCL - Treatment Installed	No
6/1/2009	PWS Inactive due to Consolidation	No
6/30/2009	PWS Inactive due to Closing	No
7/1/2009	PWS Inactive due to Consolidation	No
7/9/2009	RAA < MCL - Treatment Installed	No
9/23/2009	Source(s) Abandoned	No
9/30/2009	Source Reclassification	No
10/1/2009	PWS Inactive due to Consolidation	No
12/1/2009	Source(s) Reclassification	No
12/31/2009	RAA <MCL - Treatment/Blending	No
12/31/2009	PWS Inactive due to Consolidation	No
12/31/2009	RAA < MCL - Treatment Installed	No
12/31/2009	RAA < MCL - Treatment Installed	No

Sonoma-18	4901236
Sonoma-18	4901247
Madera LPA-50	2000567
Tehachapi-19	1500190
Santa Barbara-06	5603118
Valley-21	5100140
Sonoma-18	4901323
Sonoma-18	4900904
Monterey-05	2710021
Valley-21	5110003
Valley-21	5101001
Monterey-05	3500823
Valley-21	5100145
Mono LPA-56	2600700
Merced-11	2400170
San Bernardino LPA-63	3600262
San Joaquin LPA-69	3900810

Vino Farms Preston Ranch	60	8
Carneros Warehousing	50	2
Yosemite High School	796	1
Edmundson Acres Water System	550	84
Ventura Farms	45	20
Marcum Illinois Elementary School	200	1
Fulton Processors, Inc.	100	1
J Vineyards & Winery	40	1
Cal Am Water Company-Toro	1296	405
Yuba City GW Region 2-3	10,200	3,014
First United Methodist Church	65	1
Best Road MWC	133	48
Winship Elementary School	50	1
Sierra Business Park	35	37
Hilmar Cheese	712	1
Snowcrest Heights	500	121
JR SIMPLOT CO	300	1

NTNC	
NTNC	
NTNC	YES
COMMUNITY	
NTNC	No
NTNC	Yes
NTNC	
NTNC	
COMMUNITY	
COMMUNITY	
NTNC	
COMMUNITY	No
NTNC	Yes
NTNC	No
NTNC	NO
COMMUNITY	No
NTNC	No

0918004
CC0000809
0919023
0906004
0921004
0918004
EPA NO. PWS-AO-2008-6013
SEE NOTES
Not Issued
0921022
No ENF was issued due to system changing source to Standby.
0921009
0201363
CC0001681

2/25/2009
4/9/2009
1/23/2009
12/16/2008
1/5/2009
12/31/2008
6/3/2008
SEE NOTES
1/5/2009
1/5/2009
11/19/2009
8/28/2008

	YES
	NO
Yes	Yes
	YES
	YES
Yes	Yes
YES	YES
YES	YES
	NO
	YES
No	YES
No	Yes
YES	YES
No	YES
Yes	Yes

	NO
Second Quarter 2010	
3/31/2010	
6/30/2010	
Not Specified Goal of 12/31/10	
Not Specified Goal of 12/31/10	
12/31/2010	

	No SRF application
	No SRF application
NO	N/A
	ARRA project completed in 06/2010
	No application for funding as no project is required.
	No application for funding as no project is required.

Both wells exceed arsenic MCL. Standby well arsenic 140 µg/L. Well 2 arsenic 170 µg/L.
Only well arsenic RAA 17µg/L .
Prop 84 Planning and feasibility FA issued
One well with arsenic and nitrate violation
No SRF application
Only well arsenic RAA 15 µg/L.
Only well arsenic RAA 39 µg/L.
SRF Application submitted.
No SRF application
Submitted Universal Application
Problem solved

Sources off line. Hauling water.
System currently piloting and result indicate successful.
Consolidation Project/New Well/Treatment
Consolidated with Arvin CSD in 06/2010 using ARRA funds
Requiring PN and quarterly monitoring. Providing
12 POU's have been installed as interim measure. Drilled new well.
System has called to discuss treatment options. N
System proposing to install adsorption media treat
PN. Arsenic removal treatment installed & permit being processed.
Bottled water permit. Using vended water.
System is not using Well 01, but does not want to change to standby status. We have been patient, but will issue CO in Nov. 2010.
No decisions presented to DPH. Providing vended w
Point of Entry Treatment
Coagulation/filtration
Tier 2 notifications
Approved engineered treatment plant installed in 6/11. Did Pub Notification & provided bottled water.

[illegible]

System is working on consolidating with Hillview Water System
System consolidated with Arvin CSD already.
Trying to solve with local funds.
Has requested time extension which will be issued soon
In compliance, permit pending
System was in receivership due to federal Court Order. CalAm took over system in 2008 and immediately started to address arsenic issue Plant is constructed and permit being processed. No enforcement issued as long as CalAm continues to work towards compliance.
SRF project should be completed by the end of 2010.
System does not meet the definition of a PWS anymore; <25 people.
Primary well arsenic level jumped from 4 to 19 ug/L in 11/2008. Treatment on-line 12/23/2010
OX- Treatment plant installed in 2011

2/2/2010	Drilled a new well	No
2/2/2010	RAA < MCL - Treatment Installed	No
4/13/2010	INACTIVATED DEEP WELL (ARSENIC ISSUES) IN 2010. NOW JUST USING RADIAL WELL (WILL HAVE URANIUM COMPLIANCE ORDER)	No
6/30/2010	PWS Inactive due to Consolidation	No
6/30/2010	RAA < MCL - Natural Causes	No
7/1/2010	Drilled a new well	No
7/12/2010	PWS Inactive due to Closing	No
9/28/2010	RAA < MCL - Treatment Installed	No
9/30/2010	RAA < MCL - Natural Causes	No
10/7/2010	PWS Inactive due to Consolidation	No
11/2/2010	PWS Inactive due to Consolidation	No
11/15/2010	Source(s) Reclassification	No
11/30/2010	PWS Inactive due to Closing	No
12/17/2010	PWS Inactive - No longer a PWS	No
12/23/2010	RAA < MCL - Treatment Installed	Yes
12/31/2010	Source(s) Abandoned	No
6/1/2011	RAA < MCL - Treatment Installed	No

Madera LPA-50	2000502
San Joaquin LPA-69	3900712
San Joaquin LPA-69	3900711
Tehachapi-19	1500600
Tehachapi-19	1502221
Visalia-12	1502622
Tehachapi-19	1503380
Inyo LPA-44	1400528
Valley-21	2910011
Riverside LPA-63	3303048
Sacramento-09	3410011
Napa LPA-58	2800648
Inyo LPA-44	1400004
San Bernardino-13	3610112
Sonoma-18	4900845
Los Angeles LPA-49	1900756

Bass Lake Height	250	102
MUSD-FRENCH CAMP SCHOOL	650	1
SIDHU MOBILE PARK WATER SYSTEM	75	23
J. G. Boswell Company Water System	50	4
Pond School Water System	250	2
Gosford Road Water Company	52	15
J G Boswell Tomato Company, LLC	125	3
Crystal Geyser Bottling Plant	100	2
PlaVada Community Association	400	252
Manuela Garcia Mobile Home Park	30	15
City of Galt	22982	7203
Wine Country Inn	25	1
Charles Brown Water Company	330	100
Helendale CSD	8646	2610
Rancho De Sonoma Mobile Home Park	130	98
Warm Springs Rehabilitation Center	200	1

COMMUNITY	No
NTNC	Yes
COMMUNITY	No
NTNC	NO
NTNC	YES
COMMUNITY	No
NTNC	
NTNC	No
COMMUNITY	No
COMMUNITY	No
COMMUNITY	
NTNC	No
COMMUNITY	Yes
COMMUNITY	
COMMUNITY	
NTNC	No

CC0000736
CC0001694
CC0001697
0919021
0919011
0919010
0919008
1100063
EPA NO. PWS-AO-2008-6024
Citation and Compliance Order (1163193)
0909020
1258001 (SIA)
None
0913039
EPA NO. PWS-AO-2008-6014

1/5/2009
4/17/2008
5/26/2008
1/23/2009
1/23/2009
1/23/2009
1/23/2009
12/29/2010
9/30/2008
1/29/2009
1/28/2009
5/24/2011
None
2/13/2009
7/31/2008

Yes	Yes
Yes	
Yes	
	YES
	YES
	YES
	YES
Yes	Yes
Yes	Yes
Yes	Yes
Yes	YES
No	
No	No
	YES
YES	YES

12/31/2010	
7/1/2010	
6/30/2010	

Invited to apply for Prop 84
SRF application submitted 2008
SRF application submitted 2008
Well 01 is in violation of the arsenic MCL, RAA 0.028 mg/L
Well 01 is in violation of the arsenic MCL, RAA 0.027mg/L. Well 02 on quarterly monitoring & has not yet failed the MCL (avg. samples = 0.014 mg/L.)
Privately owned NTNC.
System did not update its SRF application.
Privately owned Comm system.
Only well arsenic RAA = 15 µg/L.

[illegible]

Arsenic treatment installed. Arsenic sample taken post treatment on 7/12/2011 is ND. Treatment has been online since 6/17/2011.
System is connected to city of Stockton in 6/11. Did Pub Notification & provided bottle water
foreclosed on, new owner takes over in 10/10. Public Notification. Connected to city water-OX
Proposal to provide POE arsenic removal treatment
Too far away from City of Bakersfield for consolidation
Will need to provide arsenic removal treatment.
Treatment installed and monitoring is in progress. May take several quarters for system to RTC because of RAA.
Arsenic treatment plant installed and operational.
Tier 2 arsenic notifications issued. Owner has approved plans to downsize park and reclassify as a State Small with POU treatment. Construction of new park in progress
PN and AS treatment at 3 GWTP's
Tank slowly refilled with treated water and all sampling since the event have been below MCL. It will take several quarters for RAA to drop below MCL.
PN and quarterly monitoring required. Looking into
System has applied for Prop 84 funds to consolidate
camp currently closed as a result of operational problems; all users moved to Acton Rehabilitation Center

[illegible]

OX- Connected to city water 6/11
OX - Connected to city water 12/11
Under a federal EPA compliance order.

6/22/2011	RAA < MCL - Treatment Installed	No
7/20/2011	PWS Inactive due to Consolidation	No
12/1/2011	PWS Inactive due to Consolidation	No
12/31/2011	RAA < MCL - Treatment Installed	No
12/31/2011	RAA < MCL - Treatment Installed	No
12/31/2011	Source(s) Reclassification	No
12/31/2011	RAA < MCL - Treatment Installed	No
1/1/2012	RAA < MCL - Treatment Installed	No
1/1/2012	RAA < MCL - Treatment Installed	No
1/5/2012	PWS Reclassified to Transient/State Small	No
1/11/2012	RAA < MCL - Treatment Installed	No
3/8/2012	RAA < MCL - Treatment Installed	No
4/1/2012	RAA < MCL - Treatment Installed	No
4/1/2012	Drilled a new well	No
4/6/2012	PWS Inactive due to Consolidation	No
5/11/2012	PWS Inactive due to Closing	No

Valley-21	0600011
Monterey-05	3500565
Valley-21	5100158
Riverside LPA-63	3301755
Sonoma-18	4901218
Valley-21	0600013
Valley-21	5105008
Monterey LPA-57	2701227
Lassen-02	4510005

DEL ORO WATER CO.-WALNUT RANCH	182	78
Fairview Child Development Center	70	2
Sunset Moulding	65	1
Sunbird Mobile Home Park	258	86
Groskopf Warehouse & Logistics	60	6
Princeton Water District	356	118
Valley Farm Transport	25	1
San Benancio School	200	2
City of Redding	85703	26080

COMMUNITY	No
NTNC	Yes
NTNC	
COMMUNITY	No
NTNC	NO
COMMUNITY	No
NTNC	No
NTNC	Yes
COMMUNITY	No

1021006
0905033
0921004
1203410
EPA NO. PWS-AO-2008-6015 & NOV 0918016
0921006
0921004
CO-2/4/09
0902008

7/15/2010
5/27/2009
2/4/2009
1/29/2009
7/31/2008 & 06/2/2009
8/18/2009
1/5/2009
3/31/2009
4/20/2009

No	Yes
No	Yes
No	YES
Yes	Yes
NO	YES
Yes	Yes
No	YES
	YES

Not specified	Potable water provided by City of Colusa thru emergency intertie
Not Specified Goal of 12/31/10	
9/30/2010	
12/31/2010	
Not Specified Goal of 12/31/10	

No	Currently receiving water from the City of Colusa.
	No application for funding as no project is required.

No SRF application
Safe Drinking Water State Revolving Fund Project NO 3301755-001. Final plans and specifications for consolidation planning project approved.
Only well arsenic RAA 13 µg/L.
Local funds
No SRF application
P84-In construction to consolidate with CalAm Ambler Park system
Project to provide treatment on SRF-Project Priority List in Category L. (Needs to be changed to Category G.)

Consolidation with City of Colusa

No decision - interim bottled water being provided

Interim treatment has been installed. Consolidation with Coachella Valley Water District Pending. CDPH has reviewed and approved plans, specifications, notice of exemption and agreement documents.

System proposing to install adsorption media treat

Modifying non-complying well

Bottled water permit as temporary measure.

NOV issued w/ cc to CDPH and EPA

The City has not used Well 13 since July 2008 and is considering submitting a request to change the well to emergency standby source status.

9/22/15 - funding agreement issued on 9/10/15. DFA & DDW will be meeting with system to start project. City of Colusa has already annexed the area. The project is to replace the old distribution system and incorporate Del Oro into the City system. This will not happen until the distribution system is replaced. However, water is being supplied by Colusa and Del Oro is meeting the Arsenic standard.

7/3/2015 - Waiting for funding agreement.

Waiting for Funding Agreement for Planning study. Consolidation with City of Colusa to occur - planning study for sewer and purchase negotiations between Del Oro & City.

Existing Fe/Mn treatment is removing arsenic. While 3 monthly samples have exceeded MCL, RAA has been below MCL for last 2.5 years. System has submitted an application to have the plant permitted for arsenic removal.

Interim treatment station is providing water that meets arsenic MCL. Consolidation with CVWD pending.

Ran pilot, exhausted media in 1 week, choosing new treatment system.

Well work completed. Initial tests show success.

6/30/2012	<p>11/19/2015-Legal had an issue with their agreement which required a new legal opinion from the City. The issue was cleared up last week. The planning agreement is now on Darrin's desk – his signature will execute the agreement.</p> <p>11/5/2015-Currently, buying water from the City of Colusa. Consolidated to the City of Colusa with the City in the process of getting a FA for this project. Will not use its sources again and will be incorporated into the City system.</p>	No
6/30/2012	RAA < MCL - Treatment Installed	No
7/30/2012	PWS Inactive - No longer a PWS	No
8/6/2012	PWS Inactive due to Consolidation	No
8/17/2012	RAA < MCL - Treatment Installed	No
8/21/2012	RAA < MCL - Well Modified	No
8/23/2012	RAA < MCL - Treatment Installed	No
10/1/2012	PWS Inactive due to Consolidation	No
10/16/2012	Source(s) Reclassification	No

Lassen-02	3210003
Sacramento LPA-64	3400248
San Bernardino LPA-66	3600192
Tehachapi-19	1510017
Tehachapi-19	1510028
Visalia-12	1610007
Monterey LPA-57	2702370
Sonoma-18	4901225
Visalia-12	1610005
Monterey LPA-57	2700552
Sacramento LPA-64	3400169
San Bernardino-13	3610854
Sonoma-18	4900723
Monterey LPA-57	2701670
Fresno-23	1000042

City of Portola	2500	1083
FRANKLIN ELEMENTARY	246	2
PG & E Pipeline Operation	30	1
Indian Wells Valley Water District	30000	11643
Mill Potrero Mutual Water Company	1,700	2,287
Home Garden CSD	1750	453
SPCA	50	8
Rental Place	45	2
City of Lemoore	24500	6117
Echo Valley School WS	503	1
SPINDRIFT MARINA	100	50
Searles Valley Minerals	2100	1386
Shamrock Mobile Home Park	188	127
Langley Valle Pacifico WS	81	27
FCWWD#40 Shaver Springs	172	69

COMMUNITY	No
NTNC	Yes
NTNC	No
COMMUNITY	NO
COMMUNITY	YES
COMMUNITY	
NTNC	No
NTNC	NO
COMMUNITY	NO
NTNC	Yes
COMMUNITY	No
COMMUNITY	No
COMMUNITY	NO
COMMUNITY	Yes
COMMUNITY	No

0902006
0800344
WV0000121
0919027
1119011
0912008
CO 2/2/09
EPA NO. PWS-AO-2008-6017 & NOV 0918008
0912018
CO 10/001 2/16/2010
1200575
0913016
0918007
CO-1/27/09
1023361

2/26/2009
12/04/2009
7/31/2012
1/23/2009
12/14/2010
1/23/2009
9/2/2008 & 6/2/2009
39800
4/12/2012
2/13/2009
4/10/2009
application complete by 1-5-2009 CO plan due March 31, 2009
4/26/2010

	YES
Yes	Yes
Yes	Yes
	YES
NO	
	YES
NO	YES
	YES
Yes	Yes
	YES
NO	YES
Yes	
No	Yes

CC0000051

12/31/2013	Yes
3/31/2010	
Not Specified	

No	
	No application for funding as no project is required.
	SRF project - NOAA
	No SRF application
	1Q/2015 (Well 6)- 4.0

No SRF application
Well 13 and Well 09A are in violation of the arsenic MCL, RAA 0.022 to 0.032 mg/L
Arsenic MCL Violation of Well 7
Prop. 84 project-NOAA
Only well arsenic RAA 42 µg/L.
3+ wells exceed
Universal Pre-Application submitted.
Only well arsenic RAA = 26 µg/L.
SRF planning FA issued, pending execution

This well will be converted to emergency standby source.
Applied for funding; constructing a treatment plant; provide bottled water for drinking and post public notification. Construction plans have approved for treatment. Construction is currently underway.
Blending
Proposal already submitted to provide arsenic removal
Plan to develop a arsenic blending plan with other low arsenic wells.
Qtrly PN and sampling required
PON As, Q. As
System proposing to install adsorption media treat
Qtrly PN and sampling required
Q. PON Bottled Water & As. As testing distribution 2x/mo. & 1x/mo. source
An engineer has evaluated the existing treatment system and made corrections. Futher compliance will be determined.
PN and quarterly monitoring required. Considering
Invited to apply to SRF-planning to drill well, plan is to wait for granite ridge project and funding. Q.PON As.

Running pilot, on track to be in compliance by 12/31/2010.
Fe/Mn treatment working for As, but haven't been able to obtain waste discharge permit
Letter to System re-requiring plan and time schedule.
SRF planning study FA issued 11/21/14 5/11/15 update: planning study FA executed 2/23/15. 7/29/15 update: 4QRAA is 2.4 ug/L, well below the MCL. DDW will RTC effective the 2nd Q of 2013 when the 4QRAA was 9.7 ug/L. System continues to violation Gross Alpha MCL and is proceeding with SRF planning study.

10/24/2012	Source(s) Reclassification	No
12/4/2012	RAA < MCL - Treatment Installed	No
12/19/2012	RAA < MCL - Blending	No
1/1/2013	RAA < MCL - Treatment Installed	No
1/1/2013	RAA < MCL - Blending	No
1/1/2013	RAA < MCL - Treatment Installed	No
1/1/2013	RAA < MCL - Treatment Installed	No
1/4/2013	RAA < MCL - Treatment Installed	No
3/13/2013	RAA < MCL - Treatment Installed-Blending	No
3/29/2013	RAA < MCL - Treatment Installed	No
3/31/2013	RAA < MCL - Treatment Installed	No
4/1/2013	RAA < MCL - Treatment Installed	No
4/15/2013	RAA < MCL - Treatment Installed	No
6/13/2013	RAA < MCL - Treatment Installed	No
6/30/2013	Concentrations decreased below MCL based on 4QRQQ	No

Madera LPA-50	2000293
Visalia-12	1610003
Tehachapi-19	1502595
Riverside-20	3310802
Tehachapi-19	1502771
Lassen-02	3100033
Stockton-10	3910005
Yuba LPA-88	5800878
Valley-21	5100153
Valley-21	5100172
San Joaquin LPA-69	3901390
Fresno-23	1000472
Sonoma-18	4900716
Butte LPA-34	0400058

MD 46 Ahwahnee Resorts	300	90
Hanford, City of	53320	15509
National Cement Company Lebec Plant Water System	120	1
Chuckawalla Valley/Ironwood State Prison	6151	1864
Kern Oil and Refining Company	99	18
Tahoma Meadows Mutual Water Company	120	43
City of Manteca	66451	18372
GEORGE AVE APARTMENTS	35	10
Holt of California	100	1
Encinal Elementary School	60	1
FRANK ALEGRE TRUCKING	25	1
PG&E Helms Support Facility	36	20
Cinnabar Elementary School	228	1
Rancho Villa Mobile Acres	32	22

COMMUNITY	No
COMMUNITY	No
NTNC	NO
COMMUNITY	No
NTNC	NO
COMMUNITY	No
COMMUNITY	No
COMMUNITY	No
NTNC	No
NTNC	Yes
NTNC	No
COMMUNITY	No
NTNC	YES
COMMUNITY	No

CC0000798
EPA NO. PWS-AO-2006-6028
1019011
20-13R-001
0919016
CC0000394
0910018
2009-001-5800878
0921004
1121009
CC0002463
0923001
918004
0900018

3/25/2009
9/13/2006
9/13/2012
3/14/2013
1/23/2009
8/24/2011
1/5/2009
6/30/2009
1/2/2009
10/13/2010
4/1/2012
5/1/2009
6/14/2013
3/6/2009

Yes	Yes
	YES
Yes	Yes
	YES
No	YES
	YES
Yes	
No	YES
No	Yes
Yes	Yes
	YES
NO	YES
Yes	

N/A
N/A

N/A
11/23/2010

	NO
third quarter 2013	No
12/31/2010	
Not Specified Goal of 12/31/10	
12/31/2014	NO

NO	
No	
NO	Not applied

Submitting Application for SRF
Drilled new wells, rehabbed wells
Well 02 is in violation of the arsenic MCL, RAA 0.013 mg/L
SRF pre-app filed
Yearly Testing Last test date 03-5-14 = 14.2
No SRF application
Pre-application has not been submitted, but will during the next open enrollment.
Will self-fund a project
Arsenic MCL

None. Just submitted application.
Qtrly PN and sampling required
well head chlorination to convert arsenic III to arsenic V
Considering arsenic removal treatment.
The well has been reconstructed in an attempt to meet the As MCL. However, this was not effective. The water system has been pursuing consolidation with another nearby public water system, but has not yet been successful.
Treatment installed on 16, 22, 23 operational for
SOLUTIONS WERE RESEARCHED, HOWEVER, FUNDING IS UNAVAILABLE. OWNER WILL REMOVE HOMES AND BRING THE POPULATION UNDER 25 BEFORE 12/31/2011.
No decisions presented to DPH, providing bottled w
Treatment plant was installed and operating under pilot program.
Treatment installed
hope RAA stays below MCL
SRF funds have been approved for incorporation with the City of Gridley's water system.

Currently they are blending to reduce arsenic levels with some success. They will need additional planning to address combined uranium and arsenic issues.

NEW VIOLATION ADDED TO LIST ON 07/29/10

original response was to replace ro membranes and adjust treatment facilities; upon speciation of arsenic I well water, solution was quick install well head chlorination -- system has RO and activated alumina treatment

RO treatment installed, RTC entry will be made in SDWIS. System has returned to compliance, RTC in SDWIS

absorptive treatment installed, RTC entry will be made in SDWIS. *System in Compliance and RTC entered in SDWIS*

one sample 3/13/2013 put As RAA over MCL but all results since have been less than MCL

Connection to Gridley is complete. Need final touches to complete project.

7/5/2013	RAA < MCL - Treatment Installed - Blending	No
7/19/2013	Source(s) Abandoned	No
7/23/2013	RAA < MCL - Treatment Installed	No
10/24/2013	arsenic level near non-detect after or and activated alumina treatment	No
10/29/2013	RAA < MCL - Treatment Installed	No
12/5/2013	PWS Inactive due to Consolidation	No
12/31/2013	RAA < MCL - Blending	No
1/1/2014	LPA changed population to reflect that the occupancy is <25 year long residents and re-classified the water system to a state small.	No
1/17/2014	RAA < MCL - Treatment Installed	No
1/17/2014	RAA < MCL - Treatment Installed	No
2/14/2014	RAA < MCL - Treatment Installed	No
3/1/2014	RAA < MCL - Treatment Installed	No
3/11/2014	RAA < MCL - Natural Causes	No
3/18/2014	PWS Inactive - No longer a PWS	No

Visalia-12	1510802
Butte LPA-34	0400049
Stanislaus LPA-80	5000195
Visalia-12	1510019
Sonoma-18	4900897
Stockton-10	3910015
Kings LPA-46	1600011
Madera LPA-50	2000524
San Joaquin LPA-69	3900732
Yolo LPA-87	5700514
San Joaquin LPA-69	3900815
Tulare-24	5400754
Valley-21	5100180
Tulare-24	5400544
Kings LPA-46	1600504

Kern Valley State Prison	6546	2248
Butte Creek MHP	100	33
Swanson Farms	25	1
City of Shafter	15812	4207
Rodney Strong Vineyards	100	1
City of Lathrop	12427	3675
PIONEER ELEMENTARY	750	6
Sky Acres Mutual	90	50
V&P TRAILER COURT WS	35	15
Bogle Delta Winery	69	3
DELICATO VINEYARDS	25	1
SOUTH KAWEAH MUTUAL	300	105
Grace Baptist Church	200	1
Allensworth CSD	400	110
HAMBLIN MUTUAL	80	39

COMMUNITY	No
COMMUNITY	No
NTNC	No
COMMUNITY	Yes
NTNC	NO
COMMUNITY	No
NTNC	Yes
COMMUNITY	No
COMMUNITY	No
NTNC	No
NTNC	No
COMMUNITY	No
NTNC	Yes
COMMUNITY	No
COMMUNITY	No

0912002
0900104
DER-13CO-002
1112020
0818009
0910027
CC0001312
CC0001691
1301031
CC0001698
1204206
0921005
11036892
1100221

12/12/2008
9/13/2013
3/11/2013
2/10/2011
5/2/2008
12/26/2008
2/11/2011
10/21/2007
11/1/2012
6/25/2008
4/23/2012
1/5/2009
12/21/2010
3/3/2011

No	YES
No	YES
	Yes
YES	YES
	YES
No	NO
Yes	Yes
Yes	Yes
Yes	Yes
Yes	Yes
No	Yes
Yes	Yes
Yes	

12/18/1998
4/24/2007

6/30/2008	NO
7/1/2014	Yes
	No
	No

Yes	
No	
	Q1/2015 - 8.25, 9.25, 9.5
	Q1/2015 - 9.8 & 8.8

Proposed project - unknown funding source
Water system is ordered to submit application during the next open enrollment period. Has not applied for funding yet.
No SRF application
Proceeding with Application for SRF Funding
ARRA/ CONSTRUCTION FA
System needs to wait to see how much land CalTrans will take when Hwy 99 clover leaf is designed.
Unable to apply for SRF
P84 project - planning
P84/ PLANNING LOAN

Qtrly PN and sampling required
Quarterly monitoring of Arsenic
POE installed
Preliminary central treatment designed.
NEW WELL TO BE DRILLED 2011
To submit a engineered plan to LPA by 9/30/2012.
New solution includes public notification on every sink and hose bib, bottled water delivery contract and map of water cooler locations, employee and visitor training to only use bottled water for consumption, and update to operations and maintenance manual which outlines these procedures.
System investigating drilling a new source. Doing PUB Notification. 9/4/2012: Drilled test well and tested for one year for constructing a new well. Will be submitting a compliance plan to LPA by 9/30/12.
Analyze the potential to treat SW or drill a new well.
Rehabilitate well or drill a new well.

Updated 2/13/15
Arsenic running annual average since 1st quarter 2012 have been below the MCL. System has returned to compliance.
Cal Trans work completed in 2014.
WELL 01 (DRY), WELL 02 & WELL 03 (OUT OF SVC)
absorptive media treatment installed, RTC entry will be made in SDWIS. <i>System is in compliance, RTC has been entered in SDWIS</i>
WELL 02 EAST & WELL 03 WEST

4/3/2014	RAA < MCL - Treatment/Blending	No
4/10/2014	RAA < MCL - Natural Causes	No
4/23/2014	PWS Inactive - No longer a PWS	No
5/13/2014	RAA < MCL - Well Modified	No
5/13/2014	RAA < MCL - Treatment Installed	No
5/30/2014	RAA < MCL - Treatment Installed	No
6/20/2014	RAA < MCL - Well Modified	No
6/20/2014	Running Annual Average for Arsenic has been below MCL for 2 years.	No
7/21/2014	RAA < MCL - Natural Causes	No
8/4/2014	Source(s) Reclassification	No
8/14/2014	RAA < MCL - Well Modified	No
8/26/2014	RAA < MCL - Natural Causes	No
9/1/2014	RAA < MCL - Treatment Installed	No
9/15/2014	RAA < MCL - Natural Causes	No
10/1/2014	CONSOLIDATION WITH CITY OF HFD	No

Monterey LPA-57	2702003
Tehachapi-19	1502244
Fresno-23	1010030
Valley-21	5100139
Monterey LPA-57	2702439
Madera LPA-50	2000688
Fresno-23	1010028
Kings LPA-46	1600014
Stanislaus LPA-80	5000555
Yuba LPA-88	5800004

Vierra Meadows MWC	75	25
Semi Tropic School Water System	320	6
Tranquility Irrigation District	820	326
Franklin Elementary School	468	1
Woodland Heights MWC	57	19
ECCO	100	43
Riverdale Public Utility District	2416	950
KIT CARSON ELEMENTARY	510	9
Fresh Point (Piranha Produce)	26	2
MARIANI PACKING CO	65	5

COMMUNITY	No
NTNC	YES
COMMUNITY	No
NTNC	Yes
COMMUNITY	No
COMMUNITY	No
COMMUNITY	No
NTNC	Yes
NTNC	No
NTNC	No

CO-1/29/09
0919013
EPA NO. PWS-AO-2008-6019
1121007
CO issued 1/29/09
CC0000870
EPA NO. PWS-AO-2008-6018
1000210
DER-13CO-005
2009-002-5800004

proof of public notification for 1st Qtr., 2009 due to EHD by 4/10/09
39836
9/25/2008
9/1/2010
proof of public notification for 1st Qtr., 2009 due to EHD by 4/10/09
10/1/2009
9/25/2008
4/19/2010
3/18/2013
6/30/2009

	YES
YES	YES
Yes	Yes
No	Yes
Yes	
Yes	Yes
Yes	No
Yes	Yes
Yes	Yes

Implementation plan for development of an acceptable permanent source by 4/30/09

Y-plan submitted

Implementation plan for development of an acceptable permanent source by 4/30/09

	NO
	Yes
3/18/2016	
12/31/2010	Yes

No	SRF construction project for consolidation with Lost Hills Utilities District in progress
Yes	

Well 01 is in violation of the arsenic MCL, 3rd qtr. 2014 RAA 0.020 mg/L
P84 planning study completed. P84 construction project underway.
P84 consolidation project to Yuba City completed
Upon approval by EHD, the plan shall be implemented and water served shall meet standards by 1/31/2010
P84 planning study completed. P84/SRF construction project underway.
P84/ PLANNING LOAN
Categorized as TNC Yearly Testing Last test date 1-4-14 = 12.3

NOV issued w/ cc to CDPH and EPA; system applied for funding; 2/23/09- Russ Hatch indicated that the system plans to go with an arsenic removal plant; also he said he is aware of the "shovel ready" funding application deadline and will apply; system remains on quarterly public notification; 2/25/10- system submitted application to State for conversion of SRF application for construction funds to planning funds

Consolidation with Lost Hills Utility District

Purchased 2 wells that comply with As MCL.

Fe/Mn plant was modified to include As. Treatment. Q. PON
As. Q. As testing

Blending Successfully. Operation and Maintenance Plan
Reviewed and Approved.

Construction of replacement well.

Arsenic treatment facility.

SYSTEM INSTALLED POE & CRANMER ENGINEERING IS
GETTING BIDS FOR INSTALLATION OF A TREATMENT UNIT.

Wells purchased and online. System eligible to RTC based on 4QRAA. USEPA Administrative Order, so DDW cannot RTC via SDWIS.
Only seasonally use the well with Arsenic MCL exceedance. They blend during this time.
Construction project phased to first drill new well, then will install treatment of well does not meet As MCL.
Treatment plant is installed and operational. RTC will be issued once RAA is below 0.010 mg/L. Water system has been returned to compliance based on an RAA below the MCL.
THIS PACKING PLANT HAS SEEN DECLINING EMPLOYEE #S FOR THE PAST SEVERAL YEARS & HAS CONTACTED YCEH TO INACTIVATE THEIR SYSTEM. IN THE MEAN TIME, THEY ARE STILL MOVING FORWARD WITH RESEARCHING TREATMENT FOR BOTH ARSENIC & RADIOS.

10/10/2014	RAA < MCL - Natural Causes	No
10/31/2014	PWS Inactive due to Consolidation	No
11/1/2014	Source(s) Abandoned	No
11/1/2014	PWS Inactive - No longer a PWS	No
11/10/2014	RAA < MCL - Treatment Installed	No
12/5/2014	RAA < MCL - Blending	No
12/11/2014	New Well 6 meets Arsenic MCL. Wells 4 & 5 approved for STANDBY status.	No
12/19/2014	CONSOLIDATION WITH CITY OF HFD	No
1/1/2015	RAA at or below 8ug/L and treatment plant was installed.	No
2/1/2015	LPA has a declaration from the water system that there are <25 employees working at the facility at least 6 months out of a year.	No

Tehachapi-19	1500290
Tehachapi-19	1500364
Merced-11	2210900
Los Angeles LPA-49	1900305
Valley-21	5100109
Tehachapi-19	1510027
Visalia-12	1510005
Kings LPA-46	1600017
Inyo LPA-44	1400037

Edgemont Acres Mutual Water Company	400	148
Kernvale Mutual Water Company	26	25
Cedar Lodge Resort	64	10
Challenger Memorial Youth Camp	150	1
WILDEWOOD MUTUAL WATER CO., INC.	255	
Desert Lake Community Service District	700	233
City of Delano	53855	8829
ISLAND UNION SCHOOL	300	7
Foothill Lone Pine MHP, LLC	100	48

COMMUNITY	No
COMMUNITY	No
NTNC	No
NTNC	YES
COMMUNITY	No
COMMUNITY	No
COMMUNITY	No
NTNC	Yes
COMMUNITY	No

0919027
0919030
0911011
0919009
EPA NO. PWS-AO-2008-6020
1000208
1400040

3/26/2009
1/23/2009
4/21/2009
7/12/2011
1/2/2009
1/23/2009
9/25/2008
3/3/2009
3/3/2014

Yes	Yes
Yes	Yes
Yes	Yes
NO	
Yes	
Yes	Yes
	YES
Yes	
Yes	Yes

No specified date	No
No specified date	No
None	No
	NO
	No
No specified date	No
42154	No

No	
No	
No	
NO	
No	
No	
No	

SRF planning loan application was determined to be incomplete over two years ago.
P84 construction funding application received for consolidation with Erskine Creek Water Company. 2/13/15 (JSD): Issue of eligibility of storage tank; storage tank designed is of 200,000 gallons but eligible capacity is 94,400 gallons. DAF issued a letter to ECWC about this; response recd 2/13/15 from ECWC is currently under review by DFA.
Not applicable
Well 1, Well2 and Well 3 exceeds the arsenic MCL
Included in City of Yuba City Regional Prop 84 project. Awarded Prop 84 construction grant on 8/28/2013. Project in progress, expected to complete by 8/29/2016.
5/29/15 (JSD): SRF funding project is on hold due to RTC. Waiting for issuance of SRF Planning project pending adoption of new water rates by the DLCSD board
Has SRF funding commitment;SRF project - NOAA
P84/ GRANT TO DRILL NEW WELL
Privately owned mobile home park.

Water Company wants to install dual plumbed system-one for outside irrigation and one for domestic use with arsenic treatment
Consolidation with Erskine Creek Water Company
Blending treatment - introduction of a surface water source to further blend down the arsenic concentration in the water delivered to the customers.
Quarterly monitoring, public notice
Consolidate to City of Yuba City
Drill a new well and evaluate treatment if the new well is not successful
Qtrly PN and sampling required
Drilled new well, but it exceeds Uranium MCL. Installed AdEdge arsenic treatment plant w/o plan approval. New treatment plant is installed, approved, and operational since April 2014.

2/13/15 (JSD): RTC - using 100% AVEK water since 01/01/12. 5/29/15 (JSD): RTC as of 2/2/2015.
2/13/15 (JSD): RTC - using 100% AVEK water since 01/01/12

5/29/15 (JSD): RTC as of 2/2/2015. 2/13/15 (JSD): RTC-Kernvale MWC's well is dry; emergency tie- in with Erskine Creek since 10/17/2013.

No violation since 1st qtr. 2014. Updated 2/17/2015 - KDC

Included in City of Yuba City Regional Prop 84 project. Awarded Prop 84 construction grant on 8/28/2013. Project in progress, expected to complete by 8/29/2016. *System now inactivated, consolidated to Yuba City*

5/29/15 (JSD): System returned to compliance on 03/05/15 due to being on 100% AVEK water since 2013.
2/13/15 (JSD): Per Jan. 2015 email communication with Natalie from DLCSD, their board has not yet adopted the new water rates. DFA is planning to issue a letter to DLCSD about water rate impact on the SRF funding offer.

Current treated water running annual average is at 0.003 mg/L.

2/2/2015	Using 100% AVEK water.	No
2/2/2015	Using 100% water from Erskine Creek Water Company; Well 01 is dry.	No
2/6/2015	blending water from wells with low arsenic concentrations to ensure water delivered to the customers complies with the arsenic MCL.	No
2/15/2015	PWS Inactive due to Consolidation	No
2/18/2015	PWS Inactive due to Consolidation	No
3/5/2015	Using 100% AVEK water with arsenic below 0.010 mg/L.	No
4/17/2015		No
4/22/2015	NEW WELL	No
4/24/2015	RAA < MCL - Treatment Installed. Running annual average is below the MCL, collecting monthly post treatment samples to verify compliance.	No

Sana Cruz LPA - 74	4400621
Kings LPA-46	1600004
Los Angeles LPA-49	1900009
Kings LPA-46	1600010
San Joaquin LPA-69	3901290
Riverside LPA-63	3303112
Tehachapi-19	1500540
Tehachapi-19	1510014

River Grove	54	25
FOUR SEASONS MHP	350	88
Adams Ranch Mutual	300	173
LACEY COURTS MHP	66	21
FISHER NURSERY		
Coachella Valley Facility	80	1
Piñon Valley Water Company	80	37
Mojave Public Utility District	4000	1307

CWS	No
COMMUNITY	No
COMMUNITY	NO
COMMUNITY	No
NTNC	No
COMMUNITY	No
COMMUNITY	No

0800566
1100223
120036
CC0002369
Amended Permit Issued to address POU treatment
0919013
0919023

1/10/2009
3/1/2011
41241
1/3/2011
8/14/2009
4/20/2011
1/23/2009
1/23/2009

Yes	Yes
Yes	Yes
NO	YES
Yes	Yes
Yes	Yes
Yes	No
Yes	Yes
Yes	Yes

1400882

10/23/2014
1/10/2008
4/10/2010

1/1/2010	No
	Yes
	NO
7/1/2015	
In compliance.	No
EXPECTED 2ND QUARTER OF 2015	No
5/21/2016	No

No	3Q/2015 - 10.29
NO	
	May 2015 - ND (treated)
Yes	2Q/2015 - 26 (source)
No	3Q/2015 < 10
No	3Q/2015 < 10

N/A
P84/ PLANNING LOAN
Well 3 exceeds the arsenic MCL
DWSRF/ PLANNING
Using its own funds, Pinon Valley Water Company has installed arsenic removal treatment. Permit for the treatment was issued in January 2015.
5/29/15 (JSD): P84 construction funding project complete as of 3/09/15. 2/13/15 (JSD): P84 construction funding project is almost 100% complete

Blending problematic w/ drought, so will be trying filtration soon

BOTTLED WATER OFFERED AT COST

Quarterly monitoring, public notice

Treatment plant installed and approved for pilot study in March 2015

Reverse osmosis POU treatment was approved by LPA and installed in July 2011.

Arsenic removal treatment installed using hybrid ion exchange technology.

2/2/15 (JSD): Phase 1 of P84 project included drilling a new well (Well 09) and Phase 2 of the project included construction of arsenic adsorption treatment plant and a new 750,000-gallon tank for blending of treated water and a portion of bypassed water from Well 09

They were in compliance until the drought hit about the 3rd quarter last year. The system installed a gravity fed resin bed filter, which has been working and sampling monthly. The November 2015 sample is ND.

Waiting for submittal of pilot study report to approve treatment plant and return system into compliance. Due to be submitted by 5/1/15 and system should return into compliance by 7/1/2015.

Tier 2 arsenic notifications issued quarterly. Well is sampled quarterly for arsenic. Water system is a packing house that serves approximately 80 employees. System is classified as non-transient, non community

10/05/15 (JSD): Arsenic treatment is operating successfully; returned the system to compliance as of 6/30/15. 5/29/15 (JSD): System expected to return to compliance in second Qtr. 2015.
2/13/15 (JSD): Expected to return to compliance during second quarter of 2015.

10/05/15 (JSD): Returned to compliance as of 6/30/15. 5/29/15 (JSD): P84 construction project is complete as of 3/06/15; arsenic removal treatment and blending treatment being provided. RTC expected in 2nd qtr. of 2015. 2/13/15 (JSD): P84 project is expected to be completed by end of February 2015.

5/1/2015	RAA < MCL - Treatment Installed	No
5/4/2015	CONSOLIDATION WITH CITY OF HFD	No
5/8/2015	RAA < MCL - Natural Causes	No
5/13/2015	CONSOLIDATION WITH CITY OF HFD	No
5/18/2015	treatment plant operational	No
6/9/2015	POU treatment installed. LPA and DE agree that this system is in compliance.	No
6/30/2015	RAA < MCL - Treatment Installed-Arsenic removal treatment (using hybrid ion exchange) has been installed. The treatment plant is adequate to achieve compliance with the arsenic MCL.	No
6/30/2015		No

Sonoma-18	4900878
San Joaquin LPA-69	3901392
Fresno-23	1009091
Klamath-01	5301002
Tulare-24	5400713
Fresno-23	1000238

Santa Rosa Golf & Country Club	50	5
ENVIROPLEX	25	1
Olam Spices & Vegetables	125	7
Lewiston Community Services District (acquired system from Lewiston Valley Water Company in June 2012)	150	37
OAK VALLEY SCHOOL	300	7
Camden Trailer Park	90	25

NTNC	No
NTNC	No
NTNC	No
COMMUNITY	No
NTNC	Yes
COMMUNITY	No

9518002
1202468
1223006
0901005
1103922
923438

6/4/2013
4/1/2012
8/22/2013
2/24/2009
8/22/2011
9/25/2009

Yes	Yes
Yes	Yes
No	Yes
No	Yes
Yes	Yes
Yes	Yes

1204268

3/3/2015

6/30/2015	Yes
7/31/2015	
Not Specified	
No specific deadline was defined.	
3/3/2018	Yes
Not Specified	

No	4Q/2014-85
	2Q/2015 - 12
	1Q/2015 (Well 1) - 15.0 1Q/2015 (Well 2) - 21.5
	2Q/2015 - 28
	Q3- treated water - 4.4
Yes	3Q/2015 - 0.14 (with POU)

Not applied

System not eligible.

7/2/2015 - 7/1/2015 compliance date will not be met.
Compliance should be achieved by 10/1/2015.
Have Prop 84 construction grant. Construction has begun.
Notice to proceed was issued on 7/7/14. Construction completion deadline is 7/7/15.

SRF construction - COMPLETE

Operator submitted Univ Preap during Sept 2009.

adsorption treatment or interconnection. Interconnection is preferred, but if other water system doesn't agree, treatment plan has been approved and can be installed within 120 days.

Treatment plant was placed into operation in May 2015.

Arsenic removal treatment installed

Received Prop 84 construction funding. Will construct new water intake away from source of arsenic.

Construct an arsenic treatment plant.

POU installation using P84 Part 1 grant funding

9/22/15 - New well and Treatment plant function producing water in compliance.
6/30/2015 - New well and TP installed. Will RTC - with future quarterly monitoring results.
In Construction. RTC required by 6/30/15

Pilot study began in May 2015. System should be found in compliance by 7/1/2015.

7/29/15 update: Approval to operate arsenic treatment given 3/4/15. Current 4QRAA is 6.3 ug/L. Will RTC system eff 8/1/15.

9/22/15 - Treatment plant went on line 8/25/2015. Going to take a raw water sample to show compliance with the Arsenic standard. Moved intake downstream where arsenic level is below standard. Project also involved replacing the surface water treatment plant at a new location. Once sufficient monitoring has taken place the system will be returned to compliance.

7/2/2015 - Treatment plant construction well underway. Currently project completion is projected to be the end of September 2015 and the system producing water with arsenic levels below the MCL.

9/21/2015: RTC - Sept 2015; As trt installed. CO issued Q1 2015

POU units have been installed on 26 connections. RTC after 4 QRAA < MCL. **7/29/15 update:** 4QRAA with POU in place for one quarter is 23.5 ug/L. Anticipate RTC by end of 3rd Q 2015.

6/30/2015	Drilled new well and installed an arsenic removal treatment plant.	No
7/17/2015	Results of Pilot Study	No
8/1/2015	4QRAA < MCL after treatment installed	No
8/25/2015	Switched to new source intake location on 8/25/15. Sample collected on 9/12/15 from new location was "non-detect" for arsenic. Another sample collected in October 2015 from new location was 2 ppb.	No
9/1/2015	RAA < MCL - Treatment Installed	No
9/9/2015	RAA < MCL - Treatment Installed (POU)	No

Imperial LPA - 43	1300556
Tehachapi-19	1500405
Monterey LPA-57	2701503
Stanislaus LPA-80	5000080
Madera LPA-50	2000512

Mulberry Union School	85	2
Aerial Acres Water System	148	53
Mesa del Toro MWC	90	35
Country Western MHP	120	60
East Acres Mutual	250	81

NTNC	Yes
COMMUNITY	No
COMMUNITY	No
COMMUNITY	No
COMMUNITY	No

1400223

0919012

1205364

1180001

CC0000742

1/21/2014

1/23/2009

8/31/2009

3/19/2010

2/4/2009

Yes	Yes
Yes	Yes
Yes	Yes
Yes	Yes
No	Yes

RTC (CO0806154)	
CC0002563	CC0002763

Not Specified	Yes
5/21/2016	No
RTC	No
9/30/2014	No
6/30/2018	No

No	
No	3Q/2015 < 10 (RTC) 1Q/2015 - 32
No	
No	3Q/2015 - 6
No	1Q/2015 - 19 (East Well)

N/A

10/05/15 (JSD): Supplier's Certificate of Project Completion dated 9/29/15 has been received. 100% inspection of the project by DDW and DFA staff was conducted on 09/29/15. Project completion certificate of DDW is under preparation.

5/29/15 (JSD): Construction project is over 90% complete with estimated completion date of June 30, 2015.

2/13/15 (JSD): P84 construction funding project in progress; 75% completed.

Was in SRF, requested bypass

We executed their planning FA (\$40K) in 2011 and the FA expired 5/1/13. No work was done and no claims ever submitted.

Prop 84 Planning and Feasibility turned down because they did not want to consolidate. Plan to apply to SRF

Going from groundwater well to a surface water system

Drill a new well and arsenic removal treatment using adsorption

Recently drilled new well, water quality testing meets standards, undergoing testing to determine if water meets quantity standards. Q. PON As. Q. As testing

Arsenic and Manganese treatment facilities.

Evaluating consolidation, new source, treatment.

Currently in the process of reviewing the surface water system documentation and plans

10/05/15 (JSD): The new arsenic removal treatment plant is operating and the water system has been returned to compliance as of 09/30/2015. 5/29/15 (JSD): Construction of the arsenic removal treatment plant and Well 03 is almost complete. Commissioning of the treatment plant is in progress. 100% completion of the project is expected before June 30, 2015. 2/13/15 (JSD): A new well drilled to replace failed Well No. 1 and adsorption arsenic treatment being installed. Project completion deadline of May 21, 2016 according to the P84 funding agreement.

Treatment plant completed along with initial testing phase.

8/02/2016 Permit Amendment was received to inactivate East Well from the water system. 4/28/2016 No status change from previous update. Public Notification Provided. West Well; currently has a 4 quarters RAA under the MCL, therefore has returned to compliance. However, east well still over MCL. East well is only standby, however. Still connected to system though.

9/18/2015	Converted over to a surface water treatment plant. Inspection was performed by the LPA to confirm construction was performed according to approved plans. A new State permit will be issued.	No
9/30/2015	RAA < MCL - Treatment Installed-Arsenic removal treatment (using adsorption technology) has been installed. The treatment plant is adequate to achieve compliance with the arsenic MCL.	No
10/10/2015	Drilled a new well	No
10/28/2015	RAA < MCL - Treatment Installed	No
11/5/2015	Source Inactivated	No

Santa Barbara-06	4210009
Sacramento LPA-64	3400364
Fresno-23	1000580
Inyo LPA-44	1400526

Cuyama CSD	820	223
JEAN HARVIE SCHOOL	30	2
Campos Bros Farms (Walnut)	150	9
Eastern Sierra College Center - Bishop	100	1

COMMUNITY	No
NTNC	Yes
NTNC	No
NTNC	Yes

1006007

900391

1123003

1100043

12/9/2009
7/28/2009
6/10/2011
12/15/2010

	Yes
Yes	Yes
No	Yes
No	No - was a citation

2011-1123003

6/10/2011

12/31/2010	Yes
Not Specified	No
	Yes

	3Q/2015 – 8.7
No	4Q/2015 - 5.3 ppb
No	4Q2015 (Well 01) - 5.6
No	4Q/2015 - 10

Funding project nearing completion. Arsenic treatment plant has been online since September 2014. Treated water meets the arsenic standard.

Self-funded through community block grant.

Privately owned - System not eligible.

State community college. Have given them the pre-application information and strongly recommended they apply for funding.

PN required, existing treatment plant was re-engineered and construction was completed in September 2014.

Treatment

Continue quarterly sampling to monitor arsenic levels and report in CCR.

8/3/2015 (JD): PWS had their treatment on-line starting in September 2014. So the plant effluent is <10ppb but the RAA was > MCL as of the 1st quarter 2015. It is anticipated that after the 3rd qtr 2015 the RAA is < MCL.

Water System put new source online. Well #1 is now being used as a backup well and is not interconnected. Treated water sample for 11/16/15 was 5.3 ppb

Proposed piloting treatment but vendor nonresponsive. **7/29/15 update:** 4QRAA = 7 ug/L. Will RTC if they maintain QRAA<MCL for four full quarters. System continuing to look at piloting treatment. **9/17/15 update:** 4QRAA = 3.7 ug/L. Will RTC if this trend continues. 12/8/15 4QRAA <MCL for 5 consecutive quarters based on reduced source water quality arsenic concentrations. RTC effective 12/8/15.

System is currently still at 10 ug/L running annul average. They will continue to collect quarterly samples and provide sample data in their CCR's. All previous arsenic violations dating from 2007 to 2010 have been returned to compliance in SDWIS. There have been no arsenic MCL violations since 2010.

11/6/2015	RAA < MCL - Treatment Installed	No
11/16/2015	RAA < MCL - Treatment Installed	No
12/8/2015	Arsenic concentrations in source water reduced over last 5 quarters.	No
12/28/2015	RAA < MCL - Natural Causes- No arsenic MCL exceedance since 2010. Previous violations have been returned to compliance but system is still collecting quarterly samples and including this data in their CCR.	No

Monterey-05	3500570
Visalia-12	1500544

B & R Farms	25	14
Enos Lane	270	84

NTNC	No
COMMUNITY	No


9505005

1219017

5/30/2014

7/6/2012

Yes	Yes
	Yes



7/31/2016	No

No	4Q/2015 – 9.85
	RTC'd 3/7/16 based on RAA of 9

not applicable

Under RAA

Treatment

9/23/15 - Action Plan was resubmitted. Submitting qtrly reports. ATEC has been hired to design a treatment plant. Plan is still to RTC the end of summer 2016. Should note that arsenic levels seem to be trending down, last two results were 10 and 7.1 ug/L. Based on RAA, system may no longer exceed MCL depending on 4th qtr. result. 7/2/2015 - Action Plan was submitted, District requested revisions by July 10, 2015. Based on the most recent progress report, the system is working with a vendor to scope and assemble the treatment plant, with the goal to RTC by end of summer 2016.

4/15/15 - Conversation with Jan Sweigert - CO 05-14R-002 issued on 05/30/14 and amended 10/03/14. CO imposed a RTC deadline of 7/31/2016 and required a revised corrective action plan be submitted by 11/10/14.

3/7/16 RAA below MCL. Returned system to compliance in SDWIS. 11/15/2015-system is proposing to do blending. System only needs some infrastructure for blending - flowmeters and valving for regulating the blending. Submitted a permit amendment for blending. 10/15-2nd quarter arsenic not collected. System collected 3rd quarter but results not available.

12/31/2015	1/12/2016:RAA < MCL - Natural Causes - Stabilized and consistently dropped in last 5 quarters: 16, 16, 10, 7.1 and 6.3 as the result for 4th qtr. 2015. System will remain on quarterly monitoring to ensure arsenic levels do not start to increase with change in recharge conditions due to this year's wet weather.
3/7/2016	RAA < MCL - Natural Causes

No

No

Visalia-12	1510013
------------	---------


McFarland, City of	12333	2455
--------------------	-------	------

COMMUNITY	No
-----------	----

1212037

5/8/2012

	Yes
--	-----






anticipated end of 2017	
-------------------------	--


	4Q/2015 - Well under repair. Sampling not done.
--	-------------------------------------------------

Construction FA issued for treatment at Garzoli Well



Installing arsenic treatment plant- Adsorptive media

--	--



--	--

--	--

--	--

2/8/16- (TW): System has awarded contract for \$3.6 Mill. construction of arsenic treatment plant and storage tank. They did not use well from approximately 6/13 to 12/15. Used the well in early 2013 to pilot different media. Current RAA = 8.1 ppb. However, well only turned on to collect sample so - low sample results may be due to the well not being used and not representative of the arsenic level typically produced by the well when in use.. Construction bid awarded for \$3.3 Million with construction 12-18 months. System instructed to take 1st quarter 2016 arsenic sample-if below the MCL, the system may be returned to compliance. current CO dated 5/8/12 - directs them to minimized the use of the Garzoli well in the system.

11/15/2015- (TW): System going out to bid. Estimated construction 12-18 months. This system was not selected for a revised CO due to the timeframe of RTC. It does not fluctuate much as the range is typically 11-14 ppb. They have not been using the well (2013 and 14) as they did not need it however, they recently did need to start using again due to the capacity in the system. They were using the well in early 2013 for piloting of different media. They have recent results below the MCL, however, the well was not being used in the system and only turned on to collect sample. We believe the samples below the MCL are due to the well not being used and not representative of the arsenic level typically produced by the well when in use..

8/4/2015 (TW): Construction application has been received and waiting for the Construction FA to go out to bid. Estimated FA issued Fall 2015 with Construction 12-18 months. This system was not selected for a revised CO due to the timeframe of RTC. It does not fluctuate much as the range is typically 11-14 ppb. They have not been using the well (2013 and 14) as they did not need it however, they recently did need to start using again due to the capacity in the system. They were using the well in early 2013 for piloting of different media. They have recent results below the MCL, however, the well was not being used in the system and only turned on to collect sample. We believe the samples below the MCL are due to the well not being used and not representative of the arsenic level typically produced by the well when in use.

<p>3/7/2016</p>	<p>Source(s) Reclassification - Garzoli Well was inactivated. The City has a FA for the construction of an arsenic treatment plant – construction is starting. The well be offline until the project is complete. The RAA has dropped below the MCL – last sample from 11/15 was 6.4 ug/L.</p>
------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

No

Tehachapi-19	1510054
Monterey LPA-57	2702050
Sacramento LPA-64	3400271

Pinon Pines Mutual Water Company	725	294
Church of the Good Shepherd WS	50	1
Arcohe Elementary School	465	2

COMMUNITY	Yes
NTNC	Yes
NTNC	Yes

1219014

1105277

150688

10/11/2011

2/2/2009

4/23/2015

Yes	Yes
No	Yes
No	Yes

9719009

150688

3/9/2015

4/23/2015

3/9/2018	No
1/31/2010	Yes
8/1/2015	No

No	4Q/2015 - 7
No	4Q/2015-5
No	4Q/2015 - 11.7 (East Well) 4Q/2015 - 12.43 (Main Well)

01/19/16 (JSD): The Water Company is in the process of completing the online application for construction funding, via FFAST. 10/05/15 (JSD): Funding agreement was amended in Aug. 2015 to allow additional \$10,000. Planning project completion documents received from the engineer; DDW filed its project completion on 10/05/15; next step for the water system would be to go online and complete a construction funding application via FFAST.

5/29/15 (JSD): P84 planning project completion deadline is 6/18/15. Waiting for amendment to the funding agreement to allow additional \$10,000. P84 planning project is almost complete; arsenic blending treatment to be provided

Arsenic blending treatment

NOV ISSUED W/ CC TO CDPH & EPA

01/19/16 (JSD): The Water Company is in the process of completing the online application for construction funding, via FFAST. 10/05/15 (JSD): Funding agreement was amended in Aug. 2015 to allow additional \$10,000. Planning project completion documents received from the engineer; DDW filed its project completion on 10/05/15; next step for the water system would be to go online and complete a construction funding application via FFAST. 5/29/15 (JSD): Final plans and specification were approved on March 27, 2015. Request 5/06/15 received from Quad Knopf to amend the funding agreement. Waiting for issuance of amendment to the funding agreement to provide additional \$10,000 funding to complete the project. 2/3/15 (JSD): The water system is also in violation of the fluoride MCL. As part of the fluoride mitigation project, arsenic blending treatment will be provided. Final design in progress with a project completion deadline of June 18, 2015 for the planning project.

Water system is going to continue on quarterly testing.

3/7/2016	RAA < MCL - Natural Causes	No
3/9/2016	RAA < MCL - Natural Causes- The water table lowered and they had to lower their pump. They also cleaned out a lot of sediment from the bottom of the well.	No
3/9/2016	RAA < MCL - Natural Causes- The RAA is currently under the MCL and the system will be monitored for two year with quarterly sampling to ensure that system will not fall out of compliance in the future. All current sampling results are around 2ug/L.	No

San Luis Obispo LPA-70	4000512
Sonoma-18	4900815

Bella Vista Mobile Lodge	28	85
Palms Inn	300	2

COMMUNITY	No
NTNC	No

0800230

0918008

1/16/2009

1/21/2009

No	Yes
No	Yes

1018012


5/20/2010

	NO
6/3/2012	No

	Have not been sampling for arsenic, since they are currently on purchased water.
No	4Q/2015 - 20.8


ON ASSISTANCE REFERRAL LIST I THINK

No SRF application



New owners. Revisiting permanent source of blend or consolidation.

Consolidate with the City of Santa Rosa



3/3/2016- DEs is positive Bella Vista has connected to Paso Robles Beach MWC. The water system needs to sign the declaration form saying they are no longer a water system and state the reason as they've connected to a permitted public water system, which should be named specifically. A letter was also sent a letter to the Paso Beach operator asking for documentation. Once we receive those documents, we will add it to the RTC list. 12/2015-Bella Vista is no longer blending, they are 100% purchasing water from Paso Beach. LPA has not seen the final contract so until they do, they don't want to inactivate the system. Kurt Souza says they are RTC because the water deal is going to happen. 6/2015-Hook up in progress to local CSA - Kurt S. advised to take of list. Until then they are blending.

2/26/2016-In litigation - The inn's owner and his contractor have submitted sworn testimony subject to penalty of perjury in state court attesting to the fact that inn is (and has been since October) connected the city water system and disconnected from the well. 1/11/2016 - Project appears to have been completed but there is no communication from Palms Inn.

9/22/15 - Attorney General's office if overseeing compliance with the stipulated agreement.

Stipulated Judgment agreed to in Sonoma County Superior Court. System must connect to City of SR by Oct 31, 2015.

3/21/2016	Connection to Paso Beach water co., wells disconnected from domestic system.
4/15/2016	CONSOLIDATED WITH CITY - NO LONGER A PWS.

No

No

Visalia-12	1610001
San Bernardino LPA-66	3600123
Tulare-24	5410033

Armona CSD	4143	1345
Hi Desert MWC	80	42
Pratt MWC	1500	277

COMMUNITY	No
COMMUNITY	No
COMMUNITY	No

EPA NO. PWS-AO-2008-6021

1300077


1012021

9/25/2008

1/29/2013

2/1/2010

	Yes
No	Yes
Yes	Yes



3/31/2014	No
	No

	3Q/2016 - 8
No	1Q/2016-8.25
	1Q/2016 - 7.4 (Well 1) 1Q/2016 - 8.2 (Well 3)

SRF Planning and Construction
Water system does not exceed the MCL.
P84 project - construction

No

Water system will be required to stay on quarterly monitoring
Consolidate with the City of Tulare.

2/28/2011	8/28/2012

2/22/2016

Yes	4/21/2016

1/31/2019	

12/12/2016 - FA has been executed. Project is underway. 9/16-Construction started on arsenic treatment plant - plan to be completed by April 17. Wells have currently been under the arsenic MCL since 2013. EPA rescinded the EPA AO for the system. 6/16-well drilled. Construction FA issued 3/16. 4/16-construction underway.

5/9/2016-Water system does not exceed MCL; do we want to RTC.

4/27/16: consolidation order issued 3/29/16. consolidation complete by 6/1/16. 1/11/16: Consolidation letter from DDW mailed August 2015. Steps/communication toward consolidation are ongoing. PN is not being provided in quarters when RAA < 10. 9/21/2015: Consolidation letter from DDW mailed August 2015. Consolidation should be complete Q4 2015.

4/20/2016	RAA < MCL - Natural Causes for two or more years.	No
5/17/2016	RAA < MCL - Natural Causes for the past 4 quarters.	No
6/9/2016	PWS Inactive due to Consolidation	No

Kings LPA-46	1600296
--------------	---------


OLAM INTERNATIONAL	75	7
--------------------	----	---


NTNC	No
------	----

0600143

8/29/2006


	Yes
--	-----






1/1/2016	Yes
----------	-----


	3Q/2015 - 50
--	--------------





BOTTLED WATER PROVIDED and Pending Consolidation with
City of Hanford.

--	--



--	--

--	--

--	--

4/27/16: Received correspondence from the City of Hanford and the operator. The permit was processed and the connection is set to be final on 5/11/16. I have reported the information to Tricia Wathen.

3/10/2016: Anticipated to have the consolidation completed by 3/31/2016. They are currently in the process of laying the pipe and making the connection to the City of Hanford. The County sent the District the PO from corporate on the installation of water mains to connect to the City of Hanford. Cost is approximately \$95,000 and was dated 2/23/16. once construction is completed, the water system will be inactivated and RTC. 12/1/2015-Pending Consolidation with City of Hanford. Last update was obtained in October 2015. The system currently is supplied city water for their production but their domestic line remains to be connected. A revised CO will be issued if they do not consolidate by January 2016.

6/17/2016	PWS Inactive due to Consolidation
-----------	-----------------------------------

No

YUBA LPA-88	5800805
-------------	---------

LAKE FRANCIS MUTUAL WATER COMPANY

27

6


CWS	NO

1600062

11/12/2015


YES	YES
-----	-----







1/12/2016	NO
-----------	----


NO	3Q/2016 RAA - WELL #5 no calculation (blending treatment implemented).
----	------------------------------------------------------------------------







--	--



--	--

--	--

--	--

3/4/2016: At this point Well #4 is offline and being assessed for compliance with the sanitary seal requirements. The PWS has a drilling/ repair company trying to put a 50 ft. seal so that Well#4 can be used to blend. We approximate 5 months for completion of this project, if Well#4 is successfully repaired and brought to today's well standards. 12/2015: ARESENIC LEVEL IN WELL #4 IS BELOW THE AL FOR ARSENIC. PROPOSED USING WELL#4 FOR BLENDING. WELL #4 NEEDS TO BE REPAIRED AND A SANITARY SEAL PROVIDED. INITIAL TESTING OF WELL WILL BE REQUIRED AND REVIEWED BEFORE APPROVAL OF WELL#4. 5/9/2016: No status change from previous date. 07/12/2016: Initial blending results have shown Arsenic sample result of 5.0 ug/L (blended). Individual results for Well #4 - 0.11 ug/L; Well #5 - 14.0 ug/L. 09/06/2016: 2nd set of blending results have shown Arsenic sample result of 5.0 ug/L.

7/19/2016	RAA < MCL - Treatment Installed BLENDING: WELL #4 & WELL #5
-----------	-------------------------------------------------------------------

No

Riverside LPA-63	3301482
Contra Costa LPA-37	0706028

Ortega Oaks RV Park & Campground	80	25
Knightesen Elementary School - Well # 3	600	3

COMMUNITY	No
NTNC	Yes

1203411

1000323

11/28/2011

10/16/2009

Yes	Yes
Yes	Yes


1000323

10/16/2009

6/9/2016	No
Jun-16	No


No	2Q/2016 - 15
No	1Q2016 - 12 (Well 3)

Funding approved for planning. Evaluation to blend sources to reduce arsenic level to below MCL. Two of the thee wells are below the MCL. Funding application approved.



2/18/2016. Filtering system was installed. First sampling results submitted on 3/16/2016. Results were non detect. A three month sampling to be conducted to evaluate proper function of sytem. 2/18/2016: Plans for filtering system were approved. Installation will take place 2/29/2016. 1/15/2016: Plans for a filtering treatment submitted. Original compliance plan submitted to LPA September 30th, 2010. Compliance plan was changed in 2014 to blending plan. Proposed solution was a blending plan which was approved by District Engineer and LPA 7/17/2015. Some efforts were made to implement plan, but was not implemented. On 10/23/2015 representative informed DEH that they will be looking into a filtering system. Plans will be submitted within the next week. 7/26/2016 Filtering system was installed. The system appears to be working. Last two quarters have been ND. The RAA is below the MCL. Returned to compliance on 7/27/16.

Inactivate Well #3. Wells #1 and #2 are below the Arsenic MCL.



4/18/2016. Filtering treatment system has been installed, Two consecutive sampling sets a week a part were reported non- detect. sampling for 4 initial weeks and then monthly. DE required the running annual average of treatment to meet requirements before the system is returned to compliance. 1/15/2016: after evaluating levels of uranium and arsenic, operators decided to install a filtering system instead. The filtering system gave them more confidence to reach compliance. 2015: Tier 2 arsenic notifications issued quarterly. Well is sampled for arsenic quarterly. State engineer and LPA visited site in January 2015 to evaluate blending plan. Blending plan was approved, but system decided not to implement. System will be submitting plans for a filtering system with in one week. 7/26/2016 Filtering system was installed. The system appears to be working last two quarters have been ND. DE requested 4 to be below 10 before RTC. 7/26/2016 Filtering system was installed. The system appears to be working. Last two quarters have been ND. The RAA is below the MCL. Returned to compliance on 7/27/16.

6/24/2016: Inactivation was delayed to coincide with summer break. 4/29/16-Well 3 to be inactivated in June 2016. 1/29/16-Well 3 to be inactivated in February 2016

7/27/2016	Treatment has been provided. RAA is below MCL
7/28/2016	WELL #3 Inactivated

No

No

Sonoma-18	4900676
Sonoma-18	4900855
Sonoma-18	4901195

Sequoia Gardens Mobile Home Park	300	191
West Field Community	75	29
Moorland Avenue Apartments	64	16

COMMUNITY	No
COMMUNITY	No
COMMUNITY	No

0918003

EPA NO. PWS-AO-2008-6016

0918013

1/21/2009

8/25/2008

1/27/2009

Yes	Yes
Yes	Yes
Yes	Yes

3/1/2010	Yes
3/31/2010	No
3/1/2010	No

No	N/A - NO LONGER A PWS
No	4Q/2015 - 13.8
No	4Q/2015 - 26.6

Funding agreement executed.

Funding agreement executed.

Funding agreement executed.

Consolidation with the City of Santa Rosa
Consolidation with the City of Santa Rosa

10/26/2016: Water system is inactive - connected to City of Santa Rosa water.

7/25/16: Water system is fully connected to City of SR. Engineer will be doing a 100% inspection soon.

Consolidation should occur within 12 months. Funding agreement executed.

4/20/2016 - Starting construction. **2/26/2016**-The system will not be RTC because the well is still contaminated and treatment is unreliable. The system can RTC when connected to Santa Rosa water. An updated construction completion estimate is 4/30/2016. **1/11/2016** - Project on schedule to complete by 3/1/2016.

6/30/2015 - City of Santa Rosa preparing to go to bid. Construction projected to be completed by 3/1/2016.

1/11/2016 - Project on schedule to complete by 3/1/2016.

6/30/2015 - City of Santa Rosa preparing to go to bid. Construction projected to be completed by 3/1/2016.

Consolidation should occur within 12 months. Funding agreement executed.

1/11/2016 - Project on schedule to complete by 3/1/2016 and will notify Headquarters as soon as the project is completed.

6/30/2015 - City of Santa Rosa preparing to go to bid. Construction projected to be completed by 3/1/2016.

Consolidation should occur within 12 months. Funding agreement executed.

8/26/2016	PWS Inactive due to Consolidation	Yes
8/26/2016	CONSOLIDATED WITH CITY WILL NO LONGER A PWS WHEN FUNDING CLAIMS END.	No
8/27/2016	CONSOLIDATED WITH CITY WILL NO LONGER A PWS WHEN FUNDING CLAIMS END.	No

Stanislaus LPA-80	5000389
San Bernardino-13	3610705

Monterey Park Tract CSD	186	50
US Army Fort Irwin National Training Center	16000	5690

COMMUNITY	No
COMMUNITY	No

1080001

0913027

9/20/2010

2/13/2009

N/A Returned to Compliance	N/A Returned to Compliance
Yes	Yes

N/A Returned to Compliance

13120001

N/A Returned to Compliance


2/24/2012

N/A Returned to Compliance	N/A
9/30/2015	No

N/A	N/A Returned to Compliance
No	3Q/2016 – 32

Prop 84/SRF

Yes





11/30/16 (MT/UTL) Ice pigging is complete. The project is essentially complete, but the contractor needs to complete the final punch list items and submit their final payment request. **6/16/16** - Water line and facilities construction has been completed and inspected. Bacteriological contamination was found in newly constructed lines which has resulted in a delay. System is currently hooked to city water, but remains on public notification until Ice Pigging of the existing distribution lines is completed and bact testing completed. **6/16/16** - Water line and facilities construction has been completed and inspected. Bacteriological contamination was found in newly constructed lines which has resulted in a delay. System is currently hooked to city water, but remains on public notification until Ice Pigging of the existing distribution lines is completed and bact testing completed. **4/22/16** - Construction of supply line for purchased water is projected to be finished in the next couple of months. This department has issued a destruction permit for one of the exisitng sources. **11/2/2015**-*Project has go out for bid awaiting construction schedule. Compliance order will be revised based on projected time frame for FA and construction. Awaiting response.

7/26/16 - WTP operational, permit issued 7/1/16. Need to confirm with July monthly report (due by 8/10/16) if RTC. **6/24/16** - WTP is operational and WS is beginning compliance sampling. Permit is on schedule to be issued by end of June. **4/29/16** - WTP is operational and in commissioning phase, permit to be issued by June. **1/29/16** - Start-up testing is underway, WTP should be online and permitted by Mar 2016. **11/2/2015**-status is the same as 10/2/2015 update. **10/2/15** - Start-up testing and commissioning of EDR treatment plant is underway

9/26/2016	Consecutive connection and are purchasing water from the City of Ceres.	Yes
9/30/2016	RAA < MCL - Treatment Installed	Yes

Fresno-23

1000602

Baker Commodities	60	6
-------------------	----	---

NTNC	No

1323010

4/22/2014

No

Yes

2014-1323010

5/2/2014


12/31/2016	No
------------	----


Yes

4Q2016 (Well 3) -2.8*


*includes 3 quarters of POE ND results. Will RTC.

For-profit private business - Ineligible





--	--



--	--

--	--	--

--	--

11/7/16 update: RTC based on 4th QRAA results **8/16/16** Will confirm ability to RTC based on sampling following installation of POE; **6/14/2016:** POE device testing shows ND in samples collected on 1/28/16, 2/3/16, 2/11/16 & 2/18/16. **8/4/2015:** The water system's consultant will have the POE test plan to the State in three weeks, and on the State's approval can complete installation in three weeks. The State will require a one month 'pilot' demonstration of the POE units. Estimated completion of the piloting is November 1, 2015. **7/29/15:** 4QRAA = 13 ug/L. System has been developing information on appropriate treatment and pilot study. Do not agree that revised CO is appropriate at this time. **9/17/15** Corrective Action Plan submitted for review dated 9/4/15. Proposed POE at 2 locations where domestic use of water occurs. DDW approval of plan sent to system on 9/17/15;; 11/13/15 Q progress report submitted . **5/4/16 update:** DDW approved use of POE arsenic treatmen via letter dated 4/22/16 based on results of a pilot study & report. POE installed at two locations.

10/4/2016	RAA < MCL - Treatment Installed-POE
-----------	----------------------------------------

Yes

Merced-11	2010801
Merced-11	2410004

Valley State Prison	4000	667
City of Livingston	14894	3121

COMMUNITY	No
COMMUNITY	No

0911007

9611009

3/27/2009

5/16/2013

Yes	Yes
Yes	Yes

9611008

9611010


12/1/2014

8/25/2015


10/30/2015	No
6/1/2016	No

No	4Q/2016 – Well 1 & Well 2 Disconnected, Blend 6.9 ug/l RAA
No	2Q/2016 – Well 13 -11 ug/l RAA ; Treatment - 5.1 ug/l

City has submitted an application for funding thru SDWSRF.



The system has submitted a corrective action plan. They are exploring treatment options.



1/24/2017: This system was RTC in SDWIS and should be removed from the tracking spreadsheet. 6/29/2016: They have continued to have difficulties with getting the blend treatment going. They are currently just using Well No. 401 and not Wells Nos. 1 and 2. However, if demands increase, then they would need to use Wells Nos. 1 and 2 (high arsenic wells) to meet demands. 5/7/2016 - KDC: Blending treatment should be operational by June 30, 2016. 3/10/2016: system will be in compliance by the end of March 2016 by either blending or using the intertie with the adjacent prison's well. 11/2/2015 - KDC: Blending treatment should be operational by Dec 31, 2015. Mechanical issues with the blend source caused delays in commencement of the blending treatment.

6/29/2016: The treatment plant is installed and operational. As indicated, their treated water results are 5.1 ug/L. This system will be returned to compliance. Updated 9/29/2015 - KDC: Arsenic treatment plant being installed and should be operational by December 31, 2015. Per a law suit that was settled out of court, the City must be providing arsenic compliant water by 6/30/2016.

10/14/2016	RAA < MCL - Treatment Installed BLENDING	Yes
10/14/2016	RAA < MCL - Treatment Installed	No

Lassen - 02	4600019
Stanislaus LPA-80	5000273

Sierra Co. W.W.D #1 Calpine	225	122
Gratton School	110	2

COMMUNITY	No
NTNC	Yes

0902005

1180001

2/26/2009

3/17/2010

Yes	Yes
Yes	Yes

1202017

1780001

1/26/2016

N/A

11/1/2016	No
N/A	N/A

No	2Q/2016 - 21.5 (Well 2)
N/A	RTC - N/A


12/6/2016- The well 2 arsenic treatment project is being funded w/ Calpine's own resources. Calpine has other funding applications submitted under review, including one which adds a new well and another to install meters. (PETE)

Prop 84 feasibility study is completed. Submitted SRF application for construction funding

No

10/24/2011

11/28/2012	6/2/2014



3/1/2017 - Sierra County WWD #1 remains in compliance with arsenic treatment requirements.

11/4/2016 - Sierra County WWD #1 - Calpine completed construction of the wellhead arsenic treatment system at Well 02 on 10/15/2016. Purging and testing was run to waste and the effluent samples tested ND for bacti and arsenic. DDW sent a letter of approval for operation prior to the permit amendment completion on 11/4/2016. The water supplier returned to compliance on 10/25/2016. Entered in SDWIS 11/2/2016. **8/1/2016** Sierra County WWD #1 - Calpine submitted their quarterly report in accordance with the Compliance Order. It describes the work to date on the wellhead treatment system they will be installing in September 2016. They indicate the self-funded construction project is still on schedule for wellhead treatment completion and compliance with the arsenic MCL by November 2016. Filter vessels and media are in process of being installed. **6/27/2016:** the District has informed us in writing that the well head treatment project is on schedule Completion of construction is expected in the next 60 days. Once construction is completed the design engineer and system's chief treatment operator will work together to commence start-up testing. 9/22/15 - Proposing a quick time line project to put in well head treatment. Piloted adsorptive media. Will be able to meet November 1, 2016 deadline to be in compliance. However, they didn't apply for SRF. Skid mounted treatment system. Set up for CRWA circuit rider to help with putting an application together but they have decided to fund project with their own money. **7/1/2015** - DDW issued a second compliance order to the District on March 4, 2015 which included a Nov 2016 compliance deadline. The Order directed the District to present a Corrective Action Plan by April 1, 2015 which they did not meet. As a result, DDW issued a citation with \$500 penalty to the District on May 8, 2015. The District submitted a Corrective Action Plan on June 10, 2015 which is to provide wellhead arsenic treatment (adsorptive media) at their one high arsenic well. Preliminary construction drawings were submitted on June 29, 2015 and are being reviewed by DDW. In order to complete the project as soon as possible (by the end of 2015), the District is planning to use their own reserves to fund the project however, per DDW's request the District will also submit a SRF application in order to keep their funding options open.

1/13/17 - Water system was returned to compliance in the 4th quarter of 2016. The new source is being tested quarterly for arsenic as its preliminary and initial arsenic tests indicate near the MCL (8-9 ug/L).

*Construction application is complete and FA is in progress. Compliance order will be revised based on projected time frame for FA and construction. Awaiting response.

11/2/2016	RAA < MCL - New Source
11/8/2016	RAA < MCL - New Source

Yes

Yes

San Bernardino LPA-66	3601013
Tehachapi-19	1500426

Darr Water Company	100	10
Rosa Villa Apartments	47	32

NTNC	No
COMMUNITY	No

1200025

0919021

9/17/2012

1/23/2009

No	No
Yes	Yes

919021

11/14/2014

1/23/2009

1/16/2015	No
No specified date	No

Yes	
No	4Q/2016 - 10

Tier 2 notifications

5/9/2016-Arsenic Water Treatment Unit expected to be delivered within the next week. Will be operational within a few days. 12/1/2015-Arsenic Water Treatment Unit expected to be delivered within the next week. Will be operational within a few days.

02/06/17 (JSD): Revised plans and specs for the regional consolidation project have been received; they are under review by the DDW staff with a goal to complete review by 02/15/17. The water system has been returned to compliance since the running annual average values for last several quarters have been below 10.5 ug/L. 11/09/16 (JSD): draft plans and specs have been received and are under review by the District Office. Deadline for completion of the planning project is 12/31/16. A conf. call was held on 11/08/16 to go over the pending items to complete the planning project. 08/03/16 (JSD): Per email communication in July 2016 with GEI consultants, draft plans and specs are under preparation and will be soon submitted to DDW for review. Project completion deadline is 12/31/16 for the P84 planning project. 04/28/16 (JSD): Review of draft plans and specs on hold since they are incomplete. Draft PDR3A was approved by letter dated December 1, 2015. Test Well Completion report was approved by letter dated April 13, 2016. Amendment to Funding Agreement to extend the planning project completion date to December 31, 2016, issued to Rosamond CSD on April 25, 2016; waiting for RCSD to return the signed amendment to the State Board. 01/19/16 (JSD): Draft plans and specs for the consolidation project received on Dec. 31, 2015; the District office plans to complete review of the plans by early February 2016. Project time extension to July 2016 is under consideration by DFA. 10/05/15 (JSD): Rosamond CSD has completed drilling of a test well to address its hexavalent chromium problem; water quality results of the test well are awaited. Draft PDR of the design of consolidation pipeline of small systems has been received and is under review by the DDW. Deadline for completion of the planning project is January 22, 2016. Part of Rosamond CSD Regional Consolidation P84/SRF Planning Project.

12/1/2016	RAA < MCL - Treatment Installed	No
2/6/2017	RAA values for last 8 quarters have been below 10.5 ug/L.	Yes

Visalia-12	5410024
04 - San Francisco	4800596

Richgrove Community Services	3400	524
UTC Aerospace Systems (UPCO)	250	1

COMMUNITY	No
COMMUNITY	No


0912022


3

5/1/2009

3/23/2016

	Yes
Yes	Yes






4/10/2018	Yes

	4Q/2016 -7
Yes	4Q/2016 - 13.4

N/A

Yes



3/24/2011	12/28/2013

	Natural Attenuation

6/16 - RAA is below MCL. Planning to return Richgrove back to compliance. Awaiting 2nd Q 2016 result.
4/28/16 System has 5 consecutive quarters of data on file. RAA is below MCL. 3/10/2016: Monitoring has been sporadic and will be expecting a sample result at the end of the month and the District will evaluate then. 10/15-Planning study completed. LOC issued for P84 construction funding. CSD behind on financial audits which prevent a water rate study to be completed which needed before the Prop 218 hearing can be completed.

04/17/2017- Quarterly progress report received. System sampled on 01/06/2017 and ND result pushed RAA to 5.4 ppb. System has RTC by natural attenuation. Violation has been SOX'd in SDWIS. SF District has requested system to continue quarterly monitoring for the rest of 2017 and until individual results are consistently below 6 ppb. PLEASE REMOVE FROM SPREADSHEET. 01/10/2016 - Quarterly progress report received. Arsenic levels trending back down to historical levels of 6 to 7 ppb in past 3 quarterly samples. Possible that system samples back into compliance in Q1-2017. If system still out of compliance, Treatment Eval. due 04/30/2017, in accordance with CAP. 11/14/2016 - Submitted arsenic evaluation cites source of elevated arsenic levels as well discharge pipe scaling and reservoir sediments. Distribution samples consistently below 10ppb. 10/18/2016 - Quarterly progress report received. 07/28/2016 - Compliance Plan received. System proposed to continue sampling the well as levels appeared to go questionably high above historical. System currently uses RO units for POU consumption. District will have to verify if the RO units are certified for treatment and can be permitted.

2/6/2017	MCL has remained below the MCL for at least 2 years.	Yes
3/23/2017	RAA < MCL - Natural Causes	No

Stanislaus LPA-80	5000308
-------------------	---------

B&H Manufacturing

90

1

NTNC	No
------	----

1080001

9/23/2010

Yes


Yes


Fed # not assigned; compliance order number DER-16CO-002


3/1/2016


3/1/2017	YES
----------	-----

No	N/A
----	-----

















	Consolidation
--	---------------

3/29/17 - Consolidation into the City of Ceres was completed and the system was SOX and inactivated.

1/13/17 - Encroachment permits delayed the anticipated consolidation completion date of December 31, 2016. An updated timeline for completion has been requested. 6/16/16 - Water system obtained legal council to move negotiations forward and anticipates closure of negotiations by the end of June. Beginning in July the water system will initiate obtaining construction permits for the service connection. **4/22/16** - The water system projects having consolidation fees negotiated with City of Ceres within the 2nd Qtr of 2016. **2/26/2016**: This water system is scheduled for an Office Hearing on March 1, 2016 due to failure to move forward with consolidation and will receive a revised compliance order. **11/2/2015**-*Consolidation plans submitted on 8/24/15. Existing well will be converted into a landscape well and domestic supplies will be provided from the city of Ceres.

3/29/2017	Consolidiation into the City of Ceres 3/29/17
-----------	--------------------------------------------------

Yes

Fresno-23	1000369
Merced-11	2400053
Merced-11	2210937

Zonneveld Dairy	141	34
El Nido Mobile Home Park	250	49
Mariposa County Public Works Dept	135	5

COMMUNITY	No
COMMUNITY	No
NTNC	No

923002

UNK - nothing showing in SDWIS for us to SOX.

1011005

7/29/2009

6/25/2002

11/1/2013

Yes	Yes
UNK	UNK
No	Yes

2009-923002

1011012

7/29/2009

8/25/2015

Not Specified	Yes
None	NO
11/1/2016	Yes

Yes	4Q2016 - Cedar System- 0.0* 4Q2016 - Cerini System- 0.0* *includes 4 quarters of POU ND results.
YES	
Yes	1Q 2017 RTC SOX 1011013

P84 Planning Study completed 12/31/15

Not applicable

No

11/4/2011

Each service connection has a POU RO device which reduces the arsenic level to below 10 ug/L

4/17/2013	5/17/2016

	Treatment

2/6/17 update: RTC effective 12/31/17 due to two consecutive QRAA below MCL for arsenic. **11/7/16 update:** the Zonneveld system was permitted as two independent CWSs via the July 2016 permit (DDW identified the two wells were not physically connected & there were two independent distribution systems). The Zonneveld-Cerini Water System (CA1000627) is now RTC effective with receipt of the 7/14/16 POU data showing ND. The Zonneveld-Cedar Water System (1000369) needs one additional round of sampling (4th Q) to demonstrate 2 consecutive QRAA of compliance. **8/16/16 update:** Results are ND for each POU device. RTC estimated by end of 3rd Q 2016. Domestic water supply permit issued for POU July 2016; **6/14/2016:** Results are ND for each POU device so far. **OLD UPDATES:** 3 units have been installed and are in process of 1-year pilot study. **5/11/15 update:** 1-year pilot study completed. DO awaiting pilot study report. **7/29/15 update:** Draft pilot study report received 7/17/15 and DO comments pending. All POU devices will be installed upon DDW approval of the pilot study report, the water system will conduct required public hearing, then proceed with installation if approved by customers. Full installation anticipated to be completed by 12/31/15. RTC would be projected to occur by end of 3rd Quarter 2016. 4QRAA of wells: Well 01-32 ug/L; Well 02-21 ug/L. **9/17/15 Update:** No Change **12/31/15** all POU devices installed and initial test completed. Will RTC when 4 QRAA shows compliance. **5/4/16 update:** No change. POU installed, RTC pending 4QRAA compliance.

Inherited from Merced County (LPA). The system has reliably produced water that complies with the arsenic MCL with the use of POU devices.

1/24/2017: POU devices installed at all five locations where domestic water is available at the facility. The permit was recently issued and the system will be returned to compliance once they have completed the arsenic monitoring at the effluent from the POU devices. Updated 4/25/2016 - KDC Proposing to install a POU device at the Industrial Park for removal of the arsenic.

12/31/2017	2 consecutive QRAA <MCL	Yes
UNK - No action listed in SDWIS	RAA < MCL - Treatment Installed	No
		No

Merced-11	2400170
-----------	---------

Hilmar Cheese Company	1,000	1
-----------------------	-------	---


NTNC	No
------	----

2015-1

8/25/2015


Yes	Yes
-----	-----






6/1/2016	No
----------	----


No	1Q 2017 RTC SOX -FED ID # 2
----	-----------------------------







--	--




--	--

--	--

	Treatment
--	-----------

1/24/2017: Updated operations plan received. Changes at the arsenic removal plant have resulted in lower arsenic levels in the effluent. This system will be returned to compliance in SDWIS. Update 4/25/2016 - KDC: The System has worked with the manufacturer to optimize the arsenic removal treatment plant. The monthly arsenic test results have been below the MCL but the RAA is still over the MCL. The System anticipates having and RAA less than the MCL in the 3rd quarter of 2016. We should be able to return this system to compliance by the end of 2016.



Yes

Date	Total Out of Compliance	RTC
As of 11/28/2008	299	
As of February 2015	193	106
As of August 2016	146	166*
As of November 2016	143	172*
As of February 2017	139	180*
As of April 2017	136	186*
As of August 2017		
*2 systems are duplicates: 5100041-Winship Elementary School due to becoming active again in 2013 and 2400170-Hilmar Cheese 2010 installed treatment not providing water RAA under MCL.		

+3 new; -6 rtc
+2 new; -6 rtc
1 new; -4 rtc
1 new;

District #	Number Counts
01-Klamath	0
02-Lassen	1
03-Mendocino	0
04-San Francisco	1
05-Monterey	1
06-Santa Barbara	0
07-Hollywood	1
08-Santa Ana	0
09-Sacramento	0
10-Stockton	2
11-Merced	4
12-Visalia	12
13-San Bernardino	1
14-San Diego	0
15-Metropolitan	0
16-Central	0
17-Santa Clara	0
18-Sonoma	2
19-Tehachapi	19
20-Riverside	0
21-Valley	5
22-Angeles	0
23-Fresno	7
24-Tulare	1
32-Alpine	0
33-Amador	0
34-Butte	0
35-Calaveras	0
37-Contra Costa	2
39-El Dorado	2
43-Imperial	0
44-Inyo	1
46-Kings	5
49-Los Angeles	5
50-Madera	15
56-Mono	1
57-Monterey	10
58-Napa	0
59-Nevada	0
61-Placer	0
62-Plumas	0

Kettleman Elementary School New

63-Riverside	3
64-Sacramento	7
66-San Bernardino	6
67-San Diego	2
69-San Joaquin	4
70-San Luis Obispo	2
72-Santa Barbara	0
74-Santa Cruz	0
75-Shasta	0
80-Stanislaus	10
82-Tehama	2
87-Yolo	3
88-Yuba	0

District #	KLL 2/2/15	WKK 6/5/2015	WKK 3Q2015	WKK 4Q2015	WKK 1Q2016	WKK 2Q2016	WKK 3Q2016
01-Klamath		X		X-none	X-none	X-none	X-none
02-Lassen	X	X			X	X	X
03-Mendocino		X-none	X-none	X-none	X-none	X-none	X-none
04-San Francisco	X	X	X	X	X	X	
05-Monterey	X	X	X	X	X-none	X-none	X
06-Santa Barbara		X	X	X	X	X-none	X-none
07-Hollywood	X	X	X	X	X	X	X
08-Santa Ana	X	X-none	X-none	X-none	X-none	X-none	X-none
09-Sacramento		X-none	X-none	X-none	X-none	X-none	X-none
10-Stockton	X	X	X	X	X	X	
11-Merced	X	X	X	X	X	X	X
12-Visalia		X	X	X	X	X	X
13-San Bernardino		X	X	X	X	X	X
14-San Diego	X	X-none	X-none	X-none	X-none	X-none	X-none
15-Metropolitan		X-none	X-none	X-none	X-none	X-none	X-none
16-Central		X-none	X-none	X-none	X-none	X-none	X-none
17-Santa Clara	X	X-none	X-none	X-none	X-none	X-none	X-none
18-Sonoma	X	X	X	X	X	X	X
19-Tehachapi	X	X	X	X	X	X	X
20-Riverside	X	X-none	X-none	X-none	X-none	X-none	X-none
21-Valley	X	X	X	X	X	X	X
22-Angeles	X	X-none	X-none	X-none	X-none	X-none	X-none
23-Fresno	X	X	X	X	X	X	X
24-Tulare	X	X	X	X	X	X	X
32-Alpine		X-none	X-none	X-none	X-none	X-none	X-none
33-Amador		X-none	X-none	X-none	X-none	X-none	X-none
34-Butte		X	X-none	X-none	X-none	X-none	X-none
35-Calaveras		X-none	X-none	X-none	X-none	X-none	X-none
37-Contra Costa		X		X	X	X	
39-El Dorado		X	X	X	X	X	X
43-Imperial	X	X	X	X-none	X-none	X-none	X-none
44-Inyo		X	X	X	X	X	
46-Kings		X		X	X	X	X
49-Los Angeles		X	X	X	X	X	X
50-Madera		X	X	X	X	X	X
56-Mono		X	X	X	X		
57-Monterey			X	X	X		
58-Napa		X-none	X-none	X-none	X-none	X-none	X-none
59-Nevada		X-none	X-none	X-none	X-none	X-none	X-none
61-Placer		X	X-none	X-none	X-none	X-none	X-none
62-Plumas		X-none	X-none	X-none	X-none	X-none	X-none
63-Riverside		X	X	X	X	X	X
64-Sacramento		X	X	X	X	X	
66-San Bernardino		X	X	N/A	X	X	
67-San Diego	X	X	X	X	X		X
69-San Joaquin		X	X	X	X	X	X
70-San Luis Obispo		X		X	X	X	X
72-Santa Barbara		X	X-none	X-none	X-none	X-none	X-none
74-Santa Cruz		X	X	X-none	X-none	X-none	X-none
75-Shasta		X-none	X-none	X-none	X-none	X-none	X-none
80-Stanislaus		X	X	X	X		X
82-Tehama		X		X	X	X	
87-Yolo		X		X	X	X	X
88-Yuba		X	X-none	X	X		X

WKK 4Q2016	WKK 1Q2017	WKK 2Q2017
X-none	X-none	X-none
	X	
X-none	X-none	X-none
X	X	
X	X	
X-none	X-none	X-none
Transferred EPA	Transferred EPA	Transferred EPA
X-none	X-none	X-none
X-none	X	
X	X	
X	X	
X	X	
X	X	
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X	X	
X	X	
X-none	X-none	X-none
X	X	
X-none	X-none	X-none
X	X	
X	X	
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X	X	
X	X	
X-none	X-none	X-none
X	X	
X	X	
X	X	
	X	
X	X	
X	X	
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X	X	
X	X	
X	X	
X	X	
X	X	
X	X	
X-none	X-none	X-none
X-none	X-none	X-none
X-none	X-none	X-none
X	X	
X	X	
X	X	
X-none	X-none	X-none